

Supplementary material: How good are recent density functionals for ground and excited one-electron systems?

Sebastian Schwalbe,^{1, a)} Kai Trepte,^{2, b)} and Susi Lehtola^{3, c)}

¹⁾*Institute of Theoretical Physics, TU Bergakademie Freiberg, D-09599 Freiberg, Germany*

²⁾*Taiwan Semiconductor Manufacturing Company North America, San Jose, CA 95134, USA*

³⁾*Molecular Sciences Software Institute, Blacksburg, VA 24061, USA*

(Dated: 8 November 2022)

I. BASIS SET TRUNCATION ERRORS (BSTE)

We carried out fully numerical¹ Hartree–Fock and density functional calculations for the $1s$ state of various ions with the finite element method (FEM) using the HELFEM program^{2–4}. The calculations employed 5 radial elements, affording nE_h level accuracy even for Kr^{35+} . The basis set truncation error (BSTE) in the AHGBSP3-9 basis set, defined as the difference of the energy from the Gaussian-basis calculation with PYSCF to that of the FEM calculation with HELFEM,

$$\Delta_n^{\text{method/basis}} = E_n^{\text{method/basis}} - E_n^{\text{method/FEM}} \geq 0 \quad (1)$$

was determined for the $1s$ ground state of $Z^{(Z-1)+}$ for $Z \in [1, 36]$. The BSTE was determined for unrestricted Hartree–Fock (UHF) as well as the SPW92 and PBEsol functionals; the results are shown in figure S1. The average BSTE is similar for all three methods, i.e., $6.1 \times 10^{-7} E_h$ for UHF, $6.0 \times 10^{-7} E_h$ for SPW92, and $6.9 \times 10^{-7} E_h$ for PBEsol, and the BSTE increases with increasing Z . Clearly, all the errors are below the aimed accuracy threshold of $5 \times 10^{-5} E_h$.

The BSTEs for the $1s$, $2p$, and $3d$ states are studied at the UHF level of theory in figure S2. These results clearly show that the AHGBSP3-9 basis set used in all calculations of this work has uniform accuracy for all states.




Figure S1. Basis set truncation error $E_{\text{GTO}}^{1s} - E_{\text{FEM}}^{1s}$ in the AHGBSP3-9 basis set for the $1s$ state in calculations performed with UHF compared to the SPW92 and PBEsol functionals. The UHF and SPW92 data are on top of each other.

^{a)}Electronic mail: schwalbe@physik.tu-freiberg.de

^{b)}Electronic mail: kai.trepte1987@gmail.com

^{c)}Electronic mail: susi.lehtola@alumni.helsinki.fi




Figure S2. Basis set truncation errors $E_{\text{UHF}} - E_{\text{exact}}$ for the AHGBSP3-9 basis set for the $1s$, $2p$, and $3d$ states.

II. FUNCTIONAL RANKINGS AND BAR CHARTS

A ranking of the functionals from best (lowest mean state error, MSE) to worst (largest MSE) for $1s$ states is given in table S1, for $2p$ states in table S2, and for $3d$ states in table S3. The ranking for the overall error (OE) is shown in table S4. The best performing functionals for the $1s$, $2s$, and $3d$ states as well as overall are summarized in table S5. To facilitate the visual interpretation of the MSEs, bar charts for the $1s$, $2s$, and $3d$ states are provided in figure S3: see figure 3(a) for $1s$, figure 3(b) for $2p$ and figure 3(c) for $3d$. A bar chart of the OE is given in figure S4.

III. COMPARISON TO LITERATURE DATA FOR $1s$ STATES

A comparison to the results of Lonsdale and Goerigk⁵ for the $1s$ state is shown table S6. As the study of Lonsdale and Goerigk⁵ did not include K and Ca (see notes in Figs. 3 and 10 in Ref. 5), we exclude them for this comparison. Even though Lonsdale and Goerigk⁵ used a different basis set and quadrature grid, our values are in reasonable agreement, with relative differences of only some percent for most functionals. The sole exception is the M11-L functional, for which the functional error reported in Lonsdale and Goerigk⁵ is 13% smaller than what we find in this study.

Further study into this issue shows that the difference for M11-L is caused by the basis set: the unc-aug-cc-pVQZ basis was used in Ref. 5 while this work uses the AHGBSP3-9 basis set. The basis set dependence is studied in table S7 for HF and the PBE, TPSS, revTPSS, M06-L, M11-L, and B97M-V functionals using various




Figure S3. MSE for the 1s, 2p, and 3d states for 56 functionals.

augmented correlation consistent basis sets^{6,7} in their uncontracted form (unc-aug-cc-pVXZ), augmented polarization consistent basis sets^{8,9} in uncontracted form (unc-aug-pc-n) and the hydrogenic Gaussian basis set

series¹⁰ used in this work in both augmented and non-augmented form. For comparison, values computed with FEM¹⁻⁴ are also included for most functionals. FEM data is not available for M11-L as the calculations failed




Figure S4. OE for 56 functionals.

to converge with this functional, nor for B97M-V which includes non-local correlation that is not available at the moment in HELFEM.

In all cases, the hydrogenic basis sets yield the lowest energies out of the Gaussian basis sets. Furthermore, the AHGBSP3-9 values are very close to FEM values except for M06-L, confirming the usefulness of the hydrogenic Gaussian basis sets for benchmark calculations.

The values from unc-aug-cc-pVQZ used by Lonsdale and Goerigk⁵ and the AHGBSP3-9 basis used in this work differ by $51.7\mu E_h$ for HF, $56.0\mu E_h$ for PBE, $83.0\mu E_h$ for TPSS, and $70.8\mu E_h$ for revTPSS, with the values of this work being more converged to the basis set limit. The remaining three functionals are more basis set dependent: the values differ by $0.64mE_h$ for M06-L, $4.78mE_h$ for M11-L and $0.22mE_h$ for B97M-V. Because the density functionals already yield total energies that are too negative, the improvement in the accuracy of the basis set directly affect the error metric for the functionals.

M06-L and M11-L appear to be pathologically grid dependent, which is further supported by the FEM calculations: we were unable to converge M11-L with FEM, while M06-L shows an unexpectedly large difference of $0.29mE_h$ between the AHGBSP3-9 value and the FEM value.

Table S1. Functional ranking for the 1s state.

Rank	name	MSE
1	rSCAN50	3.50360×10^{-6}
2	r ² SCAN50	3.50360×10^{-6}
3	rSCAN0	8.17282×10^{-6}
4	r ² SCAN0	8.17282×10^{-6}
5	rSCANh	1.19764×10^{-5}
6	r ² SCANh	1.19764×10^{-5}
7	revTPSS	1.30215×10^{-5}
8	rSCAN	1.49476×10^{-5}
9	r ² SCAN	1.49476×10^{-5}
10	TPSSh	1.63969×10^{-5}
11	TPSS	2.04593×10^{-5}
12	BLOC	2.04593×10^{-5}
13	TM	2.97239×10^{-5}
14	XLYP	1.36933×10^{-4}
15	B97M-V	2.46572×10^{-4}
16	MN15	2.53236×10^{-4}
17	B97-1	3.75601×10^{-4}
18	BLYP35	3.90195×10^{-4}
19	OLYP	3.93428×10^{-4}
20	CAM-QTP00	4.57156×10^{-4}
21	revPBE	4.57184×10^{-4}
22	RPBE	4.57620×10^{-4}
23	BOP	5.78937×10^{-4}
24	BLYP	5.79016×10^{-4}
25	MS0	5.97349×10^{-4}
26	MS1	6.01296×10^{-4}
27	MS2	6.03852×10^{-4}
28	HSE12	6.18713×10^{-4}
29	HSE06	6.65866×10^{-4}
30	B3LYP	7.20302×10^{-4}
31	ω B97X-D	7.64133×10^{-4}
32	PW91	7.77107×10^{-4}
33	ω B97M-V	8.10571×10^{-4}
34	CAM-B3LYP	8.28601×10^{-4}
35	PBE	9.19590×10^{-4}
36	M06-L	9.24187×10^{-4}
37	HCTH-93	9.25245×10^{-4}
38	PKZB	9.40815×10^{-4}
39	LC-VV10	1.08863×10^{-3}
40	HSE03	1.11584×10^{-3}
41	LRC- ω PBE	1.12097×10^{-3}
42	CAM-QTP01	1.33940×10^{-3}
43	MN12-L	1.54139×10^{-3}
44	CAM-QTP02	1.71415×10^{-3}
45	MN15-L	2.11814×10^{-3}
46	DM21	2.12615×10^{-3}
47	LC-QTP	2.27592×10^{-3}
48	M11-L	2.31957×10^{-3}
49	TASK	2.52305×10^{-3}
50	GAM	2.58402×10^{-3}
51	QTP17	3.05967×10^{-3}
52	PBEsol	3.79913×10^{-3}
53	BHandH	5.12204×10^{-3}
54	SPW92	7.70213×10^{-3}
55	SVWN	7.70663×10^{-3}
56	CHACHIYO	7.71101×10^{-3}

Table S2. Functional ranking for the 2p state.

Rank	name	MSE
1	QTP17	1.48308×10^{-3}
2	BHandH	2.82212×10^{-3}
3	CAM-QTP02	3.30177×10^{-3}
4	SVWN	3.39048×10^{-3}
5	SPW92	3.39158×10^{-3}
6	CHACHIYO	3.47628×10^{-3}
7	LC-QTP	3.81790×10^{-3}
8	rSCAN50	4.02520×10^{-3}
9	r ² SCAN50	4.02520×10^{-3}
10	CAM-QTP00	4.18668×10^{-3}
11	MN15-L	4.67326×10^{-3}
12	CAM-QTP01	4.96132×10^{-3}
13	B97M-V	5.25842×10^{-3}
14	DM21	5.43481×10^{-3}
15	MN12-L	5.79566×10^{-3}
16	ω B97M-V	5.98667×10^{-3}
17	r ² SCAN0	6.05130×10^{-3}
18	rSCAN0	6.05130×10^{-3}
19	LC-VV10	6.90531×10^{-3}
20	PBEsol	6.91813×10^{-3}
21	rSCANh	7.27136×10^{-3}
22	r ² SCANh	7.27136×10^{-3}
23	CAM-B3LYP	7.56898×10^{-3}
24	BLYP35	7.82388×10^{-3}
25	r ² SCAN	8.08660×10^{-3}
26	rSCAN	8.08663×10^{-3}
27	HSE12	8.20083×10^{-3}
28	HSE06	8.78457×10^{-3}
29	LRC- ω PBE	9.29420×10^{-3}
30	TPSSh	9.83474×10^{-3}
31	MN15	9.86682×10^{-3}
32	TM	1.03542×10^{-2}
33	PKZB	1.03849×10^{-2}
34	revTPSS	1.04006×10^{-2}
35	B3LYP	1.05487×10^{-2}
36	PW91	1.08639×10^{-2}
37	TPSS	1.09411×10^{-2}
38	BLOC	1.09412×10^{-2}
39	PBE	1.09609×10^{-2}
40	B97-1	1.10771×10^{-2}
41	MS0	1.12102×10^{-2}
42	HSE03	1.15003×10^{-2}
43	MS1	1.16142×10^{-2}
44	MS2	1.19325×10^{-2}
45	BLYP	1.20855×10^{-2}
46	BOP	1.20858×10^{-2}
47	XLYP	1.21677×10^{-2}
48	OLYP	1.30932×10^{-2}
49	RPBE	1.34634×10^{-2}
50	revPBE	1.35781×10^{-2}
51	ω B97X-D	1.38525×10^{-2}
52	TASK	1.46303×10^{-2}
53	M06-L	1.52055×10^{-2}
54	GAM	1.56102×10^{-2}
55	HCTH-93	1.64193×10^{-2}
56	M11-L	1.87587×10^{-2}

Table S3. Functional ranking for the 3d state.

Rank	name	MSE
1	BHandH	4.34067×10^{-4}
2	QTP17	4.61151×10^{-3}
3	CAM-QTP02	6.67966×10^{-3}
4	LC-QTP	7.59034×10^{-3}
5	r ² SCAN50	7.97455×10^{-3}
6	rSCAN50	7.97462×10^{-3}
7	CAM-QTP00	8.30036×10^{-3}
8	CAM-QTP01	9.54244×10^{-3}
9	ω B97M-V	1.12842×10^{-2}
10	SVWN	1.13776×10^{-2}
11	SPW92	1.13776×10^{-2}
12	CHACHIYO	1.15484×10^{-2}
13	LC-VV10	1.16636×10^{-2}
14	rSCAN0	1.20440×10^{-2}
15	r ² SCAN0	1.20440×10^{-2}
16	DM21	1.22576×10^{-2}
17	MN15-L	1.32741×10^{-2}
18	rSCANh	1.45137×10^{-2}
19	r ² SCANh	1.45137×10^{-2}
20	B97M-V	1.49072×10^{-2}
21	CAM-B3LYP	1.61660×10^{-2}
22	r ² SCAN	1.61722×10^{-2}
23	rSCAN	1.61723×10^{-2}
24	LRC- ω PBE	1.66828×10^{-2}
25	BLYP35	1.83694×10^{-2}
26	HSE12	1.91080×10^{-2}
27	PBEsol	2.00980×10^{-2}
28	MN12-L	2.03637×10^{-2}
29	HSE06	2.05180×10^{-2}
30	TPSSh	2.07984×10^{-2}
31	MN15	2.13324×10^{-2}
32	revTPSS	2.18584×10^{-2}
33	MS0	2.23280×10^{-2}
34	TM	2.23954×10^{-2}
35	TPSS	2.31835×10^{-2}
36	BLOC	2.32046×10^{-2}
37	MS1	2.34581×10^{-2}
38	MS2	2.43222×10^{-2}
39	B97-1	2.43628×10^{-2}
40	PW91	2.44853×10^{-2}
41	HSE03	2.45339×10^{-2}
42	B3LYP	2.46448×10^{-2}
43	PKZB	2.47013×10^{-2}
44	ω B97X-D	2.51154×10^{-2}
45	PBE	2.53799×10^{-2}
46	TASK	2.69819×10^{-2}
47	XLYP	2.79232×10^{-2}
48	BLYP	2.85655×10^{-2}
49	BOP	2.85677×10^{-2}
50	RPBE	2.93201×10^{-2}
51	OLYP	2.97062×10^{-2}
52	revPBE	2.99502×10^{-2}
53	M06-L	3.36828×10^{-2}
54	GAM	3.64957×10^{-2}
55	HCTH-93	3.68895×10^{-2}
56	M11-L	4.59323×10^{-2}

Table S4. Functional ranking for the overall error.

Rank	name	OE
1	BHandH	2.79274×10^{-3}
2	QTP17	3.05142×10^{-3}
3	CAM-QTP02	3.89853×10^{-3}
4	r ² SCAN50	4.00108×10^{-3}
5	rSCAN50	4.00111×10^{-3}
6	CAM-QTP00	4.31473×10^{-3}
7	LC-QTP	4.56139×10^{-3}
8	CAM-QTP01	5.28105×10^{-3}
9	ω B97M-V	6.02715×10^{-3}
10	rSCAN0	6.03450×10^{-3}
11	r ² SCAN0	6.03450×10^{-3}
12	LC-VV10	6.55252×10^{-3}
13	DM21	6.60619×10^{-3}
14	MN15-L	6.68850×10^{-3}
15	B97M-V	6.80408×10^{-3}
16	rSCANh	7.26567×10^{-3}
17	r ² SCANh	7.26568×10^{-3}
18	SPW92	7.49045×10^{-3}
19	SVWN	7.49158×10^{-3}
20	CHACHIYO	7.57857×10^{-3}
21	r ² SCAN	8.09124×10^{-3}
22	rSCAN	8.09128×10^{-3}
23	CAM-B3LYP	8.18785×10^{-3}
24	BLYP35	8.86117×10^{-3}
25	LRC- ω PBE	9.03267×10^{-3}
26	MN12-L	9.23357×10^{-3}
27	HSE12	9.30918×10^{-3}
28	HSE06	9.98947×10^{-3}
29	TPSSh	1.02165×10^{-2}
30	PBEsol	1.02717×10^{-2}
31	MN15	1.04841×10^{-2}
32	revTPSS	1.07573×10^{-2}
33	TM	1.09264×10^{-2}
34	MS0	1.13785×10^{-2}
35	TPSS	1.13817×10^{-2}
36	BLOC	1.13887×10^{-2}
37	MS1	1.18912×10^{-2}
38	B97-1	1.19385×10^{-2}
39	B3LYP	1.19713×10^{-2}
40	PKZB	1.20090×10^{-2}
41	PW91	1.20421×10^{-2}
42	MS2	1.22862×10^{-2}
43	HSE03	1.23833×10^{-2}
44	PBE	1.24201×10^{-2}
45	ω B97X-D	1.32440×10^{-2}
46	XLYP	1.34093×10^{-2}
47	BLYP	1.37433×10^{-2}
48	BOP	1.37442×10^{-2}
49	OLYP	1.43976×10^{-2}
50	RPBE	1.44137×10^{-2}
51	revPBE	1.46618×10^{-2}
52	TASK	1.47118×10^{-2}
53	M06-L	1.66042×10^{-2}
54	HCTH-93	1.80780×10^{-2}
55	GAM	1.82300×10^{-2}
56	M11-L	2.23369×10^{-2}

Table S5. Best performing functionals on various rungs of Jacob's ladder for the $1s$, $2s$, and $3d$ states as well as for the overall error.

Rung	$1s$	$2p$	$3d$	OE
LDA	SPW92	SVWN	SVWN	SPW92
GGA	XLYP	PBEsol	PBEsol	PBEsol
mGGA	revTPSS	MN15-L	MN15-L	MN15-L
HYB	rSCAN50	QTP17	BHandH	BHandH
best	rSCAN50	QTP17	BHandH	BHandH

Table S6. Comparison of results for the $1s$ state of the present work (PW) with the corresponding values of Lonsdale and Goerigk (LG) from Ref. 5. Note that we used our MSE definition for PW and LG, which is unitless. In addition, the absolute percentage error $APE = |(LG - PW)/PW| \times 100\%$ is reported.

Name	PW	LG	APE [%]
ω B97M-V	8.38819×10^{-4}	8.45138×10^{-4}	7.53297×10^{-1}
B3LYP	7.34235×10^{-4}	7.33884×10^{-4}	4.78058×10^{-2}
B97M-V	2.51475×10^{-4}	2.40834×10^{-4}	$4.23138 \times 10^{+0}$
BLYP	5.96690×10^{-4}	5.97700×10^{-4}	1.69320×10^{-1}
BOP	5.96606×10^{-4}	5.97700×10^{-4}	1.83362×10^{-1}
CAM-B3LYP	8.57296×10^{-4}	8.59052×10^{-4}	2.04817×10^{-1}
CAM-QTP01	1.39300×10^{-3}	1.39894×10^{-3}	4.26966×10^{-1}
LC-VV10	1.11388×10^{-3}	1.11421×10^{-3}	2.94155×10^{-2}
M06-L	9.56792×10^{-4}	8.96672×10^{-4}	$6.28347 \times 10^{+0}$
M11-L	2.38770×10^{-3}	2.07624×10^{-3}	$1.30443 \times 10^{+1}$
MN12-L	1.58625×10^{-3}	1.59771×10^{-3}	7.22445×10^{-1}
MN15	2.65522×10^{-4}	2.68544×10^{-4}	$1.13808 \times 10^{+0}$
MN15-L	2.11663×10^{-3}	2.12399×10^{-3}	3.47704×10^{-1}
OLYP	4.05202×10^{-4}	4.08339×10^{-4}	7.74255×10^{-1}
PBE	9.36214×10^{-4}	9.37613×10^{-4}	1.49389×10^{-1}
PW91	7.92250×10^{-4}	7.89482×10^{-4}	3.49454×10^{-1}
RPBE	4.78756×10^{-4}	4.74266×10^{-4}	9.37818×10^{-1}
SPW92	7.90560×10^{-3}	8.04315×10^{-3}	$1.73997 \times 10^{+0}$
SVWN	7.91033×10^{-3}	8.04820×10^{-3}	$1.74285 \times 10^{+0}$
TPSS	2.15980×10^{-5}	2.01696×10^{-5}	$6.61361 \times 10^{+0}$
TPSSh	1.73088×10^{-5}	1.62511×10^{-5}	$6.11062 \times 10^{+0}$
revPBE	4.74206×10^{-4}	4.71561×10^{-4}	5.57747×10^{-1}
revTPSS	1.37720×10^{-5}	1.29575×10^{-5}	$5.91392 \times 10^{+0}$

Table S7. Total energies for the H atom in E_h with various functionals and basis sets. N/C denotes no convergence, N/A denotes data that is unavailable.

Basis	HF	PBE	TPSS	revTPSS	M06-L	M11-L	B97M-V
unc-aug-cc-pVDZ	-0.4993370	-0.4993541	-0.4996426	-0.4995471	-0.5016969	-0.5047850	-0.5002878
unc-aug-cc-pVTZ	-0.4998213	-0.4998045	-0.5000336	-0.4999786	-0.5037034	-0.5065771	-0.5011197
unc-aug-cc-pVQZ	-0.4999483	-0.4999343	-0.5001523	-0.5000867	-0.5040585	-0.5055703	-0.5013528
unc-aug-cc-pV5Z	-0.4999948	-0.4999851	-0.5002286	-0.5001484	-0.5041979	-0.5083504	-0.5015100
unc-aug-cc-pV6Z	-0.4999993	-0.4999891	-0.5002296	-0.5001547	-0.5042778	-0.5094547	-0.5015454
unc-aug-pc-1	-0.4990825	-0.4992426	-0.4995182	-0.4993989	-0.5011977	-0.5046313	-0.5001773
unc-aug-pc-2	-0.4999230	-0.4999238	-0.5001450	-0.5000745	-0.5040151	-0.5057888	-0.5013461
unc-aug-pc-3	-0.4999974	-0.4999862	-0.5002260	-0.5001535	-0.5040242	-0.5083743	-0.5014725
unc-aug-pc-4	-0.4999996	-0.4999898	-0.5002315	-0.5001537	-0.5041838	-0.5084006	-0.5015613
HGBSP3-5	-0.4999890	-0.4999538	-0.5001914	-0.5001127	-0.5042079	-0.5091005	-0.5015337
HGBSP3-7	-0.4999999	-0.4999890	-0.5002324	-0.5001554	-0.5044240	-0.5098696	-0.5015681
HGBSP3-9	-0.5000000	-0.4999903	-0.5002352	-0.5001574	-0.5046958	-0.5103216	-0.5015712
AHGBSP3-5	-0.4999898	-0.4999815	-0.5002193	-0.5001407	-0.5043017	-0.5092270	-0.5015443
AHGBSP3-7	-0.4999999	-0.4999900	-0.5002328	-0.5001558	-0.5044442	-0.5099261	-0.5015715
AHGBSP3-9	-0.5000000	-0.4999903	-0.5002353	-0.5001575	-0.5046959	-0.5103507	-0.5015714
FEM	-0.5000000	-0.4999904	-0.5002355	-0.5001577	-0.5049877	N/C	N/A

IV. TOTAL ENERGIES

The total energies for all methods, atoms and states computed in the AHGBSP3-9 basis set are shown in tables; see the list of tables below.

LIST OF TABLES

S1	Functional ranking for the $1s$ state.	4
S2	Functional ranking for the $2p$ state.	4
S3	Functional ranking for the $3d$ state.	5
S4	Functional ranking for the overall error. ...	5
S5	Best performing functionals.	6
S6	$1s$ state literature comparison.	6
S7	Total energies for the H atom.	7
S8	Total energies for SVWN.	9
S9	Total energies for BLYP.	10
S10	Total energies for PW91.	11
S11	Total energies for SPW92.	12
S12	Total energies for BHandH.	13
S13	Total energies for B3LYP.	14
S14	Total energies for PBE.	15
S15	Total energies for revPBE.	16
S16	Total energies for B97-1.	17
S17	Total energies for HCTH-93.	18
S18	Total energies for RPBE.	19
S19	Total energies for BOP.	20
S20	Total energies for PKZB.	21
S21	Total energies for HSE03.	22
S22	Total energies for TPSS.	23
S23	Total energies for TPSSh.	24
S24	Total energies for CAM-B3LYP.	25
S25	Total energies for XLYP.	26
S26	Total energies for HSE06.	27
S27	Total energies for M06-L.	28
S28	Total energies for PBEsol.	29
S29	Total energies for ω B97X-D.	30
S30	Total energies for OLYP.	31
S31	Total energies for LRC- ω PBE.	32
S32	Total energies for revTPSS.	33
S33	Total energies for LC-VV10.	34
S34	Total energies for BLYP35.	35
S35	Total energies for HSE12.	36
S36	Total energies for M11-L.	37
S37	Total energies for MN12-L.	38
S38	Total energies for MS0.	39
S39	Total energies for MS1.	40
S40	Total energies for MS2.	41
S41	Total energies for BLOC.	42
S42	Total energies for CAM-QTP00.	43
S43	Total energies for GAM.	44
S44	Total energies for CHACHIYO.	45
S45	Total energies for B97M-V.	46
S46	Total energies for TM.	47
S47	Total energies for ω B97M-V.	48
S48	Total energies for CAM-QTP01.	49
S49	Total energies for MN15.	50
S50	Total energies for MN15-L.	51
S51	Total energies for LC-QTP.	52
S52	Total energies for CAM-QTP02.	53
S53	Total energies for QTP17.	54
S54	Total energies for rSCAN.	55
S55	Total energies for TASK.	56
S56	Total energies for r ² SCAN.	57
S57	Total energies for DM21.	58
S58	Total energies for rSCANh.	59
S59	Total energies for r ² SCANh.	60
S60	Total energies for rSCAN0.	61
S61	Total energies for r ² SCAN0.	62
S62	Total energies for rSCAN50.	63
S63	Total energies for r ² SCAN50.	64
S64	Total energies for UHF.	65

¹S. Lehtola, “A review on non-relativistic, fully numerical electronic structure calculations on atoms and diatomic molecules,” *Int. J. Quantum Chem.* **119**, e25968 (2019), arXiv:1902.01431.

²S. Lehtola. *HelFEM* – Helsinki Finite Element Suite for atoms and diatomic molecules, “<https://github.com/susilehtola/HelFEM>,” (2018).

³S. Lehtola, “Fully numerical Hartree–Fock and density functional calculations. I. Atoms,” *Int. J. Quantum Chem.* **119**, e25945 (2019), arXiv:1810.11651.

⁴S. Lehtola, “Fully numerical calculations on atoms with fractional occupations and range-separated exchange functionals,” *Phys. Rev. A* **101**, 012516 (2020), arXiv:1908.02528.

⁵D. R. Lonsdale and L. Goerigk, “The one-electron self-interaction error in 74 density functional approximations: a case study on hydrogenic mono- and dinuclear systems,” *Phys. Chem. Chem. Phys.* **22**, 15805–15830 (2020).

⁶T. H. Dunning, “Gaussian basis sets for use in correlated molecular calculations. I. The atoms boron through neon and hydrogen,” *J. Chem. Phys.* **90**, 1007 (1989).

⁷R. A. Kendall, T. H. Dunning, and R. J. Harrison, “Electron affinities of the first-row atoms revisited. Systematic basis sets and wave functions,” *J. Chem. Phys.* **96**, 6796 (1992).

⁸F. Jensen, “Polarization consistent basis sets: Principles,” *J. Chem. Phys.* **115**, 9113–9125 (2001).

⁹F. Jensen, “Polarization consistent basis sets. III. The importance of diffuse functions,” *J. Chem. Phys.* **117**, 9234–9240 (2002).

¹⁰S. Lehtola, “Polarized Gaussian basis sets from one-electron ions,” *J. Chem. Phys.* **152**, 134108 (2020), arXiv:2001.04224.

Table S8. Total energies for SVWN for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4786708	-0.1321379	-0.0653143
He ⁺	-1.9417028	-0.5066166	-0.2366249
Li ²⁺	-4.4020529	-1.1293424	-0.5179029
Be ³⁺	-7.8611726	-2.0011983	-0.9096469
B ⁴⁺	-12.3195752	-3.1225135	-1.4120976
C ⁵⁺	-17.7775052	-4.4934633	-2.0253764
N ⁶⁺	-24.2350992	-6.1141484	-2.7495551
O ⁷⁺	-31.6924414	-7.9846310	-3.5846781
F ⁸⁺	-40.1495877	-10.1049539	-4.5307815
Ne ⁹⁺	-49.6065772	-12.4751490	-5.5782056
Na ¹⁰⁺	-60.0634381	-15.0952381	-6.7560229
Mg ¹¹⁺	-71.5201916	-17.9652313	-8.0352304
Al ¹²⁺	-83.9768540	-21.0851516	-9.4254110
Si ¹³⁺	-97.4334383	-24.4549860	-10.9266527
P ¹⁴⁺	-111.8899546	-28.0747908	-12.5389749
S ¹⁵⁺	-127.3464115	-31.9445370	-14.2623733
Cl ¹⁶⁺	-143.8028157	-36.0642325	-16.0968348
Ar ¹⁷⁺	-161.2591730	-40.4338871	-18.0423843
K ¹⁸⁺	-179.7154883	-45.0535404	-20.0990552
Ca ¹⁹⁺	-199.1717657	-49.9230800	-22.2667663
Sc ²⁰⁺	-219.6280088	-55.0426327	-24.5454842
Ti ²¹⁺	-241.0842206	-60.4121433	-26.9353793
V ²²⁺	-263.5404039	-66.0316704	-29.4363116
Cr ²³⁺	-286.9965609	-71.9011427	-32.0483966
Mn ²⁴⁺	-311.4526937	-78.0206037	-34.7715298
Fe ²⁵⁺	-336.9088042	-84.3900249	-37.6057355
Co ²⁶⁺	-363.3648940	-91.0094498	-40.5510935
Ni ²⁷⁺	-390.8209646	-97.8788565	-43.6075181
Cu ²⁸⁺	-419.2770172	-104.9982059	-46.7749980
Zn ²⁹⁺	-448.7330530	-112.3675992	-50.0536681
Ga ³⁰⁺	-479.1890730	-119.9869628	-53.4433492
Ge ³¹⁺	-510.6450784	-127.8563037	-56.9441900
As ³²⁺	-543.1010699	-135.9756319	-60.5561053
Se ³³⁺	-576.5570483	-144.3449482	-64.2790861
Br ³⁴⁺	-611.0130144	-152.9642532	-68.1132117
Kr ³⁵⁺	-646.4689688	-161.8335384	-72.0584554

Table S9. Total energies for BLYP for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.4979143	-0.1382596	-0.0699032
He ⁺	-1.9951314	-0.5261199	-0.2498920
Li ²⁺	-4.4923754	-1.1640612	-0.5409449
Be ³⁺	-7.9896254	-2.0519227	-0.9431694
B ⁴⁺	-12.4868776	-3.1897948	-1.4564914
C ⁵⁺	-17.9841310	-4.5776958	-2.0809189
N ⁶⁺	-24.4813850	-6.2155895	-2.8164458
O ⁷⁺	-31.9786394	-8.1034644	-3.6631130
F ⁸⁺	-40.4758941	-10.2413516	-4.6209083
Ne ⁹⁺	-49.9731489	-12.6292240	-5.6781892
Na ¹⁰⁺	-60.4704039	-15.2669316	-6.8697049
Mg ¹¹⁺	-71.9676589	-18.1550058	-8.1607900
Al ¹²⁺	-84.4649140	-21.2926643	-9.5629858
Si ¹³⁺	-97.9621692	-24.6808653	-11.0763066
P ¹⁴⁺	-112.4594244	-28.3185941	-12.7007478
S ¹⁵⁺	-127.9566797	-32.2062675	-14.4363263
Cl ¹⁶⁺	-144.4539350	-36.3441352	-16.2831359
Ar ¹⁷⁺	-161.9511903	-40.7320029	-18.2407106
K ¹⁸⁺	-180.4484456	-45.3703218	-20.3098785
Ca ¹⁹⁺	-199.9457010	-50.2580634	-22.4897061
Sc ²⁰⁺	-220.4429563	-55.3959541	-24.7806880
Ti ²¹⁺	-241.9402117	-60.7839968	-27.1820828
V ²²⁺	-264.4374671	-66.4213414	-29.6962773
Cr ²³⁺	-287.9347225	-72.3096285	-32.3209711
Mn ²⁴⁺	-312.4319779	-78.4470768	-35.0552597
Fe ²⁵⁺	-337.9292333	-84.8353966	-37.9032381
Co ²⁶⁺	-364.4264887	-91.4731777	-40.8596000
Ni ²⁷⁺	-391.9237441	-98.3606799	-43.9284368
Cu ²⁸⁺	-420.4209995	-105.4992367	-47.1093714
Zn ²⁹⁺	-449.9182549	-112.8871278	-50.4003880
Ga ³⁰⁺	-480.4155103	-120.5242830	-53.8028639
Ge ³¹⁺	-511.9127657	-128.4121507	-57.3148951
As ³²⁺	-544.4100211	-136.5500184	-60.9392874
Se ³³⁺	-577.9072766	-144.9378861	-64.6759113
Br ³⁴⁺	-612.4045320	-153.5757538	-68.5226543
Kr ³⁵⁺	-647.9017874	-162.4639900	-72.4791311

Table S10. Total energies for PW91 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.5015561	-0.1397375	-0.0697031
He ⁺	-1.9967832	-0.5251521	-0.2470939
Li ²⁺	-4.4916267	-1.1600637	-0.5352141
Be ³⁺	-7.9863361	-2.0447957	-0.9343043
B ⁴⁺	-12.4809763	-3.1794210	-1.4444206
C ⁵⁺	-17.9755739	-4.5639747	-2.0656085
N ⁶⁺	-24.4701419	-6.1985064	-2.7978906
O ⁷⁺	-31.9646882	-8.0830086	-3.6412308
F ⁸⁺	-40.4592175	-10.2174735	-4.5957739
Ne ⁹⁺	-49.9537333	-12.6019372	-5.6493844
Na ¹⁰⁺	-60.4482378	-15.2363879	-6.8378136
Mg ¹¹⁺	-71.9427331	-18.1208299	-8.1259282
Al ¹²⁺	-84.4372202	-21.2552550	-9.5243817
Si ¹³⁺	-97.9317003	-24.6397408	-11.0343907
P ¹⁴⁺	-112.4261745	-28.2741008	-12.6553158
S ¹⁵⁺	-127.9206432	-32.1585043	-14.3880080
Cl ¹⁶⁺	-144.4151070	-36.2929106	-16.2311060
Ar ¹⁷⁺	-161.9095666	-40.6773128	-18.1851255
K ¹⁸⁺	-180.4040223	-45.3116662	-20.2510939
Ca ¹⁹⁺	-199.8984743	-50.1961011	-22.4273890
Sc ²⁰⁺	-220.3929233	-55.3305095	-24.7147963
Ti ²¹⁺	-241.8873692	-60.7149888	-27.1137191
V ²²⁺	-264.3818123	-66.3492763	-29.6235557
Cr ²³⁺	-287.8762530	-72.2336453	-32.2451898
Mn ²⁴⁺	-312.3706913	-78.3680445	-34.9767805
Fe ²⁵⁺	-337.8651274	-84.7523927	-37.8199767
Co ²⁶⁺	-364.3595614	-91.3868186	-40.7743689
Ni ²⁷⁺	-391.8539936	-98.2711830	-43.8398277
Cu ²⁸⁺	-420.3484240	-105.4056908	-47.0162164
Zn ²⁹⁺	-449.8428526	-112.7900702	-50.3044450
Ga ³⁰⁺	-480.3372797	-120.4243077	-53.7027039
Ge ³¹⁺	-511.8317053	-128.3086801	-57.2127623
As ³²⁺	-544.3261294	-136.4430512	-60.8337712
Se ³³⁺	-577.8205524	-144.8274212	-64.5657330
Br ³⁴⁺	-612.3149738	-153.4617902	-68.4089250
Kr ³⁵⁺	-647.8093942	-162.3461761	-72.3634593

Table S11. Total energies for SPW92 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4787108	-0.1321399	-0.0652987
He ⁺	-1.9417607	-0.5066465	-0.2366282
Li ²⁺	-4.4021173	-1.1293867	-0.5179229
Be ³⁺	-7.8612408	-2.0012504	-0.9096786
B ⁴⁺	-12.3196462	-3.1225706	-1.4121376
C ⁵⁺	-17.7775784	-4.4935234	-2.0254223
N ⁶⁺	-24.2351742	-6.1142108	-2.7496053
O ⁷⁺	-31.6925180	-7.9846952	-3.5847315
F ⁸⁺	-40.1496657	-10.1050197	-4.5308359
Ne ⁹⁺	-49.6066563	-12.4752162	-5.5782629
Na ¹⁰⁺	-60.0635182	-15.0953063	-6.7560916
Mg ¹¹⁺	-71.5202726	-17.9653005	-8.0352913
Al ¹²⁺	-83.9769359	-21.0852218	-9.4254731
Si ¹³⁺	-97.4335208	-24.4550570	-10.9267295
P ¹⁴⁺	-111.8900378	-28.0748626	-12.5390428
S ¹⁵⁺	-127.3464952	-31.9446096	-14.2624381
Cl ¹⁶⁺	-143.8028999	-36.0643058	-16.0969004
Ar ¹⁷⁺	-161.2592576	-40.4339611	-18.0424506
K ¹⁸⁺	-179.7155733	-45.0536150	-20.0991221
Ca ¹⁹⁺	-199.1718511	-49.9231553	-22.2668339
Sc ²⁰⁺	-219.6280945	-55.0427086	-24.5455523
Ti ²¹⁺	-241.0843066	-60.4122197	-26.9354480
V ²²⁺	-263.5404901	-66.0317473	-29.4363807
Cr ²³⁺	-286.9966473	-71.9012201	-32.0484662
Mn ²⁴⁺	-311.4527803	-78.0206816	-34.7716000
Fe ²⁵⁺	-336.9088910	-84.3901032	-37.6058060
Co ²⁶⁺	-363.3649809	-91.0095285	-40.5511645
Ni ²⁷⁺	-390.8210516	-97.8789357	-43.6075895
Cu ²⁸⁺	-419.2771043	-104.9982855	-46.7750701
Zn ²⁹⁺	-448.7331402	-112.3676792	-50.0537147
Ga ³⁰⁺	-479.1891604	-119.9870431	-53.4434191
Ge ³¹⁺	-510.6451658	-127.8563843	-56.9442630
As ³²⁺	-543.1011573	-135.9757128	-60.5561787
Se ³³⁺	-576.5571358	-144.3450294	-64.2791598
Br ³⁴⁺	-611.0131019	-152.9643348	-68.1132841
Kr ³⁵⁺	-646.4690564	-161.8336203	-72.0585298

Table S12. Total energies for BHandH for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4781468	-0.1219713	-0.0557732
He ⁺	-1.9559124	-0.4939208	-0.2226362
Li ²⁺	-4.4336801	-1.1158686	-0.5006170
Be ³⁺	-7.9114484	-1.9878196	-0.8897043
B ⁴⁺	-12.3892169	-3.1097688	-1.3899031
C ⁵⁺	-17.8669854	-4.4817176	-2.0012135
N ⁶⁺	-24.3447540	-6.1036669	-2.7236351
O ⁷⁺	-31.8225226	-7.9756169	-3.5571706
F ⁸⁺	-40.3002913	-10.0975658	-4.5018089
Ne ⁹⁺	-49.7780599	-12.4695164	-5.5528822
Na ¹⁰⁺	-60.2558286	-15.0914672	-6.7244354
Mg ¹¹⁺	-71.7335973	-17.9634158	-8.0024285
Al ¹²⁺	-84.2113660	-21.0853664	-9.3915027
Si ¹³⁺	-97.6891346	-24.4573080	-10.8917007
P ¹⁴⁺	-112.1669033	-28.0792633	-12.5030030
S ¹⁵⁺	-127.6446720	-31.9512152	-14.2254278
Cl ¹⁶⁺	-144.1224407	-36.0731648	-16.0589556
Ar ¹⁷⁺	-161.6002094	-40.4451144	-18.0036056
K ¹⁸⁺	-180.0779781	-45.0670812	-20.0593875
Ca ¹⁹⁺	-199.5557467	-49.9390092	-22.2262560
Sc ²⁰⁺	-220.0335154	-55.0609582	-24.5042055
Ti ²¹⁺	-241.5112841	-60.4329001	-26.8933058
V ²²⁺	-263.9890528	-66.0548623	-29.3934929
Cr ²³⁺	-287.4668214	-71.9268095	-32.0048015
Mn ²⁴⁺	-311.9445901	-78.0487615	-34.7272390
Fe ²⁵⁺	-337.4223588	-84.4207040	-37.5607582
Co ²⁶⁺	-363.9001275	-91.0426569	-40.5054168
Ni ²⁷⁺	-391.3778961	-97.9146102	-43.5611723
Cu ²⁸⁺	-419.8556648	-105.0365431	-46.7280190
Zn ²⁹⁺	-449.3334335	-112.4085047	-50.0060092
Ga ³⁰⁺	-479.8112021	-120.0304588	-53.3950942
Ge ³¹⁺	-511.2889708	-127.9024084	-56.8953055
As ³²⁺	-543.7667394	-136.0243579	-60.5066166
Se ³³⁺	-577.2445081	-144.3963075	-64.2290218
Br ³⁴⁺	-611.7222767	-153.0182570	-68.0625589
Kr ³⁵⁺	-647.2000454	-161.8902021	-72.0072165

Table S13. Total energies for B3LYP for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5024433	-0.1393023	-0.0698970
He ⁺	-1.9986515	-0.5245709	-0.2473975
Li ²⁺	-4.4941883	-1.1593325	-0.5356462
Be ³⁺	-7.9894325	-2.0437943	-0.9348059
B ⁴⁺	-12.4845110	-3.1781526	-1.4449442
C ⁵⁺	-17.9794828	-4.5624219	-2.0661060
N ⁶⁺	-24.4743797	-6.1966196	-2.7983171
O ⁷⁺	-31.9692212	-8.0807540	-3.6415842
F ⁸⁺	-40.4640200	-10.2148585	-4.5959689
Ne ⁹⁺	-49.9587850	-12.5989215	-5.6522925
Na ¹⁰⁺	-60.4535224	-15.2328413	-6.8380120
Mg ¹¹⁺	-71.9482369	-18.1169705	-8.1256985
Al ¹²⁺	-84.4429321	-21.2508476	-9.5242539
Si ¹³⁺	-97.9376108	-24.6350657	-11.0341215
P ¹⁴⁺	-112.4322753	-28.2689336	-12.6549944
S ¹⁵⁺	-127.9269273	-32.1527490	-14.3870885
Cl ¹⁶⁺	-144.4215683	-36.2866936	-16.2302624
Ar ¹⁷⁺	-161.9161996	-40.6706290	-18.1843460
K ¹⁸⁺	-180.4108221	-45.3048789	-20.2498436
Ca ¹⁹⁺	-199.9054369	-50.1887092	-22.4261876
Sc ²⁰⁺	-220.4000445	-55.3226387	-24.7136407
Ti ²¹⁺	-241.8946457	-60.7066703	-27.1116964
V ²²⁺	-264.3892411	-66.3401976	-29.6219096
Cr ²³⁺	-287.8838311	-72.2243942	-32.2430983
Mn ²⁴⁺	-312.3784161	-78.3579856	-34.9741612
Fe ²⁵⁺	-337.8729966	-84.7421969	-37.7942257
Co ²⁶⁺	-364.3675728	-91.3760183	-40.7713387
Ni ²⁷⁺	-391.8621452	-98.2596355	-43.8365886
Cu ²⁸⁺	-420.3567139	-105.3940045	-47.0136722
Zn ²⁹⁺	-449.8512792	-112.7777129	-50.3010766
Ga ³⁰⁺	-480.3458413	-120.4112539	-53.6997671
Ge ³¹⁺	-511.8404004	-128.2951207	-57.2086683
As ³²⁺	-544.3349567	-136.4289848	-60.8294591
Se ³³⁺	-577.8295104	-144.8128464	-64.5621591
Br ³⁴⁺	-612.3240616	-153.4467055	-68.4052604
Kr ³⁵⁺	-647.8186104	-162.3308268	-72.3584842

Table S14. Total energies for PBE for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.4999903	-0.1398279	-0.0701565
He ⁺	-1.9937720	-0.5253068	-0.2479176
Li ²⁺	-4.4872911	-1.1602995	-0.5364792
Be ³⁺	-7.9807506	-2.0451198	-0.9359826
B ⁴⁺	-12.4741911	-3.1798498	-1.4465168
C ⁵⁺	-17.9676247	-4.5645315	-2.0681448
N ⁶⁺	-24.4610557	-6.1991860	-2.8007929
O ⁷⁺	-31.9544860	-8.0838257	-3.6445697
F ⁸⁺	-40.4479164	-10.2184453	-4.5994142
Ne ⁹⁺	-49.9413471	-12.6030637	-5.6535858
Na ¹⁰⁺	-60.4347783	-15.2376762	-6.8424524
Mg ¹¹⁺	-71.9282101	-18.1222754	-8.1306914
Al ¹²⁺	-84.4216425	-21.2568783	-9.5299104
Si ¹³⁺	-97.9150754	-24.6414452	-11.0402773
P ¹⁴⁺	-112.4085088	-28.2760597	-12.6617422
S ¹⁵⁺	-127.9019427	-32.1606598	-14.3943491
Cl ¹⁶⁺	-144.3953770	-36.2952500	-16.2380544
Ar ¹⁷⁺	-161.8888117	-40.6798389	-18.1928904
K ¹⁸⁺	-180.3822467	-45.3144888	-20.2589028
Ca ¹⁹⁺	-199.8756820	-50.1990025	-22.4359649
Sc ²⁰⁺	-220.3691177	-55.3335818	-24.7239964
Ti ²¹⁺	-241.8625536	-60.7181397	-27.1232956
V ²²⁺	-264.3559897	-66.3527704	-29.6336154
Cr ²³⁺	-287.8494261	-72.2373460	-32.2551480
Mn ²⁴⁺	-312.3428627	-78.3719390	-34.9877289
Fe ²⁵⁺	-337.8362995	-84.7564972	-37.8313824
Co ²⁶⁺	-364.3297365	-91.3910941	-40.7862368
Ni ²⁷⁺	-391.8231736	-98.2756894	-43.8521566
Cu ²⁸⁺	-420.3166109	-105.4102122	-47.0291137
Zn ²⁹⁺	-449.8100483	-112.7948387	-50.3173486
Ga ³⁰⁺	-480.3034859	-120.4294376	-53.7165395
Ge ³¹⁺	-511.7969236	-128.3140200	-57.2269431
As ³²⁺	-544.2903614	-136.4486023	-60.8484167
Se ³³⁺	-577.7837993	-144.8331844	-64.5809373
Br ³⁴⁺	-612.2772373	-153.4677664	-68.4246473
Kr ³⁵⁺	-647.7706754	-162.3523323	-72.3795027

Table S15. Total energies for revPBE for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.5045260	-0.1427564	-0.0725627
He ⁺	-2.0028719	-0.5309782	-0.2524003
Li ²⁺	-4.5009619	-1.1687203	-0.5430601
Be ³⁺	-7.9989942	-2.0563005	-0.9446614
B ⁴⁺	-12.4970081	-3.1937874	-1.4572954
C ⁵⁺	-17.9950155	-4.5812265	-2.0810302
N ⁶⁺	-24.4930204	-6.2186390	-2.8157744
O ⁷⁺	-31.9910249	-8.1060380	-3.6616561
F ⁸⁺	-40.4890294	-10.2434152	-4.6185995
Ne ⁹⁺	-49.9870344	-12.6307932	-5.6746117
Na ¹⁰⁺	-60.4850399	-15.2681656	-6.8658528
Mg ¹¹⁺	-71.9830461	-18.1555228	-8.1561888
Al ¹²⁺	-84.4810528	-21.2928855	-9.5575096
Si ¹³⁺	-97.9790601	-24.6802044	-11.0700232
P ¹⁴⁺	-112.4770679	-28.3175828	-12.6935551
S ¹⁵⁺	-127.9750762	-32.2049439	-14.4282514
Cl ¹⁶⁺	-144.4730849	-36.3422931	-16.2740588
Ar ¹⁷⁺	-161.9710941	-40.7296411	-18.2310019
K ¹⁸⁺	-180.4691035	-45.3670651	-20.2991329
Ca ¹⁹⁺	-199.9671133	-50.2543143	-22.4541736
Sc ²⁰⁺	-220.4651234	-55.3916566	-24.7684162
Ti ²¹⁺	-241.9631338	-60.7789669	-27.1698282
V ²²⁺	-264.4611445	-66.4163678	-29.6822413
Cr ²³⁺	-287.9591553	-72.3037004	-32.3058981
Mn ²⁴⁺	-312.4571664	-78.4410546	-35.0405718
Fe ²⁵⁺	-337.9551777	-84.8283656	-37.8551528
Co ²⁶⁺	-364.4531891	-91.4657249	-40.8432866
Ni ²⁷⁺	-391.9512007	-98.3530822	-43.9113099
Cu ²⁸⁺	-420.4492125	-105.4903494	-47.0903540
Zn ²⁹⁺	-449.9472244	-112.8777458	-50.3806917
Ga ³⁰⁺	-480.4452365	-120.5151077	-53.7819934
Ge ³¹⁺	-511.9432487	-128.4024492	-57.2945102
As ³²⁺	-544.4412610	-136.5397906	-60.9180873
Se ³³⁺	-577.9392734	-144.9271318	-64.6526966
Br ³⁴⁺	-612.4372859	-153.5644729	-68.4985162
Kr ³⁵⁺	-647.9352985	-162.4517939	-72.4554837

Table S16. Total energies for B97-1 for the 1s, 2p, and 3d states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5029265	-0.1387722	-0.0686664
He ⁺	-2.0019689	-0.5251436	-0.2464845
Li ²⁺	-4.5004195	-1.1611173	-0.5352375
Be ³⁺	-7.9986020	-2.0469078	-0.9349757
B ⁴⁺	-12.4966295	-3.1825717	-1.4457522
C ⁵⁺	-17.9945556	-4.5681539	-2.0676187
N ⁶⁺	-24.4924101	-6.2036798	-2.8004973
O ⁷⁺	-31.9902111	-8.0891659	-3.6445093
F ⁸⁺	-40.4879708	-10.2246091	-4.5995657
Ne ⁹⁺	-49.9856974	-12.6100291	-5.6562533
Na ¹⁰⁺	-60.4833970	-15.2454344	-6.8430241
Mg ¹¹⁺	-71.9810742	-18.1308071	-8.1314420
Al ¹²⁺	-84.4787323	-21.2661716	-9.5308341
Si ¹³⁺	-97.9763742	-24.6514849	-11.0414513
P ¹⁴⁺	-112.4740020	-28.2868415	-12.6630629
S ¹⁵⁺	-127.9716173	-32.1721731	-14.3958318
Cl ¹⁶⁺	-144.4692218	-36.3074856	-16.2397035
Ar ¹⁷⁺	-161.9668166	-40.6927894	-18.1947106
K ¹⁸⁺	-180.4644027	-45.3281549	-20.2608958
Ca ¹⁹⁺	-199.9619811	-50.2133564	-22.4192159
Sc ²⁰⁺	-220.4595523	-55.3486362	-24.7262876
Ti ²¹⁺	-241.9571171	-60.7338817	-27.1257339
V ²²⁺	-264.4546760	-66.3692039	-29.6362135
Cr ²³⁺	-287.9522296	-72.2544601	-32.2578914
Mn ²⁴⁺	-312.4497782	-78.3897315	-34.9906032
Fe ²⁵⁺	-337.9473222	-84.7749601	-37.8099714
Co ²⁶⁺	-364.4448620	-91.4102286	-40.7893891
Ni ²⁷⁺	-391.9423978	-98.2954917	-43.8554446
Cu ²⁸⁺	-420.4399300	-105.4306705	-47.0325457
Zn ²⁹⁺	-449.9374587	-112.8159627	-50.3207800
Ga ³⁰⁺	-480.4349843	-120.4512210	-53.7202161
Ge ³¹⁺	-511.9325068	-128.3364582	-57.2307544
As ³²⁺	-544.4300265	-136.4716928	-60.8523544
Se ³³⁺	-577.9275435	-144.8569248	-64.5850089
Br ³⁴⁺	-612.4250581	-153.4921545	-68.4288455
Kr ³⁵⁺	-647.9225703	-162.3773639	-72.3838105

Table S17. Total energies for HCTH-93 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5065443	-0.1469024	-0.0769954
He ⁺	-2.0040270	-0.5384795	-0.2601251
Li ²⁺	-4.4999600	-1.1790542	-0.5537784
Be ³⁺	-7.9951638	-2.0691389	-0.9581187
B ⁴⁺	-12.4899373	-3.2088910	-1.4733364
C ⁵⁺	-17.9844250	-4.5984248	-2.0994656
N ⁶⁺	-24.4787083	-6.2378017	-2.8365776
O ⁷⁺	-31.9728380	-8.1270642	-3.6847277
F ⁸⁺	-40.4668476	-10.2662142	-4.6438981
Ne ⁹⁺	-49.9607608	-12.6553020	-5.7027447
Na ¹⁰⁺	-60.4545948	-15.2943257	-6.8953295
Mg ¹¹⁺	-71.9483627	-18.1832763	-8.1877420
Al ¹²⁺	-84.4420742	-21.3221962	-9.5910186
Si ¹³⁺	-97.9357373	-24.7110100	-11.1054465
P ¹⁴⁺	-112.4293584	-28.3498839	-12.7310470
S ¹⁵⁺	-127.9229426	-32.2387037	-14.4675685
Cl ¹⁶⁺	-144.4164941	-36.3774782	-16.3152302
Ar ¹⁷⁺	-161.9100164	-40.7662273	-18.2740921
K ¹⁸⁺	-180.4035126	-45.4050718	-20.3442166
Ca ¹⁹⁺	-199.8969852	-50.2936364	-22.5028289
Sc ²⁰⁺	-220.3904365	-55.4323088	-24.8169694
Ti ²¹⁺	-241.8838683	-60.8209273	-27.2202122
V ²²⁺	-264.3772822	-66.4596695	-29.7343700
Cr ²³⁺	-287.8706798	-72.3482903	-32.3598734
Mn ²⁴⁺	-312.3640623	-78.4869347	-35.0962712
Fe ²⁵⁺	-337.8574308	-84.8754946	-37.9152131
Co ²⁶⁺	-364.3507864	-91.5141251	-40.9024721
Ni ²⁷⁺	-391.8441300	-98.4027408	-43.9722233
Cu ²⁸⁺	-420.3374623	-105.5412054	-47.1528819
Zn ²⁹⁺	-449.8307842	-112.9298651	-50.4450177
Ga ³⁰⁺	-480.3240962	-120.5684556	-53.8479982
Ge ³¹⁺	-511.8173989	-128.4570097	-57.3622487
As ³²⁺	-544.3106930	-136.5955559	-60.9875127
Se ³³⁺	-577.8039790	-144.9840948	-64.7242159
Br ³⁴⁺	-612.2972571	-153.6226265	-68.5712355
Kr ³⁵⁺	-647.7905280	-162.5111188	-72.5299299

Table S18. Total energies for RPBE for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.5052823	-0.1426370	-0.0722413
He ⁺	-2.0043006	-0.5307346	-0.2517953
Li ²⁺	-4.5030637	-1.1683529	-0.5421655
Be ³⁺	-8.0017689	-2.0558045	-0.9434807
B ⁴⁺	-12.5004559	-3.1931636	-1.4558172
C ⁵⁺	-17.9991362	-4.5804779	-2.0792781
N ⁶⁺	-24.4978140	-6.2177616	-2.8137354
O ⁷⁺	-31.9964913	-8.1050312	-3.6593142
F ⁸⁺	-40.4951687	-10.2422830	-4.6159737
Ne ⁹⁺	-49.9938465	-12.6295282	-5.6715160
Na ¹⁰⁺	-60.4925250	-15.2667738	-6.8626313
Mg ¹¹⁺	-71.9912039	-18.1540065	-8.1527330
Al ¹²⁺	-84.4898836	-21.2912377	-9.5536850
Si ¹³⁺	-97.9885638	-24.6784411	-11.0659617
P ¹⁴⁺	-112.4872444	-28.3156824	-12.6891973
S ¹⁵⁺	-127.9859256	-32.2029121	-14.4235525
Cl ¹⁶⁺	-144.4846071	-36.3401332	-16.2691104
Ar ¹⁷⁺	-161.9832891	-40.7273531	-18.2257582
K ¹⁸⁺	-180.4819714	-45.3646218	-20.2935719
Ca ¹⁹⁺	-199.9806542	-50.2517806	-22.4480492
Sc ²⁰⁺	-220.4793370	-55.3889925	-24.7623021
Ti ²¹⁺	-241.9780203	-60.7761866	-27.1634094
V ²²⁺	-264.4767038	-66.4134396	-29.6755618
Cr ²³⁺	-287.9753875	-72.3006480	-32.2988717
Mn ²⁴⁺	-312.4740714	-78.4378703	-35.0332803
Fe ²⁵⁺	-337.9727555	-84.8250699	-37.8471968
Co ²⁶⁺	-364.4714399	-91.4622899	-40.8354132
Ni ²⁷⁺	-391.9701242	-98.3495137	-43.9031455
Cu ²⁸⁺	-420.4688088	-105.4866789	-47.0819442
Zn ²⁹⁺	-449.9674936	-112.8739208	-50.3715394
Ga ³⁰⁺	-480.4661786	-120.5111551	-53.7729989
Ge ³¹⁺	-511.9648636	-128.3983685	-57.2851821
As ³²⁺	-544.4635488	-136.5355818	-60.9084682
Se ³³⁺	-577.9622338	-144.9227950	-64.6427434
Br ³⁴⁺	-612.4609194	-153.5600080	-68.4883290
Kr ³⁵⁺	-647.9596048	-162.4472081	-72.4449917

Table S19. Total energies for BOP for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.4979152	-0.1382605	-0.0699043
He ⁺	-1.9951322	-0.5261207	-0.2498943
Li ²⁺	-4.4923763	-1.1640621	-0.5409459
Be ³⁺	-7.9896263	-2.0519266	-0.9431702
B ⁴⁺	-12.4868788	-3.1897955	-1.4564921
C ⁵⁺	-17.9841323	-4.5776965	-2.0809295
N ⁶⁺	-24.4813862	-6.2155902	-2.8164467
O ⁷⁺	-31.9786406	-8.1034652	-3.6631138
F ⁸⁺	-40.4758953	-10.2413525	-4.6209090
Ne ⁹⁺	-49.9731500	-12.6292250	-5.6781899
Na ¹⁰⁺	-60.4704049	-15.2669326	-6.8697055
Mg ¹¹⁺	-71.9676598	-18.1550064	-8.1610063
Al ¹²⁺	-84.4649151	-21.2926653	-9.5630510
Si ¹³⁺	-97.9621701	-24.6808664	-11.0765447
P ¹⁴⁺	-112.4594252	-28.3185952	-12.7007486
S ¹⁵⁺	-127.9566805	-32.2062686	-14.4363269
Cl ¹⁶⁺	-144.4539357	-36.3441364	-16.2831368
Ar ¹⁷⁺	-161.9511909	-40.7320041	-18.2406496
K ¹⁸⁺	-180.4484462	-45.3703230	-20.3098795
Ca ¹⁹⁺	-199.9457015	-50.2580647	-22.4897014
Sc ²⁰⁺	-220.4429569	-55.3959553	-24.7806890
Ti ²¹⁺	-241.9402121	-60.7839979	-27.1820837
V ²²⁺	-264.4374676	-66.4213425	-29.6960620
Cr ²³⁺	-287.9347228	-72.3096296	-32.3208457
Mn ²⁴⁺	-312.4319783	-78.4470780	-35.0552607
Fe ²⁵⁺	-337.9292336	-84.8353977	-37.9029402
Co ²⁶⁺	-364.4264889	-91.4731789	-40.8596010
Ni ²⁷⁺	-391.9237445	-98.3606811	-43.9284378
Cu ²⁸⁺	-420.4209997	-105.4992379	-47.1093725
Zn ²⁹⁺	-449.9182552	-112.8871290	-50.4003893
Ga ³⁰⁺	-480.4155106	-120.5242842	-53.8031815
Ge ³¹⁺	-511.9127660	-128.4121518	-57.3148962
As ³²⁺	-544.4100214	-136.5500195	-60.9392886
Se ³³⁺	-577.9072768	-144.9378872	-64.6759125
Br ³⁴⁺	-612.4045321	-153.5757548	-68.5226555
Kr ³⁵⁺	-647.9017875	-162.4639910	-72.4791324

Table S20. Total energies for PKZB for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.4964487	-0.1361827	-0.0679631
He ⁺	-1.9920369	-0.5226206	-0.2460617
Li ²⁺	-4.4876616	-1.1587454	-0.5353288
Be ³⁺	-7.9832942	-2.0448734	-0.9356890
B ⁴⁺	-12.4789298	-3.1809997	-1.4471663
C ⁵⁺	-17.9745669	-4.5671255	-2.0698003
N ⁶⁺	-24.4702048	-6.2032533	-2.8034651
O ⁷⁺	-31.9658432	-8.0893852	-3.6482775
F ⁸⁺	-40.4614819	-10.2255097	-4.6041938
Ne ⁹⁺	-49.9571209	-12.6116390	-5.6713276
Na ¹⁰⁺	-60.4527601	-15.2477759	-6.8494059
Mg ¹¹⁺	-71.9483993	-18.1339010	-8.1387542
Al ¹²⁺	-84.4440386	-21.2700338	-9.5390491
Si ¹³⁺	-97.9396781	-24.6561347	-11.0505166
P ¹⁴⁺	-112.4353176	-28.2922826	-12.6731007
S ¹⁵⁺	-127.9309571	-32.1784209	-14.4067849
Cl ¹⁶⁺	-144.4265967	-36.3142200	-16.2516000
Ar ¹⁷⁺	-161.9222363	-40.7006789	-18.2075519
K ¹⁸⁺	-180.4178759	-45.3368673	-20.2747113
Ca ¹⁹⁺	-199.9135156	-50.2229211	-22.4527343
Sc ²⁰⁺	-220.4091553	-55.3590478	-24.7420076
Ti ²¹⁺	-241.9047949	-60.7451509	-27.1424328
V ²²⁺	-264.4004347	-66.3813240	-29.6538686
Cr ²³⁺	-287.8960743	-72.2674440	-32.2765413
Mn ²⁴⁺	-312.3917141	-78.4035821	-35.0102238
Fe ²⁵⁺	-337.8873538	-84.7896851	-37.8552424
Co ²⁶⁺	-364.3829935	-91.4258281	-40.8109734
Ni ²⁷⁺	-391.8786332	-98.3119692	-43.8780149
Cu ²⁸⁺	-420.3742729	-105.4480401	-47.0560942
Zn ²⁹⁺	-449.8699127	-112.8342121	-50.3454213
Ga ³⁰⁺	-480.3655525	-120.4703563	-53.7457526
Ge ³¹⁺	-511.8611922	-128.3564853	-57.2572919
As ³²⁺	-544.3568320	-136.4926143	-60.8798889
Se ³³⁺	-577.8524716	-144.8787433	-64.6135265
Br ³⁴⁺	-612.3481115	-153.5148723	-68.4583617
Kr ³⁵⁺	-647.8437513	-162.4009852	-72.4143467

Table S21. Total energies for HSE03 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5114319	-0.1434797	-0.0713572
He ⁺	-2.0085000	-0.5295611	-0.2494451
Li ²⁺	-4.5043121	-1.1633603	-0.5370854
Be ³⁺	-7.9998680	-2.0463826	-0.9349691
B ⁴⁺	-12.4953440	-3.1790690	-1.4435133
C ⁵⁺	-17.9907855	-4.5615927	-2.0629246
N ⁶⁺	-24.4862145	-6.1940222	-2.7932914
O ⁷⁺	-31.9816333	-8.0764016	-3.6346799
F ⁸⁺	-40.4770498	-10.2087435	-4.5871598
Ne ⁹⁺	-49.9724619	-12.5910623	-5.6417174
Na ¹⁰⁺	-60.4678770	-15.2233714	-6.8251995
Mg ¹¹⁺	-71.9632825	-18.1056552	-8.1109488
Al ¹²⁺	-84.4587013	-21.2379426	-9.5076501
Si ¹³⁺	-97.9541107	-24.6201946	-11.0155372
P ¹⁴⁺	-112.4495180	-28.2524770	-12.6344425
S ¹⁵⁺	-127.9449344	-32.1347510	-14.3645091
Cl ¹⁶⁺	-144.4403383	-36.2670124	-16.2056724
Ar ¹⁷⁺	-161.9357529	-40.6492717	-18.1579673
K ¹⁸⁺	-180.4311669	-45.2815542	-20.2214989
Ca ¹⁹⁺	-199.9265803	-50.1637711	-22.3959942
Sc ²⁰⁺	-220.4219929	-55.2960145	-24.6814364
Ti ²¹⁺	-241.9174046	-60.6782535	-27.0781495
V ²²⁺	-264.4128155	-66.3105396	-29.5859433
Cr ²³⁺	-287.9082253	-72.1927763	-32.2049586
Mn ²⁴⁺	-312.4036340	-78.3250391	-34.9349203
Fe ²⁵⁺	-337.8990627	-84.7072717	-37.7760410
Co ²⁶⁺	-364.3944703	-91.3395177	-40.7283150
Ni ²⁷⁺	-391.8898764	-98.2217831	-43.7916770
Cu ²⁸⁺	-420.3853056	-105.3539842	-46.9661170
Zn ²⁹⁺	-449.8807103	-112.7362552	-50.2517826
Ga ³⁰⁺	-480.3761134	-120.3685234	-53.6484302
Ge ³¹⁺	-511.8715428	-128.2507699	-57.1562283
As ³²⁺	-544.3669441	-136.3830153	-60.7751423
Se ³³⁺	-577.8623737	-144.7652598	-64.5051983
Br ³⁴⁺	-612.3577730	-153.3975069	-68.3462827
Kr ³⁵⁺	-647.8532029	-162.2797326	-72.2985468

Table S22. Total energies for TPSS for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5002353	-0.1370240	-0.0672643
He ⁺	-2.0002197	-0.5236688	-0.2447033
Li ²⁺	-4.5002152	-1.1603118	-0.5333050
Be ³⁺	-8.0002130	-2.0469672	-0.9330047
B ⁴⁺	-12.5002118	-3.1836160	-1.4438194
C ⁵⁺	-18.0002111	-4.5702644	-2.0657821
N ⁶⁺	-24.5002105	-6.2069145	-2.7987910
O ⁷⁺	-32.0002101	-8.0935647	-3.6429439
F ⁸⁺	-40.5002098	-10.2302157	-4.5981991
Ne ⁹⁺	-50.0002095	-12.6168707	-5.6533367
Na ¹⁰⁺	-60.5002094	-15.2535266	-6.8420809
Mg ¹¹⁺	-72.0002092	-18.1401741	-8.1307444
Al ¹²⁺	-84.5002091	-21.2768293	-9.5303956
Si ¹³⁺	-98.0002091	-24.6634516	-11.0412450
P ¹⁴⁺	-112.5002089	-28.3001228	-12.6631806
S ¹⁵⁺	-128.0002089	-32.1867834	-14.3961556
Cl ¹⁶⁺	-144.5002088	-36.3234343	-16.2403080
Ar ¹⁷⁺	-162.0002088	-40.7100862	-18.1955950
K ¹⁸⁺	-180.5002087	-45.3467995	-20.2620685
Ca ¹⁹⁺	-200.0002087	-50.2333732	-22.4171851
Sc ²⁰⁺	-220.5002087	-55.3700222	-24.7280587
Ti ²¹⁺	-242.0002086	-60.7566461	-27.1278141
V ²²⁺	-264.5002086	-66.3933431	-29.6385870
Cr ²³⁺	-288.0002086	-72.2799856	-32.2605893
Mn ²⁴⁺	-312.5002086	-78.4166459	-34.9936166
Fe ²⁵⁺	-338.0002085	-84.8032717	-37.8088042
Co ²⁶⁺	-364.5002085	-91.4399366	-40.7930405
Ni ²⁷⁺	-392.0002084	-98.3266000	-43.8594192
Cu ²⁸⁺	-420.5002084	-105.4631914	-47.0368346
Zn ²⁹⁺	-450.0002084	-112.8498865	-50.3255312
Ga ³⁰⁺	-480.5002084	-120.4865542	-53.7251748
Ge ³¹⁺	-512.0002083	-128.3732056	-57.2360449
As ³²⁺	-544.5002083	-136.5098569	-60.8579791
Se ³³⁺	-578.0002082	-144.8965083	-64.5909603
Br ³⁴⁺	-612.5002083	-153.5331597	-68.4351106
Kr ³⁵⁺	-648.0002082	-162.4197950	-72.3904484

Table S23. Total energies for TPSSh for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.5001879	-0.1357870	-0.0660076
He ⁺	-2.0001768	-0.5212684	-0.2423762
Li ²⁺	-4.5001736	-1.1567475	-0.5298973
Be ³⁺	-8.0001721	-2.0422376	-0.9285170
B ⁴⁺	-12.5001712	-3.1777214	-1.4382509
C ⁵⁺	-18.0001706	-4.5632052	-2.0591288
N ⁶⁺	-24.5001702	-6.1986904	-2.7910594
O ⁷⁺	-32.0001700	-8.0841757	-3.6341386
F ⁸⁺	-40.5001697	-10.2196616	-4.5883044
Ne ⁹⁺	-50.0001696	-12.6051480	-5.6434960
Na ¹⁰⁺	-60.5001695	-15.2406414	-6.8300075
Mg ¹¹⁺	-72.0001693	-18.1261242	-8.1175962
Al ¹²⁺	-84.5001693	-21.2616138	-9.5161710
Si ¹³⁺	-98.0001692	-24.6470739	-11.0259353
P ¹⁴⁺	-112.5001692	-28.2825784	-12.6467187
S ¹⁵⁺	-128.0001691	-32.1680725	-14.3786885
Cl ¹⁶⁺	-144.5001691	-36.3035584	-16.2217602
Ar ¹⁷⁺	-162.0001691	-40.6890450	-18.1759618
K ¹⁸⁺	-180.5001690	-45.3245870	-20.2413435
Ca ¹⁹⁺	-200.0001690	-50.2100034	-22.3976267
Sc ²⁰⁺	-220.5001690	-55.3454875	-24.7051792
Ti ²¹⁺	-242.0001689	-60.7309490	-27.1038479
V ²²⁺	-264.5001689	-66.3664763	-29.6135436
Cr ²³⁺	-288.0001689	-72.2519546	-32.2344557
Mn ²⁴⁺	-312.5001689	-78.3874488	-34.9664036
Fe ²⁵⁺	-338.0001688	-84.7729120	-37.7834182
Co ²⁶⁺	-364.5001688	-91.4084078	-40.7636629
Ni ²⁷⁺	-392.0001688	-98.2939075	-43.8289593
Cu ²⁸⁺	-420.5001687	-105.4293397	-47.0053025
Zn ²⁹⁺	-450.0001687	-112.8148653	-50.2929045
Ga ³⁰⁺	-480.5001687	-120.4503662	-53.6914727
Ge ³¹⁺	-512.0001686	-128.3358525	-57.2012558
As ³²⁺	-544.5001686	-136.4713387	-60.8221077
Se ³³⁺	-578.0001685	-144.8568249	-64.5540129
Br ³⁴⁺	-612.5001686	-153.4923112	-68.3970978
Kr ³⁵⁺	-648.0001685	-162.3777829	-72.3513301

Table S24. Total energies for CAM-B3LYP for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4990948	-0.1328067	-0.0622342
He ⁺	-1.9899259	-0.5159359	-0.2358566
Li ²⁺	-4.4830296	-1.1485579	-0.5218518
Be ³⁺	-7.9778463	-2.0309394	-0.9194301
B ⁴⁺	-12.4736404	-3.1635587	-1.4281794
C ⁵⁺	-17.9700186	-4.5465342	-2.0479957
N ⁶⁺	-24.4667682	-6.1798571	-2.7789399
O ⁷⁺	-31.9637668	-8.0634796	-3.6210775
F ⁸⁺	-40.4609395	-10.1973624	-4.5744158
Ne ⁹⁺	-49.9582385	-12.5814520	-5.6300873
Na ¹⁰⁺	-60.4556314	-15.2156594	-6.8148177
Mg ¹¹⁺	-71.9530961	-18.1001242	-8.1019108
Al ¹²⁺	-84.4506166	-21.2345965	-9.5001380
Si ¹³⁺	-97.9481813	-24.6193148	-11.0096540
P ¹⁴⁺	-112.4457814	-28.2540101	-12.6303483
S ¹⁵⁺	-127.9434103	-32.1387389	-14.3622596
Cl ¹⁶⁺	-144.4410630	-36.2735946	-16.2053607
Ar ¹⁷⁺	-161.9387354	-40.6585053	-18.1596314
K ¹⁸⁺	-180.4364242	-45.2935599	-20.2250945
Ca ¹⁹⁺	-199.9341270	-50.1785572	-22.4016919
Sc ²⁰⁺	-220.4318415	-55.3135950	-24.6895151
Ti ²¹⁺	-241.9295662	-60.6986743	-27.0882163
V ²²⁺	-264.4272995	-66.3336694	-29.5985290
Cr ²³⁺	-287.9250403	-72.2188808	-32.2198444
Mn ²⁴⁺	-312.4227877	-78.3539410	-34.9519811
Fe ²⁵⁺	-337.9205407	-84.7392109	-37.7957668
Co ²⁶⁺	-364.4182987	-91.3743921	-40.7502264
Ni ²⁷⁺	-391.9160610	-98.2594990	-43.8160610
Cu ²⁸⁺	-420.4138272	-105.3948430	-46.9932853
Zn ²⁹⁺	-449.9115968	-112.7800795	-50.2812955
Ga ³⁰⁺	-480.4093693	-120.4151955	-53.6806361
Ge ³¹⁺	-511.9071445	-128.3004523	-57.1907610
As ³²⁺	-544.4049221	-136.4357198	-60.8122673
Se ³³⁺	-577.9027018	-144.8209969	-64.5451685
Br ³⁴⁺	-612.4004833	-153.4562830	-68.3889666
Kr ³⁵⁺	-647.8982665	-162.3416475	-72.3435580

Table S25. Total energies for XLYP for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4998682	-0.1383660	-0.0695971
He ⁺	-1.9989582	-0.5263231	-0.2492802
Li ²⁺	-4.4980783	-1.1643090	-0.5400121
Be ³⁺	-7.9972051	-2.0522349	-0.9419638
B ⁴⁺	-12.4963344	-3.1902013	-1.4549346
C ⁵⁺	-17.9954650	-4.5781703	-2.0790222
N ⁶⁺	-24.4945963	-6.2161399	-2.8142953
O ⁷⁺	-31.9937280	-8.1040936	-3.6606305
F ⁸⁺	-40.4928600	-10.2420534	-4.6181347
Ne ⁹⁺	-49.9919923	-12.6300062	-5.6748214
Na ¹⁰⁺	-60.4911246	-15.2678396	-6.8663084
Mg ¹¹⁺	-71.9902571	-18.1559308	-8.1573878
Al ¹²⁺	-84.4893896	-21.2937339	-9.5589748
Si ¹³⁺	-97.9885222	-24.6819355	-11.0720641
P ¹⁴⁺	-112.4876549	-28.3197716	-12.6961153
S ¹⁵⁺	-127.9867876	-32.2075785	-14.4315019
Cl ¹⁶⁺	-144.4859203	-36.3455268	-16.2779139
Ar ¹⁷⁺	-161.9850531	-40.7334750	-18.2351479
K ¹⁸⁺	-180.4841859	-45.3717662	-20.3041032
Ca ¹⁹⁺	-199.9833187	-50.2596049	-22.4834831
Sc ²⁰⁺	-220.4824515	-55.3975738	-24.7741845
Ti ²¹⁺	-241.9815843	-60.7856655	-27.1755325
V ²²⁺	-264.4807171	-66.4232161	-29.6889888
Cr ²³⁺	-287.9798500	-72.3114622	-32.3132564
Mn ²⁴⁺	-312.4789828	-78.4491125	-35.0478182
Fe ²⁵⁺	-337.9781157	-84.8373767	-37.8949184
Co ²⁶⁺	-364.4772486	-91.4752770	-40.8515643
Ni ²⁷⁺	-391.9763814	-98.3629572	-43.9201040
Cu ²⁸⁺	-420.4755143	-105.5014292	-47.1004338
Zn ²⁹⁺	-449.9746472	-112.8893953	-50.3903366
Ga ³⁰⁺	-480.4737801	-120.5268018	-53.7931025
Ge ³¹⁺	-511.9729129	-128.4147501	-57.3053739
As ³²⁺	-544.4720458	-136.5526983	-60.9294692
Se ³³⁺	-577.9711787	-144.9406465	-64.6654354
Br ³⁴⁺	-612.4703116	-153.5785947	-68.5118481
Kr ³⁵⁺	-647.9694444	-162.4668132	-72.4684217

Table S26. Total energies for HSE06 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.5015080	-0.1375469	-0.0685364
He ⁺	-1.9973664	-0.5204822	-0.2430832
Li ²⁺	-4.4928868	-1.1531214	-0.5287490
Be ³⁺	-7.9883307	-2.0356118	-0.9255540
B ⁴⁺	-12.4837522	-3.1680130	-1.4334658
C ⁵⁺	-17.9791632	-4.5503663	-2.0524689
N ⁶⁺	-24.4745734	-6.1826858	-2.7825637
O ⁷⁺	-31.9699797	-8.0649899	-3.6237627
F ⁸⁺	-40.4653877	-10.1972781	-4.5761023
Ne ⁹⁺	-49.9607936	-12.5795572	-5.6305958
Na ¹⁰⁺	-60.4562040	-15.2118360	-6.8139581
Mg ¹¹⁺	-71.9516060	-18.0940962	-8.0996433
Al ¹²⁺	-84.4470220	-21.2263650	-9.4962940
Si ¹³⁺	-97.9424292	-24.6086021	-11.0041407
P ¹⁴⁺	-112.4378347	-28.2408721	-12.6230112
S ¹⁵⁺	-127.9332496	-32.1231358	-14.3530489
Cl ¹⁶⁺	-144.4286523	-36.2553886	-16.1941749
Ar ¹⁷⁺	-161.9240659	-40.6376406	-18.1464618
K ¹⁸⁺	-180.4194790	-45.2699168	-20.2099757
Ca ¹⁹⁺	-199.9148916	-50.1521285	-22.3844557
Sc ²⁰⁺	-220.4103036	-55.2843672	-24.6698848
Ti ²¹⁺	-241.9057148	-60.6666022	-27.0665860
V ²²⁺	-264.4011251	-66.2988847	-29.5743697
Cr ²³⁺	-287.8965345	-72.1811182	-32.1933758
Mn ²⁴⁺	-312.3919429	-78.3133782	-34.9233291
Fe ²⁵⁺	-337.8873713	-84.6956083	-37.7644429
Co ²⁶⁺	-364.3827785	-91.3278521	-40.7167101
Ni ²⁷⁺	-391.8781844	-98.2101154	-43.7800662
Cu ²⁸⁺	-420.3736133	-105.3423148	-46.9544997
Zn ²⁹⁺	-449.8690178	-112.7245837	-50.2401733
Ga ³⁰⁺	-480.3644207	-120.3568508	-53.6368051
Ge ³¹⁺	-511.8598500	-128.2390959	-57.1445988
As ³²⁺	-544.3552511	-136.3713400	-60.7635091
Se ³³⁺	-577.8506806	-144.7535834	-64.4935621
Br ³⁴⁺	-612.3460797	-153.3858295	-68.3346430
Kr ³⁵⁺	-647.8415094	-162.2680543	-72.2869043

Table S27. Total energies for M06-L for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5046959	-0.1420240	-0.0728534
He ⁺	-2.0082099	-0.5330235	-0.2547781
Li ²⁺	-4.5117345	-1.1740675	-0.5481649
Be ³⁺	-8.0152695	-2.0649959	-0.9520977
B ⁴⁺	-12.5188132	-3.2059711	-1.4674653
C ⁵⁺	-18.0223610	-4.5969452	-2.0939874
N ⁶⁺	-24.5259029	-6.2379468	-2.8315508
O ⁷⁺	-32.0294541	-8.1289233	-3.6811950
F ⁸⁺	-40.5329976	-10.2698904	-4.6396049
Ne ⁹⁺	-50.0365480	-12.6608918	-5.7119265
Na ¹⁰⁺	-60.5401002	-15.3018977	-6.8944977
Mg ¹¹⁺	-72.0436459	-18.1928701	-8.1867892
Al ¹²⁺	-84.5471973	-21.3338695	-9.5904083
Si ¹³⁺	-98.0507521	-24.7247075	-11.1067146
P ¹⁴⁺	-112.5543003	-28.3658043	-12.7341121
S ¹⁵⁺	-128.0578513	-32.2568278	-14.4715018
Cl ¹⁶⁺	-144.5614015	-36.3978111	-16.3202854
Ar ¹⁷⁺	-162.0649546	-40.7888003	-18.2802923
K ¹⁸⁺	-180.5685047	-45.4301111	-20.3507713
Ca ¹⁹⁺	-200.0720597	-50.3207230	-22.5334899
Sc ²⁰⁺	-220.5756068	-55.4616791	-24.8272033
Ti ²¹⁺	-242.0791588	-60.8525135	-27.2318602
V ²²⁺	-264.5827116	-66.4937316	-29.7464681
Cr ²³⁺	-288.0862611	-72.3846810	-32.3732341
Mn ²⁴⁺	-312.5898132	-78.5257045	-35.1117485
Fe ²⁵⁺	-338.0933622	-84.9165823	-37.9597286
Co ²⁶⁺	-364.5969165	-91.5576233	-40.9205631
Ni ²⁷⁺	-392.1004639	-98.4486637	-43.9916371
Cu ²⁸⁺	-420.6040137	-105.5893444	-47.1728430
Zn ²⁹⁺	-450.1075664	-112.9805383	-50.4657863
Ga ³⁰⁺	-480.6111200	-120.6216228	-53.8704889
Ge ³¹⁺	-512.1146705	-128.5126091	-57.3870444
As ³²⁺	-544.6182253	-136.6535956	-61.0136740
Se ³³⁺	-578.1217682	-145.0445819	-64.7506462
Br ³⁴⁺	-612.6253287	-153.6855684	-68.5998918
Kr ³⁵⁺	-648.1288803	-162.5764831	-72.5602296

Table S28. Total energies for PBEsol for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4887153	-0.1359361	-0.0678028
He ⁺	-1.9695717	-0.5169910	-0.2430880
Li ²⁺	-4.4499692	-1.1473820	-0.5290541
Be ³⁺	-7.9302463	-2.0275294	-0.9259040
B ⁴⁺	-12.4104782	-3.1575433	-1.4337510
C ⁵⁺	-17.8906897	-4.5374843	-2.0526687
N ⁶⁺	-24.3708909	-6.1673820	-2.7825939
O ⁷⁺	-31.8510867	-8.0472537	-3.6236366
F ⁸⁺	-40.3312793	-10.1770972	-4.5757413
Ne ⁹⁺	-49.8114702	-12.5569334	-5.6280781
Na ¹⁰⁺	-60.2916601	-15.1867592	-6.8132825
Mg ¹¹⁺	-71.7718495	-18.0665680	-8.0987465
Al ¹²⁺	-84.2520386	-21.1963776	-9.4952153
Si ¹³⁺	-97.7322276	-24.5761491	-11.0028199
P ¹⁴⁺	-112.2124166	-28.2059659	-12.6215260
S ¹⁵⁺	-127.6926056	-32.0857668	-14.3513619
Cl ¹⁶⁺	-144.1727948	-36.2155565	-16.1922981
Ar ¹⁷⁺	-161.6529841	-40.5953437	-18.1443646
K ¹⁸⁺	-180.1331736	-45.2251905	-20.2076044
Ca ¹⁹⁺	-199.6133632	-50.1048965	-22.3818922
Sc ²⁰⁺	-220.0935529	-55.2346760	-24.6671549
Ti ²¹⁺	-241.5737428	-60.6144293	-27.0636798
V ²²⁺	-264.0539329	-66.2442542	-29.5712272
Cr ²³⁺	-287.5341231	-72.1240239	-32.1899908
Mn ²⁴⁺	-312.0143135	-78.2538104	-34.9197891
Fe ²⁵⁺	-337.4945040	-84.6335618	-37.7606682
Co ²⁶⁺	-363.9746946	-91.2633391	-40.7127450
Ni ²⁷⁺	-391.4548853	-98.1431392	-43.7758882
Cu ²⁸⁺	-419.9350762	-105.2728544	-46.9500699
Zn ²⁹⁺	-449.4152671	-112.6526728	-50.2355075
Ga ³⁰⁺	-479.8954582	-120.2824632	-53.6319395
Ge ³¹⁺	-511.3756493	-128.1622371	-57.1395648
As ³²⁺	-543.8558406	-136.2920106	-60.7582602
Se ³³⁺	-577.3360319	-144.6717838	-64.4880046
Br ³⁴⁺	-611.8162233	-153.3015567	-68.3289361
Kr ³⁵⁺	-647.2964148	-162.1813133	-72.2810104

Table S29. Total energies for ω B97X-D for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5029573	-0.1365196	-0.0618589
He ⁺	-2.0013626	-0.5257864	-0.2402518
Li ²⁺	-4.5040873	-1.1658718	-0.5325461
Be ³⁺	-8.0085475	-2.0572735	-0.9369332
B ⁴⁺	-12.5137923	-3.1997185	-1.4531158
C ⁵⁺	-18.0194389	-4.5928909	-2.0810695
N ⁶⁺	-24.5253093	-6.2365799	-2.8205633
O ⁷⁺	-32.0313125	-8.1306375	-3.6716713
F ⁸⁺	-40.5373969	-10.2749311	-4.6262774
Ne ⁹⁺	-50.0435334	-12.6694297	-5.6992959
Na ¹⁰⁺	-60.5497036	-15.3140970	-6.8934980
Mg ¹¹⁺	-72.0558943	-18.2088330	-8.1901650
Al ¹²⁺	-84.5620994	-21.3536821	-9.5979436
Si ¹³⁺	-98.0683134	-24.7484741	-11.1172221
P ¹⁴⁺	-112.5745315	-28.3935056	-12.7473517
S ¹⁵⁺	-128.0807522	-32.2885341	-14.4892184
Cl ¹⁶⁺	-144.5869735	-36.4335652	-16.3415905
Ar ¹⁷⁺	-162.0931946	-40.8286245	-18.3053989
K ¹⁸⁺	-180.5994139	-45.4739510	-20.3809104
Ca ¹⁹⁺	-200.1056318	-50.3687417	-22.5490162
Sc ²⁰⁺	-220.6118463	-55.5138488	-24.8639572
Ti ²¹⁺	-242.1180586	-60.9088727	-27.2725391
V ²²⁺	-264.6242682	-66.5542000	-29.7919859
Cr ²³⁺	-288.1304743	-72.4493136	-32.4018708
Mn ²⁴⁺	-312.6366777	-78.5945116	-35.1648534
Fe ²⁵⁺	-338.1428775	-84.9895605	-37.9951572
Co ²⁶⁺	-364.6490751	-91.6347978	-40.9820614
Ni ²⁷⁺	-392.1552685	-98.5300273	-44.0573578
Cu ²⁸⁺	-420.6614592	-105.6749595	-47.2436298
Zn ²⁹⁺	-450.1676476	-113.0703422	-50.5417213
Ga ³⁰⁺	-480.6738334	-120.7155808	-53.9498509
Ge ³¹⁺	-512.1800157	-128.6107708	-57.4697863
As ³²⁺	-544.6861961	-136.7559629	-61.1006978
Se ³³⁺	-578.1923713	-145.1511566	-64.8435445
Br ³⁴⁺	-612.6985480	-153.7963519	-68.6956592
Kr ³⁵⁺	-648.2047201	-162.6914763	-72.6601470

Table S30. Total energies for OLYP for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.4986598	-0.1394531	-0.0706339
He ⁺	-1.9967093	-0.5283445	-0.2510341
Li ²⁺	-4.4947886	-1.1672359	-0.5426154
Be ³⁺	-7.9928741	-2.0561457	-0.9452911
B ⁴⁺	-12.4909621	-3.1950465	-1.4590826
C ⁵⁺	-17.9890512	-4.5839461	-2.0840318
N ⁶⁺	-24.4871409	-6.2228485	-2.8200118
O ⁷⁺	-31.9852310	-8.1117569	-3.6671574
F ⁸⁺	-40.4833214	-10.2506549	-4.6253769
Ne ⁹⁺	-49.9814120	-12.6395644	-5.6828993
Na ¹⁰⁺	-60.4795027	-15.2784751	-6.8752199
Mg ¹¹⁺	-71.9775935	-18.1673739	-8.1668743
Al ¹²⁺	-84.4756844	-21.3062836	-9.5694603
Si ¹³⁺	-97.9737754	-24.6951461	-11.0833316
P ¹⁴⁺	-112.4718663	-28.3340802	-12.7081796
S ¹⁵⁺	-127.9699573	-32.2229966	-14.4441818
Cl ¹⁶⁺	-144.4680484	-36.3619009	-16.2913147
Ar ¹⁷⁺	-161.9661395	-40.7508053	-18.2495861
K ¹⁸⁺	-180.4642305	-45.3897990	-20.3190568
Ca ¹⁹⁺	-199.9623217	-50.2785913	-22.4759832
Sc ²⁰⁺	-220.4604128	-55.4174923	-24.7909867
Ti ²¹⁺	-241.9585039	-60.8063570	-27.1937381
V ²²⁺	-264.4565951	-66.4453270	-29.7074751
Cr ²³⁺	-287.9546862	-72.3342187	-32.3324759
Mn ²⁴⁺	-312.4527773	-78.4731357	-35.0684807
Fe ²⁵⁺	-337.9508685	-84.8620034	-37.8851611
Co ²⁶⁺	-364.4489597	-91.5009271	-40.8738647
Ni ²⁷⁺	-391.9470508	-98.3898488	-43.9432234
Cu ²⁸⁺	-420.4451419	-105.5286666	-47.1235928
Zn ²⁹⁺	-449.9432331	-112.9176339	-50.4153017
Ga ³⁰⁺	-480.4413243	-120.5565619	-53.8179064
Ge ³¹⁺	-511.9394155	-128.4454662	-57.3317693
As ³²⁺	-544.4375067	-136.5843706	-60.9566836
Se ³³⁺	-577.9355978	-144.9732750	-64.6926138
Br ³⁴⁺	-612.4336891	-153.6121793	-68.5397845
Kr ³⁵⁺	-647.9317803	-162.5010606	-72.4980930

Table S31. Total energies for LRC- ω PBE for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.5046907	-0.1333184	-0.0593609
He ⁺	-1.9966504	-0.5215719	-0.2329566
Li ²⁺	-4.4890083	-1.1590354	-0.5229881
Be ³⁺	-7.9818682	-2.0450204	-0.9254382
B ⁴⁺	-12.4749728	-3.1802430	-1.4386347
C ⁵⁺	-17.9682019	-4.5651124	-2.0622731
N ⁶⁺	-24.4615000	-6.1998210	-2.7964450
O ⁷⁺	-31.9548394	-8.0844521	-3.6412965
F ⁸⁺	-40.4482049	-10.2190428	-4.5969311
Ne ⁹⁺	-49.9415880	-12.6036175	-5.6522940
Na ¹⁰⁺	-60.4349833	-15.2381896	-6.8409709
Mg ¹¹⁺	-71.9283873	-18.1227486	-8.1295145
Al ¹²⁺	-84.4217978	-21.2573130	-9.5289891
Si ¹³⁺	-97.9152133	-24.6418479	-11.0395803
P ¹⁴⁺	-112.4086326	-28.2764294	-12.6611716
S ¹⁵⁺	-127.9020550	-32.1610005	-14.3938828
Cl ¹⁶⁺	-144.3954797	-36.2955655	-16.2376797
Ar ¹⁷⁺	-161.8889065	-40.6801318	-18.1925876
K ¹⁸⁺	-180.3823349	-45.3147561	-20.2586567
Ca ¹⁹⁺	-199.8757647	-50.1992523	-22.4357636
Sc ²⁰⁺	-220.3691957	-55.3338194	-24.7238440
Ti ²¹⁺	-241.8626276	-60.7183645	-27.1231702
V ²²⁺	-264.3560604	-66.3529801	-29.6335197
Cr ²³⁺	-287.8494940	-72.2375428	-32.2550811
Mn ²⁴⁺	-312.3429281	-78.3721256	-34.9876727
Fe ²⁵⁺	-337.8363628	-84.7566711	-37.8313388
Co ²⁶⁺	-364.3297981	-91.3912611	-40.7862099
Ni ²⁷⁺	-391.8232337	-98.2758486	-43.8521411
Cu ²⁸⁺	-420.3166698	-105.4103652	-47.0291104
Zn ²⁹⁺	-449.8101062	-112.7949861	-50.3172046
Ga ³⁰⁺	-480.3035429	-120.4295759	-53.7165483
Ge ³¹⁺	-511.7969799	-128.3141524	-57.2269583
As ³²⁺	-544.2904171	-136.4487292	-60.8484370
Se ³³⁺	-577.7838546	-144.8333064	-64.5809648
Br ³⁴⁺	-612.2772923	-153.4678838	-68.4246673
Kr ³⁵⁺	-647.7707302	-162.3524442	-72.3795342

Table S32. Total energies for revTPSS for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.5001575	-0.1364150	-0.0665764
He ⁺	-2.0001425	-0.5224983	-0.2433980
Li ²⁺	-4.5001346	-1.1585738	-0.5313792
Be ³⁺	-8.0001283	-2.0446618	-0.9304604
B ⁴⁺	-12.5001226	-3.1807432	-1.4406559
C ⁵⁺	-18.0001172	-4.5668240	-2.0619950
N ⁶⁺	-24.5001119	-6.2029066	-2.7943895
O ⁷⁺	-32.0001067	-8.0889933	-3.6379327
F ⁸⁺	-40.5001016	-10.2250729	-4.5925604
Ne ⁹⁺	-50.0000965	-12.6111570	-5.6472841
Na ¹⁰⁺	-60.5000915	-15.2472487	-6.8351858
Mg ¹¹⁺	-72.0000865	-18.1333288	-8.1232337
Al ¹²⁺	-84.5000815	-21.2694164	-9.5222521
Si ¹³⁺	-98.0000765	-24.6554711	-11.0325012
P ¹⁴⁺	-112.5000716	-28.2915753	-12.6537740
S ¹⁵⁺	-128.0000666	-32.1776679	-14.3861811
Cl ¹⁶⁺	-144.5000616	-36.3137515	-16.2297160
Ar ¹⁷⁺	-162.0000567	-40.6998357	-18.1843803
K ¹⁸⁺	-180.5000517	-45.3359818	-20.2502166
Ca ¹⁹⁺	-200.0000468	-50.2219922	-22.4051266
Sc ²⁰⁺	-220.5000418	-55.3580692	-24.7149851
Ti ²¹⁺	-242.0000369	-60.7441254	-27.1141191
V ²²⁺	-264.5000320	-66.3802550	-29.6242766
Cr ²³⁺	-288.0000270	-72.2663301	-32.2456491
Mn ²⁴⁺	-312.5000221	-78.4024228	-34.9780631
Fe ²⁵⁺	-338.0000171	-84.7884811	-37.8215494
Co ²⁶⁺	-364.5000122	-91.4245784	-40.7762481
Ni ²⁷⁺	-392.0000072	-98.3106744	-43.8420072
Cu ²⁸⁺	-420.5000022	-105.4466980	-47.0188084
Zn ²⁹⁺	-449.9999973	-112.8328256	-50.3068200
Ga ³⁰⁺	-480.4999924	-120.4689260	-53.7059035
Ge ³¹⁺	-511.9999874	-128.3550098	-57.2161549
As ³²⁺	-544.4999824	-136.4910937	-60.8374696
Se ³³⁺	-577.9999775	-144.8771775	-64.5698262
Br ³⁴⁺	-612.4999725	-153.5132614	-68.4133858
Kr ³⁵⁺	-647.9999676	-162.3993292	-72.3680804

Table S33. Total energies for LC-VV10 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5027569	-0.1272593	-0.0551720
He ⁺	-1.9956088	-0.5121425	-0.2246466
Li ²⁺	-4.4871670	-1.1503101	-0.5099565
Be ³⁺	-7.9793162	-2.0378310	-0.9102066
B ⁴⁺	-12.4719280	-3.1742733	-1.4232638
C ⁵⁺	-17.9648204	-4.5599486	-2.0477960
N ⁶⁺	-24.4578829	-6.1951595	-2.7832201
O ⁷⁺	-31.9510525	-8.0800918	-3.6293469
F ⁸⁺	-40.4442923	-10.2148616	-4.5861518
Ne ⁹⁺	-49.9375797	-12.5995386	-5.6434370
Na ¹⁰⁺	-60.4309007	-15.2341636	-6.8320374
Mg ¹¹⁺	-71.9242460	-18.1187485	-8.1212753
Al ¹²⁺	-84.4176092	-21.2533183	-9.5213414
Si ¹³⁺	-97.9109861	-24.6378512	-11.0324028
P ¹⁴⁺	-112.4043735	-28.2724188	-12.6544173
S ¹⁵⁺	-127.8977692	-32.1569724	-14.3874540
Cl ¹⁶⁺	-144.3911714	-36.2915190	-16.2315276
Ar ¹⁷⁺	-161.8845790	-40.6760659	-18.1866649
K ¹⁸⁺	-180.3779909	-45.3106678	-20.2529225
Ca ¹⁹⁺	-199.8714064	-50.1951487	-22.4301905
Sc ²⁰⁺	-220.3648249	-55.3296970	-24.7184151
Ti ²¹⁺	-241.8582460	-60.7142245	-27.1178617
V ²²⁺	-264.3516691	-66.3488209	-29.6283205
Cr ²³⁺	-287.8450941	-72.2333680	-32.2499650
Mn ²⁴⁺	-312.3385207	-78.3679345	-34.9826315
Fe ²⁵⁺	-337.8319486	-84.7524665	-37.8263692
Co ²⁶⁺	-364.3253778	-91.3870423	-40.7812923
Ni ²⁷⁺	-391.8188079	-98.2716161	-43.8472736
Cu ²⁸⁺	-420.3122390	-105.4061219	-47.0242932
Zn ²⁹⁺	-449.8056709	-112.7907305	-50.3125622
Ga ³⁰⁺	-480.2991035	-120.4253089	-53.7117997
Ge ³¹⁺	-511.7925367	-128.3098753	-57.2222366
As ³²⁺	-544.2859705	-136.4444426	-60.8437416
Se ³³⁺	-577.7794049	-144.8290107	-64.5762948
Br ³⁴⁺	-612.2728396	-153.4635796	-68.4200292
Kr ³⁵⁺	-647.7662749	-162.3481326	-72.3749012

Table S34. Total energies for BLYP35 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.4984828	-0.1335281	-0.0646263
He ⁺	-1.9966892	-0.5169048	-0.2399785
Li ²⁺	-4.4949022	-1.1503014	-0.5263777
Be ³⁺	-7.9931168	-2.0336480	-0.9239362
B ⁴⁺	-12.4913321	-3.1670288	-1.4325919
C ⁵⁺	-17.9895476	-4.5504144	-2.0523650
N ⁶⁺	-24.4877633	-6.1837954	-2.7832348
O ⁷⁺	-31.9859791	-8.0671641	-3.6252672
F ⁸⁺	-40.4841949	-10.2005409	-4.5783337
Ne ⁹⁺	-49.9824108	-12.5839080	-5.6350695
Na ¹⁰⁺	-60.4806267	-15.2171683	-6.8179143
Mg ¹¹⁺	-71.9788427	-18.1006374	-8.1044225
Al ¹²⁺	-84.4770587	-21.2338944	-9.5018398
Si ¹³⁺	-97.9752746	-24.6174748	-11.0106286
P ¹⁴⁺	-112.4734906	-28.2507487	-12.6302564
S ¹⁵⁺	-127.9717066	-32.1339865	-14.3612081
Cl ¹⁶⁺	-144.4699227	-36.2673505	-16.2032515
Ar ¹⁷⁺	-161.9681387	-40.6507145	-18.1562311
K ¹⁸⁺	-180.4663547	-45.2843715	-20.2205897
Ca ¹⁹⁺	-199.9645707	-50.1676536	-22.3959264
Sc ²⁰⁺	-220.4627867	-55.3010325	-24.6821754
Ti ²¹⁺	-241.9610027	-60.6845102	-27.0792359
V ²²⁺	-264.4592188	-66.3175345	-29.5883211
Cr ²³⁺	-287.9574348	-72.2009819	-32.2084001
Mn ²⁴⁺	-312.4556508	-78.3342625	-34.9384676
Fe ²⁵⁺	-337.9538668	-84.7179201	-37.7810642
Co ²⁶⁺	-364.4520828	-91.3512278	-40.7335110
Ni ²⁷⁺	-391.9502989	-98.2343544	-43.7976994
Cu ²⁸⁺	-420.4485149	-105.3681660	-46.9736385
Zn ²⁹⁺	-449.9467309	-112.7515443	-50.2600217
Ga ³⁰⁺	-480.4449469	-120.3844463	-53.6576616
Ge ³¹⁺	-511.9431629	-128.2678103	-57.1655639
As ³²⁺	-544.4413789	-136.4011743	-60.7853078
Se ³³⁺	-577.9395950	-144.7845383	-64.5168880
Br ³⁴⁺	-612.4378110	-153.4179022	-68.3589397
Kr ³⁵⁺	-647.9360270	-162.3015056	-72.3112062

Table S35. Total energies for HSE12 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.5018396	-0.1368696	-0.0678529
He ⁺	-1.9980735	-0.5192271	-0.2416431
Li ²⁺	-4.4939743	-1.1512728	-0.5266730
Be ³⁺	-7.9898009	-2.0331547	-0.9228404
B ⁴⁺	-12.4856061	-3.1649485	-1.4301082
C ⁵⁺	-17.9814012	-4.5466935	-2.0484633
N ⁶⁺	-24.4771956	-6.1784048	-2.7779077
O ⁷⁺	-31.9729866	-8.0600982	-3.6184543
F ⁸⁺	-40.4687791	-10.1917799	-4.5701356
Ne ⁹⁺	-49.9645698	-12.5734501	-5.6247423
Na ¹⁰⁺	-60.4603648	-15.2051200	-6.8066875
Mg ¹¹⁺	-71.9561521	-18.0867721	-8.0917134
Al ¹²⁺	-84.4519524	-21.2184320	-9.4877150
Si ¹³⁺	-97.9477446	-24.6000622	-10.9948967
P ¹⁴⁺	-112.4435353	-28.2317225	-12.6131253
S ¹⁵⁺	-127.9393347	-32.1133769	-14.3425088
Cl ¹⁶⁺	-144.4351230	-36.2450212	-16.1829840
Ar ¹⁷⁺	-161.9309212	-40.6266647	-18.1346076
K ¹⁸⁺	-180.4267191	-45.2583302	-20.1974579
Ca ¹⁹⁺	-199.9225166	-50.1399366	-22.3712816
Sc ²⁰⁺	-220.4183134	-55.2715677	-24.6560701
Ti ²¹⁺	-241.9141097	-60.6531952	-27.0521159
V ²²⁺	-264.4099051	-66.2848662	-29.5592465
Cr ²³⁺	-287.9056998	-72.1664924	-32.1775887
Mn ²⁴⁺	-312.4014934	-78.2981427	-34.9068947
Fe ²⁵⁺	-337.8973055	-84.6797658	-37.7473552
Co ²⁶⁺	-364.3930982	-91.3114012	-40.6989661
Ni ²⁷⁺	-391.8888897	-98.1930548	-43.7616674
Cu ²⁸⁺	-420.3847023	-105.3246492	-46.9354487
Zn ²⁹⁺	-449.8804925	-112.7063081	-50.2202704
Ga ³⁰⁺	-480.3762813	-120.3379644	-53.6164413
Ge ³¹⁺	-511.8720942	-128.2196010	-57.1235808
As ³²⁺	-544.3678813	-136.3512367	-60.7418363
Se ³³⁺	-577.8636945	-144.7328717	-64.4712313
Br ³⁴⁺	-612.3594799	-153.3645091	-68.3116622
Kr ³⁵⁺	-647.8552933	-162.2461270	-72.2632670

Table S36. Total energies for M11-L for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5103506	-0.1535856	-0.0852478
He ⁺	-2.0141911	-0.5434351	-0.2740733
Li ²⁺	-4.5255961	-1.1839485	-0.5689698
Be ³⁺	-8.0371745	-2.0739043	-0.9745300
B ⁴⁺	-12.5486366	-3.2138038	-1.4902415
C ⁵⁺	-18.0600739	-4.6035208	-2.1167069
N ⁶⁺	-24.5715122	-6.2433703	-2.8540665
O ⁷⁺	-32.0830501	-8.1330924	-3.7011140
F ⁸⁺	-40.5946281	-10.2727067	-4.6610366
Ne ⁹⁺	-50.1063155	-12.6624489	-5.7322472
Na ¹⁰⁺	-60.6180913	-15.3022472	-6.9119530
Mg ¹¹⁺	-72.1299103	-18.1919581	-8.2055154
Al ¹²⁺	-84.6418236	-21.3317308	-9.6073799
Si ¹³⁺	-98.1538179	-24.7219200	-11.1226758
P ¹⁴⁺	-112.6658449	-28.3612507	-12.7480349
S ¹⁵⁺	-128.1779368	-32.2510728	-14.4880840
Cl ¹⁶⁺	-144.6900773	-36.3908855	-16.3331746
Ar ¹⁷⁺	-162.2022790	-40.7807134	-18.2920806
K ¹⁸⁺	-180.7145121	-45.4201711	-20.3637273
Ca ¹⁹⁺	-200.2268066	-50.3103788	-22.5268832
Sc ²⁰⁺	-220.7391073	-55.4502842	-24.8355430
Ti ²¹⁺	-242.2514637	-60.8408583	-27.2410768
V ²²⁺	-264.7638576	-66.4800638	-29.7546168
Cr ²³⁺	-288.2762642	-72.3699016	-32.3816719
Mn ²⁴⁺	-312.7887142	-78.5098916	-35.1189131
Fe ²⁵⁺	-338.3011767	-84.8993739	-37.9673791
Co ²⁶⁺	-364.8136871	-91.5397306	-40.9264188
Ni ²⁷⁺	-392.3261922	-98.4297112	-43.9968544
Cu ²⁸⁺	-420.8387299	-105.5705916	-47.1758502
Zn ²⁹⁺	-450.3513033	-112.9605922	-50.4706244
Ga ³⁰⁺	-480.8638981	-120.5996121	-53.8730853
Ge ³¹⁺	-512.3765002	-128.4895954	-57.3898039
As ³²⁺	-544.8891413	-136.6295868	-61.0158410
Se ³³⁺	-578.4017420	-145.0195848	-64.7306202
Br ³⁴⁺	-612.9144429	-153.6595898	-68.5979804
Kr ³⁵⁺	-648.4271149	-162.5495611	-72.5606665

Table S37. Total energies for MN12-L for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4923219	-0.1352393	-0.0746339
He ⁺	-2.0051046	-0.5041623	-0.2470336
Li ²⁺	-4.5155145	-1.1286799	-0.5275863
Be ³⁺	-8.0248044	-2.0006660	-0.9171540
B ⁴⁺	-12.5338701	-3.1204490	-1.4162551
C ⁵⁺	-18.0428612	-4.4883357	-2.0244385
N ⁶⁺	-24.5517488	-6.1047017	-2.7418106
O ⁷⁺	-32.0604886	-7.9698446	-3.5689072
F ⁸⁺	-40.5690457	-10.0839932	-4.5056977
Ne ⁹⁺	-50.0774070	-12.4473199	-5.5443937
Na ¹⁰⁺	-60.5855675	-15.0599555	-6.7092062
Mg ¹¹⁺	-72.0935281	-17.9219826	-7.9762594
Al ¹²⁺	-84.6013009	-21.0335099	-9.3533384
Si ¹³⁺	-98.1088960	-24.3945883	-10.8408774
P ¹⁴⁺	-112.6163204	-28.0052431	-12.4388424
S ¹⁵⁺	-128.1235900	-31.8655562	-14.1476663
Cl ¹⁶⁺	-144.6307145	-35.9755453	-15.9662851
Ar ¹⁷⁺	-162.1377069	-40.3352435	-17.8963865
K ¹⁸⁺	-180.6445742	-44.9445967	-19.9367224
Ca ¹⁹⁺	-200.1513302	-49.8038758	-22.0877343
Sc ²⁰⁺	-220.6579766	-54.9128501	-24.3490810
Ti ²¹⁺	-242.1645286	-60.2716708	-26.7215577
V ²²⁺	-264.6709914	-65.8801852	-29.2048537
Cr ²³⁺	-288.1773689	-71.7385910	-31.7990215
Mn ²⁴⁺	-312.6836712	-77.8468317	-34.5037883
Fe ²⁵⁺	-338.1899000	-84.2049505	-37.3199433
Co ²⁶⁺	-364.6960662	-90.8128840	-40.2461373
Ni ²⁷⁺	-392.2021660	-97.6706941	-43.2836230
Cu ²⁸⁺	-420.7082100	-104.7785095	-46.4319446
Zn ²⁹⁺	-450.2142030	-112.1360012	-49.6940187
Ga ³⁰⁺	-480.7201469	-119.7434442	-53.0615447
Ge ³¹⁺	-512.2260419	-127.6008151	-56.5426303
As ³²⁺	-544.7318966	-135.7080908	-60.1347064
Se ³³⁺	-578.2377008	-144.0652757	-63.8380607
Br ³⁴⁺	-612.7434818	-152.6723747	-67.6518761
Kr ³⁵⁺	-648.2492194	-161.5294186	-71.5766674

Table S38. Total energies for MS0 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5066733	-0.1406326	-0.0690755
He ⁺	-2.0067343	-0.5259646	-0.2451509
Li ²⁺	-4.5066795	-1.1608438	-0.5319699
Be ³⁺	-8.0066194	-2.0455811	-0.9297373
B ⁴⁺	-12.5065653	-3.1802548	-1.4385449
C ⁵⁺	-18.0065180	-4.5648965	-2.0584252
N ⁶⁺	-24.5064763	-6.1995214	-2.7893932
O ⁷⁺	-32.0064392	-8.0841381	-3.6314638
F ⁸⁺	-40.5064058	-10.2187424	-4.5846153
Ne ⁹⁺	-50.0063753	-12.6033475	-5.6378432
Na ¹⁰⁺	-60.5063473	-15.2379498	-6.8242701
Mg ¹¹⁺	-72.0063212	-18.1225438	-8.1107923
Al ¹²⁺	-84.5062969	-21.2571413	-9.5083452
Si ¹³⁺	-98.0062740	-24.6417140	-11.0170600
P ¹⁴⁺	-112.5062522	-28.2763213	-12.6368345
S ¹⁵⁺	-128.0062316	-32.1609189	-14.3677451
Cl ¹⁶⁺	-144.5062118	-36.2955100	-16.2097705
Ar ¹⁷⁺	-162.0061928	-40.6801007	-18.1629220
K ¹⁸⁺	-180.5061745	-45.3147353	-20.2272331
Ca ¹⁹⁺	-200.0061568	-50.1992696	-22.4026076
Sc ²⁰⁺	-220.5061396	-55.3338577	-24.6889955
Ti ²¹⁺	-242.0061230	-60.7184275	-27.0866061
V ²²⁺	-264.5061067	-66.3530496	-29.5952630
Cr ²³⁺	-288.0060909	-72.2376325	-32.2151097
Mn ²⁴⁺	-312.5060754	-78.3722280	-34.9460122
Fe ²⁵⁺	-338.0060603	-84.7567989	-37.7879991
Co ²⁶⁺	-364.5060454	-91.3913976	-40.7411704
Ni ²⁷⁺	-392.0060308	-98.2759953	-43.8054159
Cu ²⁸⁺	-420.5060164	-105.4105413	-46.9807188
Zn ²⁹⁺	-450.0060023	-112.7951616	-50.2671996
Ga ³⁰⁺	-480.5059884	-120.4297623	-53.6647887
Ge ³¹⁺	-512.0059746	-128.3143512	-57.1735075
As ³²⁺	-544.5059610	-136.4489402	-60.7933080
Se ³³⁺	-578.0059477	-144.8335291	-64.5241739
Br ³⁴⁺	-612.5059344	-153.4681181	-68.3662090
Kr ³⁵⁺	-648.0059213	-162.3526956	-72.3193754

Table S39. Total energies for MS1 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.5067130	-0.1410713	-0.0696416
He ⁺	-2.0067807	-0.5268392	-0.2462409
Li ²⁺	-4.5067289	-1.1621489	-0.5335874
Be ³⁺	-8.0066706	-2.0473233	-0.9318814
B ⁴⁺	-12.5066180	-3.1824301	-1.4412155
C ⁵⁺	-18.0065717	-4.5675046	-2.0616461
N ⁶⁺	-24.5065310	-6.2025622	-2.7931174
O ⁷⁺	-32.0064948	-8.0876118	-3.6357154
F ⁸⁺	-40.5064622	-10.2226485	-4.5893903
Ne ⁹⁺	-50.0064325	-12.6076838	-5.6429920
Na ¹⁰⁺	-60.5064051	-15.2427216	-6.8300956
Mg ¹¹⁺	-72.0063798	-18.1277478	-8.1171571
Al ¹²⁺	-84.5063561	-21.2627781	-9.5152303
Si ¹³⁺	-98.0063338	-24.6477814	-11.0244451
P ¹⁴⁺	-112.5063127	-28.2828225	-12.6448092
S ¹⁵⁺	-128.0062927	-32.1678532	-14.3762081
Cl ¹⁶⁺	-144.5062735	-36.3028767	-16.2187600
Ar ¹⁷⁺	-162.0062552	-40.6878998	-18.1724383
K ¹⁸⁺	-180.5062375	-45.3229708	-20.2372817
Ca ¹⁹⁺	-200.0062204	-50.2079326	-22.4131849
Sc ²⁰⁺	-220.5062038	-55.3429529	-24.7000925
Ti ²¹⁺	-242.0061878	-60.7279534	-27.0982324
V ²²⁺	-264.5061721	-66.3630108	-29.6074131
Cr ²³⁺	-288.0061569	-72.2480256	-32.2277902
Mn ²⁴⁺	-312.5061420	-78.3830541	-34.9592185
Fe ²⁵⁺	-338.0061274	-84.7680558	-37.8017291
Co ²⁶⁺	-364.5061131	-91.4030877	-40.7554301
Ni ²⁷⁺	-392.0060991	-98.2881186	-43.8202022
Cu ²⁸⁺	-420.5060853	-105.4230931	-46.9960300
Zn ²⁹⁺	-450.0060718	-112.8081486	-50.2830657
Ga ³⁰⁺	-480.5060584	-120.4431827	-53.6811526
Ge ³¹⁺	-512.0060452	-128.3282041	-57.1904006
As ³²⁺	-544.5060322	-136.4632255	-60.8107277
Se ³³⁺	-578.0060194	-144.8482468	-64.5421161
Br ³⁴⁺	-612.5060067	-153.4832682	-68.3846798
Kr ³⁵⁺	-648.0059942	-162.3682770	-72.3383751

Table S40. Total energies for MS2 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.5067391	-0.1414206	-0.0700785
He ⁺	-2.0068102	-0.5275284	-0.2470756
Li ²⁺	-4.5067601	-1.1631772	-0.5348228
Be ³⁺	-8.0067029	-2.0486910	-0.9335170
B ⁴⁺	-12.5066511	-3.1841368	-1.4432515
C ⁵⁺	-18.0066057	-4.5695498	-2.0640842
N ⁶⁺	-24.5065656	-6.2049461	-2.7959548
O ⁷⁺	-32.0065300	-8.0903313	-3.6389465
F ⁸⁺	-40.5064980	-10.2257098	-4.5930310
Ne ⁹⁺	-50.0064688	-12.6110866	-5.6469382
Na ¹⁰⁺	-60.5064421	-15.2464606	-6.8345359
Mg ¹¹⁺	-72.0064173	-18.1318253	-8.1220016
Al ¹²⁺	-84.5063941	-21.2671944	-9.5204717
Si ¹³⁺	-98.0063724	-24.6525348	-11.0300842
P ¹⁴⁺	-112.5063518	-28.2879156	-12.6508013
S ¹⁵⁺	-128.0063323	-32.1732854	-14.3826498
Cl ¹⁶⁺	-144.5063136	-36.3086475	-16.2256022
Ar ¹⁷⁺	-162.0062958	-40.6940092	-18.1796830
K ¹⁸⁺	-180.5062786	-45.3294222	-20.2449298
Ca ¹⁹⁺	-200.0062620	-50.2147183	-22.4212352
Sc ²⁰⁺	-220.5062460	-55.3500772	-24.7085379
Ti ²¹⁺	-242.0062304	-60.7354147	-27.1070805
V ²²⁺	-264.5062153	-66.3708132	-29.6166594
Cr ²³⁺	-288.0062005	-72.2561661	-32.2374404
Mn ²⁴⁺	-312.5061861	-78.3915337	-34.9692685
Fe ²⁵⁺	-338.0061720	-84.7768725	-37.8121774
Co ²⁶⁺	-364.5061582	-91.4122438	-40.7662813
Ni ²⁷⁺	-392.0061447	-98.2976139	-43.8314542
Cu ²⁸⁺	-420.5061314	-105.4329238	-47.0076777
Zn ²⁹⁺	-450.0061184	-112.8183202	-50.2951480
Ga ³⁰⁺	-480.5061055	-120.4536938	-53.6936042
Ge ³¹⁺	-512.0060928	-128.3390538	-57.2032551
As ³²⁺	-544.5060803	-136.4744137	-60.8239828
Se ³³⁺	-578.0060680	-144.8597736	-64.5557569
Br ³⁴⁺	-612.5060558	-153.4951336	-68.3987300
Kr ³⁵⁺	-648.0060437	-162.3804801	-72.3528321

Table S41. Total energies for BLOC for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5002353	-0.1370239	-0.0672642
He ⁺	-2.0002197	-0.5236688	-0.2447027
Li ²⁺	-4.5002152	-1.1603164	-0.5333050
Be ³⁺	-8.0002130	-2.0469672	-0.9330047
B ⁴⁺	-12.5002118	-3.1836160	-1.4438195
C ⁵⁺	-18.0002111	-4.5702644	-2.0657821
N ⁶⁺	-24.5002105	-6.2069145	-2.7987910
O ⁷⁺	-32.0002101	-8.0935647	-3.6429529
F ⁸⁺	-40.5002098	-10.2302157	-4.5981995
Ne ⁹⁺	-50.0002095	-12.6168673	-5.6533367
Na ¹⁰⁺	-60.5002094	-15.2535266	-6.8420809
Mg ¹¹⁺	-72.0002092	-18.1401741	-8.1307443
Al ¹²⁺	-84.5002091	-21.2768293	-9.5303956
Si ¹³⁺	-98.0002091	-24.6634516	-11.0412017
P ¹⁴⁺	-112.5002089	-28.3001227	-12.6631026
S ¹⁵⁺	-128.0002089	-32.1867834	-14.3961556
Cl ¹⁶⁺	-144.5002088	-36.3234343	-16.2403080
Ar ¹⁷⁺	-162.0002088	-40.7100862	-18.1955934
K ¹⁸⁺	-180.5002087	-45.3467995	-20.2620685
Ca ¹⁹⁺	-200.0002087	-50.2333732	-22.4171850
Sc ²⁰⁺	-220.5002087	-55.3700222	-24.7280587
Ti ²¹⁺	-242.0002086	-60.7566461	-27.1278141
V ²²⁺	-264.5002086	-66.3933431	-29.6385870
Cr ²³⁺	-288.0002086	-72.2799856	-32.2605896
Mn ²⁴⁺	-312.5002086	-78.4166459	-34.9936166
Fe ²⁵⁺	-338.0002085	-84.8032717	-37.8377181
Co ²⁶⁺	-364.5002085	-91.4399366	-40.7930405
Ni ²⁷⁺	-392.0002084	-98.3266000	-43.8594192
Cu ²⁸⁺	-420.5002084	-105.4631914	-47.0368341
Zn ²⁹⁺	-450.0002084	-112.8498865	-50.3255341
Ga ³⁰⁺	-480.5002084	-120.4865542	-53.7251753
Ge ³¹⁺	-512.0002083	-128.3732056	-57.2360449
As ³²⁺	-544.5002083	-136.5098569	-60.8579791
Se ³³⁺	-578.0002082	-144.8965083	-64.5909607
Br ³⁴⁺	-612.5002083	-153.5331597	-68.4351330
Kr ³⁵⁺	-648.0002082	-162.4197950	-72.3904484

Table S42. Total energies for CAM-QTP00 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5000690	-0.1295158	-0.0587234
He ⁺	-1.9939831	-0.5088687	-0.2288851
Li ²⁺	-4.4898251	-1.1376532	-0.5110779
Be ³⁺	-7.9868398	-2.0163722	-0.9045963
B ⁴⁺	-12.4844814	-3.1453506	-1.4091785
C ⁵⁺	-17.9824837	-4.5246350	-2.0248584
N ⁶⁺	-24.4807089	-6.1541908	-2.7516905
O ⁷⁺	-31.9790799	-8.0339694	-3.5897212
F ⁸⁺	-40.4775506	-10.1639296	-4.5389657
Ne ⁹⁺	-49.9760919	-12.5440333	-5.5943513
Na ¹⁰⁺	-60.4746847	-15.1742432	-6.7711138
Mg ¹¹⁺	-71.9733159	-18.0545761	-8.0540108
Al ¹²⁺	-84.4719763	-21.1849596	-9.4480916
Si ¹³⁺	-97.9706592	-24.5654235	-10.9533699
P ¹⁴⁺	-112.4693599	-28.1959542	-12.5698376
S ¹⁵⁺	-127.9680745	-32.0765083	-14.2974799
Cl ¹⁶⁺	-144.4668003	-36.2071139	-16.1362613
Ar ¹⁷⁺	-161.9655352	-40.5877536	-18.0862321
K ¹⁸⁺	-180.4642774	-45.2184809	-20.1474024
Ca ¹⁹⁺	-199.9630256	-50.0991247	-22.3196884
Sc ²⁰⁺	-220.4617787	-55.2298374	-24.6030650
Ti ²¹⁺	-241.9605359	-60.6105479	-26.9975956
V ²²⁺	-264.4592964	-66.2413255	-29.5033337
Cr ²³⁺	-287.9580596	-72.1221022	-32.1201799
Mn ²⁴⁺	-312.4568251	-78.2528778	-34.8481459
Fe ²⁵⁺	-337.9555925	-84.6336581	-37.6872903
Co ²⁶⁺	-364.4543615	-91.2644805	-40.6375199
Ni ²⁷⁺	-391.9531318	-98.1452946	-43.6989031
Cu ²⁸⁺	-420.4519030	-105.2760861	-46.8714154
Zn ²⁹⁺	-449.9506752	-112.6569475	-50.1550736
Ga ³⁰⁺	-480.4494480	-120.2877914	-53.5498092
Ge ³¹⁺	-511.9482213	-128.1686376	-57.0557073
As ³²⁺	-544.4469951	-136.2994899	-60.6727203
Se ³³⁺	-577.9457692	-144.6803475	-64.4008283
Br ³⁴⁺	-612.4445435	-153.3112101	-68.2400944
Kr ³⁵⁺	-647.9433179	-162.1920614	-72.1904919

Table S43. Total energies for GAM for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5013928	-0.1426035	-0.0750319
He ⁺	-2.0146402	-0.5316592	-0.2547607
Li ²⁺	-4.5276946	-1.1760966	-0.5468447
Be ³⁺	-8.0331271	-2.0737710	-0.9521381
B ⁴⁺	-12.5300327	-3.2226013	-1.4705470
C ⁵⁺	-18.0191394	-4.6211609	-2.1012874
N ⁶⁺	-24.5014911	-6.2686420	-2.8440999
O ⁷⁺	-31.9780860	-8.1646043	-3.6985269
F ⁸⁺	-40.4497869	-10.3087951	-4.6640520
Ne ⁹⁺	-49.9173163	-12.7011740	-5.7280538
Na ¹⁰⁺	-60.3812715	-15.3417153	-6.9279199
Mg ¹¹⁺	-71.8421465	-18.2304357	-8.2259283
Al ¹²⁺	-84.3003509	-21.3674515	-9.6341730
Si ¹³⁺	-97.7562259	-24.7527253	-11.1529499
P ¹⁴⁺	-112.2100577	-28.3865941	-12.7821975
S ¹⁵⁺	-127.6620875	-32.2689630	-14.5216607
Cl ¹⁶⁺	-144.1125203	-36.3999320	-16.3715029
Ar ¹⁷⁺	-161.5615307	-40.7796121	-18.3318211
K ¹⁸⁺	-180.0092689	-45.4082596	-20.4027994
Ca ¹⁹⁺	-199.4558645	-50.2853906	-22.5606321
Sc ²⁰⁺	-219.9014301	-55.4116502	-24.8745748
Ti ²¹⁺	-241.3460635	-60.7868658	-27.2763526
V ²²⁺	-263.7898508	-66.4113457	-29.7882990
Cr ²³⁺	-287.2328674	-72.2847977	-32.4109980
Mn ²⁴⁺	-311.6751801	-78.4074837	-35.1438072
Fe ²⁵⁺	-337.1168482	-84.7792989	-37.9599292
Co ²⁶⁺	-363.5579241	-91.4004692	-40.9410359
Ni ²⁷⁺	-390.9984551	-98.2710043	-44.0053918
Cu ²⁸⁺	-419.4384831	-105.3906933	-47.1807212
Zn ²⁹⁺	-448.8780460	-112.7600140	-50.4657862
Ga ³⁰⁺	-479.3171777	-120.3787024	-53.8615418
Ge ³¹⁺	-510.7559094	-128.2468056	-57.3682453
As ³²⁺	-543.1942687	-136.3643945	-60.9854155
Se ³³⁺	-576.6322816	-144.7314965	-64.7130733
Br ³⁴⁺	-611.0699697	-153.3481368	-68.5514602
Kr ³⁵⁺	-646.5073555	-162.2142986	-72.5007191

Table S44. Total energies for CHACHIYO for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4787475	-0.1324260	-0.0655627
He ⁺	-1.9415401	-0.5067955	-0.2369185
Li ²⁺	-4.4017776	-1.1293920	-0.5181465
Be ³⁺	-7.8608434	-2.0011441	-0.9098202
B ⁴⁺	-12.3192210	-3.1223802	-1.4122009
C ⁵⁺	-17.7771412	-4.4932699	-2.0254158
N ⁶⁺	-24.2347339	-6.1139092	-2.7495381
O ⁷⁺	-31.6920798	-7.9843567	-3.5846113
F ⁸⁺	-40.1492328	-10.1046527	-4.5306736
Ne ⁹⁺	-49.6062306	-12.4748276	-5.5780716
Na ¹⁰⁺	-60.0631008	-15.0949004	-6.7558446
Mg ¹¹⁺	-71.5198641	-17.9648815	-8.0350244
Al ¹²⁺	-83.9765365	-21.0847928	-9.4251805
Si ¹³⁺	-97.4331308	-24.4546206	-10.9264147
P ¹⁴⁺	-111.8896570	-28.0744207	-12.5387110
S ¹⁵⁺	-127.3461235	-31.9441637	-14.2620872
Cl ¹⁶⁺	-143.8025371	-36.0638573	-16.0965347
Ar ¹⁷⁺	-161.2589036	-40.4335111	-18.0420728
K ¹⁸⁺	-179.7152278	-45.0531643	-20.0987321
Ca ¹⁹⁺	-199.1715137	-49.9227048	-22.2664339
Sc ²⁰⁺	-219.6277651	-55.0422588	-24.5451438
Ti ²¹⁺	-241.0839850	-60.4117712	-26.9350318
V ²²⁺	-263.5401759	-66.0313004	-29.4359580
Cr ²³⁺	-286.9963404	-71.9007752	-32.0480377
Mn ²⁴⁺	-311.4524804	-78.0202390	-34.7711665
Fe ²⁵⁺	-336.9085978	-84.3896632	-37.6053683
Co ²⁶⁺	-363.3646943	-91.0090913	-40.5507231
Ni ²⁷⁺	-390.8207713	-97.8785013	-43.6071449
Cu ²⁸⁺	-419.2768301	-104.9978542	-46.7746227
Zn ²⁹⁺	-448.7328719	-112.3672510	-50.0532626
Ga ³⁰⁺	-479.1888978	-119.9866182	-53.4429726
Ge ³¹⁺	-510.6449088	-127.8559627	-56.9438102
As ³²⁺	-543.1009057	-135.9752946	-60.5557247
Se ³³⁺	-576.5568894	-144.3446146	-64.2787053
Br ³⁴⁺	-611.0128606	-152.9639234	-68.1128361
Kr ³⁵⁺	-646.4688199	-161.8332124	-72.0580740

Table S45. Total energies for B97M-V for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5015715	-0.1308329	-0.0655328
He ⁺	-2.0013747	-0.5111412	-0.2387801
Li ²⁺	-4.5010302	-1.1421934	-0.5227331
Be ³⁺	-8.0002899	-2.0232376	-0.9173978
B ⁴⁺	-12.4992160	-3.1541572	-1.4229787
C ⁵⁺	-17.9978806	-4.5349506	-2.0392099
N ⁶⁺	-24.4963393	-6.1656313	-2.7663929
O ⁷⁺	-31.9946331	-8.0462131	-3.6045592
F ⁸⁺	-40.4927920	-10.1767100	-4.5536016
Ne ⁹⁺	-49.9908390	-12.5571351	-5.6031070
Na ¹⁰⁺	-60.4887916	-15.1874962	-6.7846072
Mg ¹¹⁺	-71.9866634	-18.0677956	-8.0666058
Al ¹²⁺	-84.4844655	-21.1980498	-9.4596747
Si ¹³⁺	-97.9822068	-24.5782416	-10.9638492
P ¹⁴⁺	-112.4798944	-28.2084201	-12.5789139
S ¹⁵⁺	-127.9775345	-32.0885567	-14.3051596
Cl ¹⁶⁺	-144.4751320	-36.2186563	-16.1423241
Ar ¹⁷⁺	-161.9726914	-40.5987265	-18.0907055
K ¹⁸⁺	-180.4702162	-45.2288009	-20.1501470
Ca ¹⁹⁺	-199.9677097	-50.1087804	-22.3016544
Sc ²⁰⁺	-220.4651746	-55.2387754	-24.6019182
Ti ²¹⁺	-241.9626132	-60.6187375	-26.9945032
V ²²⁺	-264.4600278	-66.2487163	-29.4982671
Cr ²³⁺	-287.9574201	-72.1286496	-32.1130488
Mn ²⁴⁺	-312.4547918	-78.2585757	-34.8387365
Fe ²⁵⁺	-337.9521444	-84.6384686	-37.6757512
Co ²⁶⁺	-364.4494792	-91.2683652	-40.6236460
Ni ²⁷⁺	-391.9467974	-98.1482501	-43.6827320
Cu ²⁸⁺	-420.4441000	-105.2780859	-46.8530373
Zn ²⁹⁺	-449.9413881	-112.6579593	-50.1342725
Ga ³⁰⁺	-480.4386625	-120.2878082	-53.5264766
Ge ³¹⁺	-511.9359240	-128.1676384	-57.0299830
As ³²⁺	-544.4331734	-136.2974585	-60.6445280
Se ³³⁺	-577.9304113	-144.6772688	-64.3703458
Br ³⁴⁺	-612.4276383	-153.3070699	-68.2069794
Kr ³⁵⁺	-647.9248551	-162.1868545	-72.1547354

Table S46. Total energies for TM for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5003412	-0.1361547	-0.0667734
He ⁺	-2.0003205	-0.5225102	-0.2438326
Li ²⁺	-4.5003142	-1.1586146	-0.5320396
Be ³⁺	-8.0003111	-2.0447196	-0.9313549
B ⁴⁺	-12.5003093	-3.1808247	-1.4417832
C ⁵⁺	-18.0003080	-4.5669299	-2.0633235
N ⁶⁺	-24.5003071	-6.2030352	-2.7959755
O ⁷⁺	-32.0003064	-8.0891405	-3.6397389
F ⁸⁺	-40.5003058	-10.2252458	-4.5946136
Ne ⁹⁺	-50.0003053	-12.6113512	-5.6605998
Na ¹⁰⁺	-60.5003049	-15.2474566	-6.8376969
Mg ¹¹⁺	-72.0003045	-18.1335619	-8.1259055
Al ¹²⁺	-84.5003042	-21.2696673	-9.5252249
Si ¹³⁺	-98.0003039	-24.6557726	-11.0356557
P ¹⁴⁺	-112.5003036	-28.2918781	-12.6571976
S ¹⁵⁺	-128.0003033	-32.1779834	-14.3898503
Cl ¹⁶⁺	-144.5003031	-36.3140888	-16.2336145
Ar ¹⁷⁺	-162.0003028	-40.7001942	-18.1884901
K ¹⁸⁺	-180.5003026	-45.3362997	-20.2544766
Ca ¹⁹⁺	-200.0003024	-50.2224050	-22.4315744
Sc ²⁰⁺	-220.5003021	-55.3585103	-24.7197826
Ti ²¹⁺	-242.0003019	-60.7446156	-27.1191026
V ²²⁺	-264.5003017	-66.3807210	-29.6295335
Cr ²³⁺	-288.0003015	-72.2668265	-32.2510754
Mn ²⁴⁺	-312.5003013	-78.4029318	-34.9837287
Fe ²⁵⁺	-338.0003011	-84.7890372	-37.8274928
Co ²⁶⁺	-364.5003009	-91.4251426	-40.7823684
Ni ²⁷⁺	-392.0003007	-98.3112479	-43.8483549
Cu ²⁸⁺	-420.5003005	-105.4473532	-47.0254524
Zn ²⁹⁺	-450.0003003	-112.8334586	-50.3136609
Ga ³⁰⁺	-480.5003001	-120.4695640	-53.7129810
Ge ³¹⁺	-512.0002999	-128.3556694	-57.2234121
As ³²⁺	-544.5002997	-136.4917747	-60.8449541
Se ³³⁺	-578.0002995	-144.8778801	-64.5775980
Br ³⁴⁺	-612.5002992	-153.5139854	-68.4213715
Kr ³⁵⁺	-648.0002990	-162.4000908	-72.3762470

Table S47. Total energies for ω B97M-V for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4946779	-0.1212856	-0.0538435
He ⁺	-1.9892213	-0.5051133	-0.2256243
Li ²⁺	-4.4882141	-1.1395341	-0.5127037
Be ³⁺	-7.9897531	-2.0237246	-0.9118772
B ⁴⁺	-12.4926226	-3.1581600	-1.4219932
C ⁵⁺	-17.9962519	-4.5429960	-2.0429091
N ⁶⁺	-24.5003510	-6.1782231	-2.7746952
O ⁷⁺	-32.0047597	-8.0637855	-3.6174768
F ⁸⁺	-40.5093823	-10.1996176	-4.5713487
Ne ⁹⁺	-50.0141588	-12.5856760	-5.6264953
Na ¹⁰⁺	-60.5190496	-15.2219165	-6.8124955
Mg ¹¹⁺	-72.0240274	-18.1082992	-8.0998462
Al ¹²⁺	-84.5290730	-21.2448077	-9.4982747
Si ¹³⁺	-98.0341723	-24.6313918	-11.0079034
P ¹⁴⁺	-112.5393149	-28.2681009	-12.6286990
S ¹⁵⁺	-128.0444930	-32.1548705	-14.3606442
Cl ¹⁶⁺	-144.5497003	-36.2916950	-16.2037591
Ar ¹⁷⁺	-162.0549321	-40.6785717	-18.1580363
K ¹⁸⁺	-180.5601845	-45.3155478	-20.2235086
Ca ¹⁹⁺	-200.0654545	-50.2024418	-22.4000891
Sc ²⁰⁺	-220.5707396	-55.3394351	-24.6877113
Ti ²¹⁺	-242.0760377	-60.7264358	-27.0865851
V ²²⁺	-264.5813472	-66.3635280	-29.5965103
Cr ²³⁺	-288.0866665	-72.2505967	-32.2176746
Mn ²⁴⁺	-312.5919945	-78.3877010	-34.9499087
Fe ²⁵⁺	-338.0973302	-84.7747946	-37.7932249
Co ²⁶⁺	-364.6026728	-91.4119393	-40.7477745
Ni ²⁷⁺	-392.1080214	-98.2990978	-43.8133974
Cu ²⁸⁺	-420.6133754	-105.4362059	-46.9900747
Zn ²⁹⁺	-450.1187343	-112.8234199	-50.2779400
Ga ³⁰⁺	-480.6240975	-120.4606202	-53.6769690
Ge ³¹⁺	-512.1294648	-128.3478166	-57.1871251
As ³²⁺	-544.6348356	-136.4850225	-60.8083609
Se ³³⁺	-578.1402097	-144.8722372	-64.5406446
Br ³⁴⁺	-612.6455867	-153.5094599	-68.3841204
Kr ³⁵⁺	-648.1509665	-162.3966757	-72.3387844

Table S48. Total energies for CAM-QTP01 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4966515	-0.1289352	-0.0576005
He ⁺	-1.9824170	-0.5093794	-0.2277726
Li ²⁺	-4.4725481	-1.1390626	-0.5113699
Be ³⁺	-7.9655612	-2.0186355	-0.9067963
B ⁴⁺	-12.4601713	-3.1487476	-1.4133828
C ⁵⁺	-17.9557264	-4.5295395	-2.0310821
N ⁶⁺	-24.4518807	-6.1609569	-2.7599883
O ⁷⁺	-31.9484369	-8.0429011	-3.6001832
F ⁸⁺	-40.4452750	-10.1752763	-4.5517064
Ne ⁹⁺	-49.9423181	-12.5580038	-5.6063126
Na ¹⁰⁺	-60.4395145	-15.1910202	-6.7887949
Mg ¹¹⁺	-71.9368286	-18.0742765	-8.0744072
Al ¹²⁺	-84.4342347	-21.2077231	-9.4712025
Si ¹³⁺	-97.9317141	-24.5912823	-10.9793636
P ¹⁴⁺	-112.4292527	-28.2250885	-12.5987592
S ¹⁵⁺	-127.9268398	-32.1089674	-14.3294207
Cl ¹⁶⁺	-144.4244671	-36.2429436	-16.1713358
Ar ¹⁷⁺	-161.9221279	-40.6270080	-18.1245238
K ¹⁸⁺	-180.4198171	-45.2613402	-20.1890773
Ca ¹⁹⁺	-199.9175303	-50.1453176	-22.3647189
Sc ²⁰⁺	-220.4152643	-55.2795700	-24.6512858
Ti ²¹⁺	-241.9130160	-60.6638026	-27.0493131
V ²²⁺	-264.4107831	-66.2983107	-29.5584268
Cr ²³⁺	-287.9085638	-72.1826869	-32.1789049
Mn ²⁴⁺	-312.4063562	-78.3171622	-34.9103623
Fe ²⁵⁺	-337.9041591	-84.7015364	-37.7529901
Co ²⁶⁺	-364.4019711	-91.3360925	-40.7069065
Ni ²⁷⁺	-391.8997912	-98.2206816	-43.7719178
Cu ²⁸⁺	-420.3976187	-105.3550418	-46.9479647
Zn ²⁹⁺	-449.8954526	-112.7397681	-50.2348323
Ga ³⁰⁺	-480.3932923	-120.3744242	-53.6337575
Ge ³¹⁺	-511.8911372	-128.2590448	-57.1434737
As ³²⁺	-544.3889868	-136.3936826	-60.7642257
Se ³³⁺	-577.8868407	-144.7783361	-64.4959980
Br ³⁴⁺	-612.3846984	-153.4130041	-68.3389395
Kr ³⁵⁺	-647.8825596	-162.2975861	-72.2933156

Table S49. Total energies for MN15 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.4997444	-0.1174902	-0.0520838
He ⁺	-2.0070924	-0.5044978	-0.2219852
Li ²⁺	-4.5087299	-1.1500047	-0.5116759
Be ³⁺	-8.0082191	-2.0459546	-0.9174525
B ⁴⁺	-12.5069983	-3.1907169	-1.4371555
C ⁵⁺	-18.0055718	-4.5841792	-2.0695579
N ⁶⁺	-24.5041247	-6.2265510	-2.8141232
O ⁷⁺	-32.0027292	-8.1180654	-3.6703878
F ⁸⁺	-40.5014073	-10.2589033	-4.6383881
Ne ⁹⁺	-50.0001673	-12.6492346	-5.7049315
Na ¹⁰⁺	-60.4990067	-15.2891823	-6.9086963
Mg ¹¹⁺	-71.9979188	-18.1788010	-8.2109852
Al ¹²⁺	-84.4968994	-21.3181889	-9.6244724
Si ¹³⁺	-97.9959424	-24.7075250	-11.1492098
P ¹⁴⁺	-112.4950415	-28.3463958	-12.7855372
S ¹⁵⁺	-127.9941915	-32.2353319	-14.5329173
Cl ¹⁶⁺	-144.4933883	-36.3741497	-16.3915261
Ar ¹⁷⁺	-161.9926278	-40.7628884	-18.3614490
K ¹⁸⁺	-180.4919065	-45.4018079	-20.4425523
Ca ¹⁹⁺	-199.9912208	-50.2901512	-22.6348774
Sc ²⁰⁺	-220.4905688	-55.4287289	-24.9384104
Ti ²¹⁺	-241.9899467	-60.8172742	-27.3533239
V ²²⁺	-264.4893530	-66.4558331	-29.8791691
Cr ²³⁺	-287.9887843	-72.3443013	-32.5163433
Mn ²⁴⁺	-312.4882409	-78.4828083	-35.2647981
Fe ²⁵⁺	-337.9877199	-84.8712393	-38.1242974
Co ²⁶⁺	-364.4872191	-91.5096777	-41.0950487
Ni ²⁷⁺	-391.9867393	-98.3981680	-44.1769411
Cu ²⁸⁺	-420.4862778	-105.5365417	-47.3698153
Zn ²⁹⁺	-449.9858335	-112.9249693	-50.6742435
Ga ³⁰⁺	-480.4854042	-120.5634618	-54.0894161
Ge ³¹⁺	-511.9849916	-128.4518860	-57.6162092
As ³²⁺	-544.4845940	-136.5903088	-61.2539356
Se ³³⁺	-577.9842114	-144.9787308	-65.0025585
Br ³⁴⁺	-612.4838384	-153.6171525	-68.8625609
Kr ³⁵⁺	-647.9834787	-162.5055016	-72.8340562

Table S50. Total energies for MN15-L for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4965965	-0.1350988	-0.0689992
He ⁺	-1.9941064	-0.5144107	-0.2421750
Li ²⁺	-4.4974954	-1.1400581	-0.5239951
Be ³⁺	-8.0066222	-2.0125898	-0.9149182
B ⁴⁺	-12.5203601	-3.1331778	-1.4156179
C ⁵⁺	-18.0376607	-4.5026976	-2.0263054
N ⁶⁺	-24.5577196	-6.1217069	-2.7475911
O ⁷⁺	-32.0799398	-7.9905470	-3.5790684
F ⁸⁺	-40.6038827	-10.1094225	-4.5220043
Ne ⁹⁺	-50.1292160	-12.4784548	-5.5655772
Na ¹⁰⁺	-60.6556895	-15.0977115	-6.7401775
Mg ¹¹⁺	-72.1831105	-17.9672287	-8.0162066
Al ¹²⁺	-84.7113246	-21.0870240	-9.4032172
Si ¹³⁺	-98.2402116	-24.4571086	-10.9016456
P ¹⁴⁺	-112.7696763	-28.0774514	-12.5111837
S ¹⁵⁺	-128.2996374	-31.9480678	-14.2320625
Cl ¹⁶⁺	-144.8300308	-36.0689416	-16.0643076
Ar ¹⁷⁺	-162.3608016	-40.4400585	-18.0078478
K ¹⁸⁺	-180.8919060	-45.0613838	-20.0626261
Ca ¹⁹⁺	-200.4233039	-49.9329719	-22.2286592
Sc ²⁰⁺	-220.9549659	-55.0547413	-24.5058676
Ti ²¹⁺	-242.4868611	-60.4267102	-26.8946836
V ²²⁺	-265.0189668	-66.0488355	-29.3940804
Cr ²³⁺	-288.5512628	-71.9211467	-32.0056641
Mn ²⁴⁺	-313.0837303	-78.0436113	-34.7282919
Fe ²⁵⁺	-338.6163544	-84.4162327	-37.5616708
Co ²⁶⁺	-365.1491194	-91.0389890	-40.5070454
Ni ²⁷⁺	-392.6820160	-97.9118731	-43.5633089
Cu ²⁸⁺	-421.2150312	-105.0348998	-46.7307761
Zn ²⁹⁺	-450.7481552	-112.4080195	-50.0089548
Ga ³⁰⁺	-481.2813797	-120.0312551	-53.3995653
Ge ³¹⁺	-512.8146982	-127.9045989	-56.9008110
As ³²⁺	-545.3481022	-136.0280407	-60.5132719
Se ³³⁺	-578.8815886	-144.4015754	-64.2363344
Br ³⁴⁺	-613.4151454	-153.0251978	-68.0714329
Kr ³⁵⁺	-648.9487733	-161.8989050	-72.0179817

Table S51. Total energies for LC-QTP for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4951915	-0.1256064	-0.0556271
He ⁺	-1.9739964	-0.5050029	-0.2235535
Li ²⁺	-4.4542883	-1.1357779	-0.5052809
Be ³⁺	-7.9390887	-2.0159934	-0.9004392
B ⁴⁺	-12.4271828	-3.1459462	-1.4079025
C ⁵⁺	-17.9174894	-4.5261597	-2.0269085
N ⁶⁺	-24.4093095	-6.1569185	-2.7571358
O ⁷⁺	-31.9022002	-8.0383177	-3.5985085
F ⁸⁺	-40.3958726	-10.1703525	-4.5510504
Ne ⁹⁺	-49.8901327	-12.5529751	-5.6056382
Na ¹⁰⁺	-60.3848453	-15.1861233	-6.7898391
Mg ¹¹⁺	-71.8799138	-18.0697375	-8.0761771
Al ¹²⁺	-84.3752673	-21.2037545	-9.4738083
Si ¹³⁺	-97.8708527	-24.5881033	-10.9828130
P ¹⁴⁺	-112.3666292	-28.2228120	-12.6030671
S ¹⁵⁺	-127.8625653	-32.1077708	-14.3346863
Cl ¹⁶⁺	-144.3586361	-36.2429686	-16.1776018
Ar ¹⁷⁺	-161.8548214	-40.6283786	-18.1318775
K ¹⁸⁺	-180.3511052	-45.2641402	-20.1975429
Ca ¹⁹⁺	-199.8474742	-50.1497310	-22.3744022
Sc ²⁰⁺	-220.3439175	-55.2856429	-24.6623432
Ti ²¹⁺	-241.8404258	-60.6715904	-27.0617127
V ²²⁺	-264.3369916	-66.3078805	-29.5723239
Cr ²³⁺	-287.8336083	-72.1941605	-32.1943578
Mn ²⁴⁺	-312.3302703	-78.3305409	-34.9273110
Fe ²⁵⁺	-337.8269730	-84.7169409	-37.7716203
Co ²⁶⁺	-364.3237121	-91.3535451	-40.7272001
Ni ²⁷⁺	-391.8204842	-98.2401893	-43.7939685
Cu ²⁸⁺	-420.3172861	-105.3766659	-46.9718747
Zn ²⁹⁺	-449.8141150	-112.7636114	-50.2610808
Ga ³⁰⁺	-480.3109686	-120.4004601	-53.6614683
Ge ³¹⁺	-511.8078447	-128.2873305	-57.1730516
As ³²⁺	-544.3047415	-136.4242504	-60.7957973
Se ³³⁺	-577.8016572	-144.8112162	-64.5300241
Br ³⁴⁺	-612.2985904	-153.4482247	-68.3747123
Kr ³⁵⁺	-647.7955398	-162.3352029	-72.3311007

Table S52. Total energies for CAM-QTP02 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4934067	-0.1260133	-0.0557254
He ⁺	-1.9782734	-0.5050078	-0.2244802
Li ²⁺	-4.4674118	-1.1337609	-0.5067923
Be ³⁺	-7.9596271	-2.0123896	-0.9012296
B ⁴⁺	-12.4536126	-3.1414869	-1.4069867
C ⁵⁺	-17.9486720	-4.5212328	-2.0238968
N ⁶⁺	-24.4444260	-6.1516036	-2.7520031
O ⁷⁺	-31.9406541	-8.0325164	-3.5913734
F ⁸⁺	-40.4372203	-10.1638820	-4.5420508
Ne ⁹⁺	-49.9340359	-12.5456233	-5.5965461
Na ¹⁰⁺	-60.4310411	-15.1776743	-6.7774027
Mg ¹¹⁺	-71.9281938	-18.0599873	-8.0621198
Al ¹²⁺	-84.4254635	-21.1925106	-9.4580525
Si ¹³⁺	-97.9228279	-24.5751745	-10.9653275
P ¹⁴⁺	-112.4202697	-28.2080828	-12.5838717
S ¹⁵⁺	-127.9177759	-32.0910837	-14.3136648
Cl ¹⁶⁺	-144.4153361	-36.2241977	-16.1547239
Ar ¹⁷⁺	-161.9129421	-40.6074119	-18.1070464
K ¹⁸⁺	-180.4105874	-45.2408867	-20.1707302
Ca ¹⁹⁺	-199.9082665	-50.1240615	-22.3455193
Sc ²⁰⁺	-220.4059751	-55.2574966	-24.6312763
Ti ²¹⁺	-241.9037093	-60.6409202	-27.0284577
V ²²⁺	-264.4014662	-66.2746080	-29.5367597
Cr ²³⁺	-287.8992432	-72.1581949	-32.1564037
Mn ²⁴⁺	-312.3970379	-78.2918706	-34.8870393
Fe ²⁵⁺	-337.8948486	-84.6754735	-37.7288653
Co ²⁶⁺	-364.3926735	-91.3092470	-40.6819639
Ni ²⁷⁺	-391.8905113	-98.1930506	-43.7461724
Cu ²⁸⁺	-420.3883607	-105.3266543	-46.9214409
Zn ²⁹⁺	-449.8862207	-112.7106107	-50.2080942
Ga ³⁰⁺	-480.3840903	-120.3444973	-53.6056524
Ge ³¹⁺	-511.8819686	-128.2283608	-57.1145590
As ³²⁺	-544.3798550	-136.3622452	-60.7345282
Se ³³⁺	-577.8777487	-144.7461488	-64.4655501
Br ³⁴⁺	-612.3756492	-153.3800702	-68.3077189
Kr ³⁵⁺	-647.8735560	-162.2639193	-72.2612897

Table S53. Total energies for QTP17 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.4912732	-0.1282177	-0.0599372
He ⁺	-1.9762300	-0.5024978	-0.2281370
Li ²⁺	-4.4604668	-1.1261934	-0.5069804
Be ³⁺	-7.9443923	-1.9996270	-0.8967055
B ⁴⁺	-12.4281422	-3.1229059	-1.3974085
C ⁵⁺	-17.9117790	-4.4960842	-2.0091343
N ⁶⁺	-24.3953367	-6.1191919	-2.7319075
O ⁷⁺	-31.8788359	-7.9922470	-3.5657442
F ⁸⁺	-40.3622900	-10.1152602	-4.5106513
Ne ⁹⁺	-49.8457083	-12.4882410	-5.5630085
Na ¹⁰⁺	-60.3290976	-15.1111967	-6.7337245
Mg ¹¹⁺	-71.8124626	-17.9841274	-8.0119048
Al ¹²⁺	-84.2958073	-21.1070408	-9.4011495
Si ¹³⁺	-97.7791346	-24.4799307	-10.9015107
P ¹⁴⁺	-112.2624469	-28.1028174	-12.5129592
S ¹⁵⁺	-127.7457460	-31.9756890	-14.2355165
Cl ¹⁶⁺	-144.2290336	-36.0985479	-16.0691683
Ar ¹⁷⁺	-161.7123109	-40.4713971	-18.0139307
K ¹⁸⁺	-180.1955790	-45.0942510	-20.0697709
Ca ¹⁹⁺	-199.6788388	-49.9670669	-22.2367784
Sc ²⁰⁺	-220.1620912	-55.0898920	-24.5148256
Ti ²¹⁺	-241.6453369	-60.4627052	-26.9040087
V ²²⁺	-264.1285763	-66.0855283	-29.4042782
Cr ²³⁺	-287.6118101	-71.9583342	-32.0156614
Mn ²⁴⁺	-312.0950386	-78.0811390	-34.7381658
Fe ²⁵⁺	-337.5782624	-84.4539317	-37.5717530
Co ²⁶⁺	-364.0614817	-91.0767282	-40.5164701
Ni ²⁷⁺	-391.5446969	-97.9495213	-43.5722832
Cu ²⁸⁺	-420.0279082	-105.0722947	-46.7391878
Zn ²⁹⁺	-449.5111160	-112.4450870	-50.0172158
Ga ³⁰⁺	-479.9943204	-120.0678702	-53.4063600
Ge ³¹⁺	-511.4775216	-127.9406469	-56.9066133
As ³²⁺	-543.9607199	-136.0634207	-60.5179664
Se ³³⁺	-577.4439155	-144.4361918	-64.2404143
Br ³⁴⁺	-611.9271084	-153.0589604	-68.0739879
Kr ³⁵⁺	-647.4102988	-161.9317232	-72.0186773

Table S54. Total energies for rSCAN for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5001732	-0.1338407	-0.0636703
He ⁺	-2.0001627	-0.5174778	-0.2378732
Li ²⁺	-4.5001585	-1.1511154	-0.5232174
Be ³⁺	-8.0001557	-2.0347561	-0.9196681
B ⁴⁺	-12.5001534	-3.1683952	-1.4272325
C ⁵⁺	-18.0001513	-4.5520336	-2.0459082
N ⁶⁺	-24.5001495	-6.1856732	-2.7756970
O ⁷⁺	-32.0001477	-8.0693142	-3.6166012
F ⁸⁺	-40.5001460	-10.2029524	-4.5686019
Ne ⁹⁺	-50.0001443	-12.5865924	-5.6207392
Na ¹⁰⁺	-60.5001426	-15.2202350	-6.8059680
Mg ¹¹⁺	-72.0001410	-18.1038741	-8.0913504
Al ¹²⁺	-84.5001394	-21.2375147	-9.4877743
Si ¹³⁺	-98.0001378	-24.6211412	-10.9953565
P ¹⁴⁺	-112.5001362	-28.2547919	-12.6140074
S ¹⁵⁺	-128.0001346	-32.1384343	-14.3437903
Cl ¹⁶⁺	-144.5001330	-36.2720742	-16.1846883
Ar ¹⁷⁺	-162.0001314	-40.6557140	-18.1367122
K ¹⁸⁺	-180.5001299	-45.2893852	-20.1998934
Ca ¹⁹⁺	-200.0001283	-50.1729884	-22.3741377
Sc ²⁰⁺	-220.5001267	-55.3066275	-24.6594135
Ti ²¹⁺	-242.0001251	-60.6902525	-27.0558873
V ²²⁺	-264.5001236	-66.3239134	-29.5634379
Cr ²³⁺	-288.0001220	-72.2075511	-32.1821528
Mn ²⁴⁺	-312.5001204	-78.3411931	-34.9119247
Fe ²⁵⁺	-338.0001188	-84.7248234	-37.7528058
Co ²⁶⁺	-364.5001172	-91.3584693	-40.7048385
Ni ²⁷⁺	-392.0001157	-98.2421126	-43.7679621
Cu ²⁸⁺	-420.5001141	-105.3757249	-46.9421659
Zn ²⁹⁺	-450.0001125	-112.7593860	-50.2274543
Ga ³⁰⁺	-480.5001109	-120.3930322	-53.6239825
Ge ³¹⁺	-512.0001093	-128.2766720	-57.1315675
As ³²⁺	-544.5001077	-136.4103118	-60.7502467
Se ³³⁺	-578.0001062	-144.7939517	-64.4800193
Br ³⁴⁺	-612.5001046	-153.4275915	-68.3209136
Kr ³⁵⁺	-648.0001030	-162.3112278	-72.2729508

Table S55. Total energies for TASK for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5223243	-0.1475022	-0.0733635
He ⁺	-2.0296319	-0.5365586	-0.2517057
Li ²⁺	-4.5343689	-1.1739581	-0.5400952
Be ³⁺	-8.0379096	-2.0605132	-0.9389760
B ⁴⁺	-12.5407481	-3.1965431	-1.4485747
C ⁵⁺	-18.0431220	-4.5822148	-2.0690055
N ⁶⁺	-24.5451645	-6.2176268	-2.8003411
O ⁷⁺	-32.0469583	-8.1028408	-3.6426310
F ⁸⁺	-40.5485583	-10.2378939	-4.5958833
Ne ⁹⁺	-50.0500028	-12.6228210	-5.6488548
Na ¹⁰⁺	-60.5513198	-15.2576446	-6.8354614
Mg ¹¹⁺	-72.0525302	-18.1423747	-8.1218296
Al ¹²⁺	-84.5536501	-21.2770302	-9.5191706
Si ¹³⁺	-98.0546923	-24.6616042	-11.0276156
P ¹⁴⁺	-112.5556670	-28.2961459	-12.6470769
S ¹⁵⁺	-128.0565824	-32.1806279	-14.3776274
Cl ¹⁶⁺	-144.5574455	-36.3150616	-16.2192537
Ar ¹⁷⁺	-162.0582619	-40.6994546	-18.1719710
K ¹⁸⁺	-180.5590365	-45.3338436	-20.2358152
Ca ¹⁹⁺	-200.0597733	-50.2181286	-22.4106919
Sc ²⁰⁺	-220.5604759	-55.3524208	-24.6965697
Ti ²¹⁺	-242.0611474	-60.7366711	-27.0936252
V ²²⁺	-264.5617904	-66.3709332	-29.6017326
Cr ²³⁺	-288.0624072	-72.2551478	-32.2209862
Mn ²⁴⁺	-312.5629999	-78.3893456	-34.9512761
Fe ²⁵⁺	-338.0635704	-84.7735110	-37.7926561
Co ²⁶⁺	-364.5641202	-91.4076742	-40.7451739
Ni ²⁷⁺	-392.0646507	-98.2918176	-43.8087656
Cu ²⁸⁺	-420.5651634	-105.4259125	-46.9834212
Zn ²⁹⁺	-450.0656593	-112.8100429	-50.2691889
Ga ³⁰⁺	-480.5661396	-120.4441436	-53.6661054
Ge ³¹⁺	-512.0666052	-128.3282244	-57.1741068
As ³²⁺	-544.5670569	-136.4622927	-60.7931896
Se ³³⁺	-578.0674956	-144.8463491	-64.5233526
Br ³⁴⁺	-612.5679219	-153.4803942	-68.3646305
Kr ³⁵⁺	-648.0683367	-162.3644238	-72.3170422

Table S56. Total energies for r^2 SCAN for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5001732	-0.1338407	-0.0636703
He ⁺	-2.0001627	-0.5174778	-0.2378734
Li ²⁺	-4.5001585	-1.1511140	-0.5232174
Be ³⁺	-8.0001557	-2.0347561	-0.9196681
B ⁴⁺	-12.5001534	-3.1683952	-1.4272327
C ⁵⁺	-18.0001513	-4.5520336	-2.0459082
N ⁶⁺	-24.5001495	-6.1856732	-2.7756969
O ⁷⁺	-32.0001477	-8.0693142	-3.6165966
F ⁸⁺	-40.5001460	-10.2029524	-4.5686015
Ne ⁹⁺	-50.0001443	-12.5865924	-5.6207392
Na ¹⁰⁺	-60.5001426	-15.2202350	-6.8059679
Mg ¹¹⁺	-72.0001410	-18.1038741	-8.0913505
Al ¹²⁺	-84.5001394	-21.2375147	-9.4877743
Si ¹³⁺	-98.0001378	-24.6211412	-10.9953393
P ¹⁴⁺	-112.5001362	-28.2547919	-12.6140071
S ¹⁵⁺	-128.0001346	-32.1384343	-14.3437935
Cl ¹⁶⁺	-144.5001330	-36.2720742	-16.1846761
Ar ¹⁷⁺	-162.0001314	-40.6557140	-18.1367098
K ¹⁸⁺	-180.5001299	-45.2893852	-20.1998815
Ca ¹⁹⁺	-200.0001283	-50.1729884	-22.3741306
Sc ²⁰⁺	-220.5001267	-55.3066275	-24.6594137
Ti ²¹⁺	-242.0001251	-60.6902525	-27.0558873
V ²²⁺	-264.5001236	-66.3239134	-29.5634359
Cr ²³⁺	-288.0001220	-72.2075511	-32.1821120
Mn ²⁴⁺	-312.5001204	-78.3411931	-34.9119247
Fe ²⁵⁺	-338.0001188	-84.7248234	-37.7528069
Co ²⁶⁺	-364.5001172	-91.3584693	-40.7048385
Ni ²⁷⁺	-392.0001157	-98.2421126	-43.7679621
Cu ²⁸⁺	-420.5001141	-105.3757249	-46.9421673
Zn ²⁹⁺	-450.0001125	-112.7593860	-50.2275494
Ga ³⁰⁺	-480.5001109	-120.3930322	-53.6239597
Ge ³¹⁺	-512.0001093	-128.2766720	-57.1315675
As ³²⁺	-544.5001077	-136.4103118	-60.7502467
Se ³³⁺	-578.0001062	-144.7939517	-64.4800188
Br ³⁴⁺	-612.5001046	-153.4275915	-68.3209117
Kr ³⁵⁺	-648.0001030	-162.3112266	-72.2729508

Table S57. Total energies for DM21 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5011876	-0.1320135	-0.0639673
He ⁺	-1.9999601	-0.5071767	-0.2310236
Li ²⁺	-4.5021871	-1.1373114	-0.5076555
Be ³⁺	-8.0029936	-2.0220282	-0.8980597
B ⁴⁺	-12.4911113	-3.1553557	-1.4005737
C ⁵⁺	-17.9659502	-4.5391287	-2.0202475
N ⁶⁺	-24.4320855	-6.1746442	-2.7509151
O ⁷⁺	-31.8942217	-8.0615975	-3.5932504
F ⁸⁺	-40.3556196	-10.1995875	-4.5466867
Ne ⁹⁺	-49.8180703	-12.5876166	-5.6046141
Na ¹⁰⁺	-60.2823698	-15.2241983	-6.7868173
Mg ¹¹⁺	-71.7487852	-18.1085999	-8.0749376
Al ¹²⁺	-84.2172697	-21.2407955	-9.4744370
Si ¹³⁺	-97.6875700	-24.6208470	-10.9852006
P ¹⁴⁺	-112.1593159	-28.2488021	-12.6072357
S ¹⁵⁺	-127.6321323	-32.1248837	-14.3406907
Cl ¹⁶⁺	-144.1056875	-36.2491795	-16.1855155
Ar ¹⁷⁺	-161.5797248	-40.6218770	-18.1413586
K ¹⁸⁺	-180.0540587	-45.2431364	-20.2078993
Ca ¹⁹⁺	-199.5285681	-50.1135563	-22.3855945
Sc ²⁰⁺	-220.0031773	-55.2330792	-24.6732144
Ti ²¹⁺	-241.4778422	-60.6020416	-27.0713804
V ²²⁺	-263.9525327	-66.2205108	-29.5797922
Cr ²³⁺	-287.4272312	-72.0888109	-32.1986313
Mn ²⁴⁺	-311.9019225	-78.2069723	-34.9274676
Fe ²⁵⁺	-337.3765968	-84.5751803	-37.7669579
Co ²⁶⁺	-363.8512499	-91.1934342	-40.7167385
Ni ²⁷⁺	-391.3258783	-98.0618412	-43.7770916
Cu ²⁸⁺	-419.8004773	-105.1805901	-46.9480899
Zn ²⁹⁺	-449.2750441	-112.5495253	-50.2295918
Ga ³⁰⁺	-479.7495813	-120.1687922	-53.6215500
Ge ³¹⁺	-511.2240872	-128.0383724	-57.1241977
As ³²⁺	-543.6985619	-136.1582506	-60.7375283
Se ³³⁺	-577.1730077	-144.5284292	-64.4617008
Br ³⁴⁺	-611.6474240	-153.1488793	-68.2963236
Kr ³⁵⁺	-647.1218121	-162.0196491	-72.2416375

Table S58. Total energies for rSCANh for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5001386	-0.1329381	-0.0628054
He ⁺	-2.0001308	-0.5157120	-0.2362593
Li ²⁺	-4.5001275	-1.1484847	-0.5208482
Be ³⁺	-8.0001252	-2.0312627	-0.9165435
B ⁴⁺	-12.5001233	-3.1640379	-1.4233518
C ⁵⁺	-18.0001216	-4.5468125	-2.0412713
N ⁶⁺	-24.5001200	-6.1795882	-2.7703036
O ⁷⁺	-32.0001184	-8.0623651	-3.6104509
F ⁸⁺	-40.5001169	-10.1951395	-4.5616960
Ne ⁹⁺	-50.0001154	-12.5779155	-5.6141845
Na ¹⁰⁺	-60.5001139	-15.2106938	-6.7975479
Mg ¹¹⁺	-72.0001125	-18.0934690	-8.0821699
Al ¹²⁺	-84.5001110	-21.2262455	-9.4778404
Si ¹³⁺	-98.0001096	-24.6090094	-10.9846433
P ¹⁴⁺	-112.5001082	-28.2417950	-12.6025613
S ¹⁵⁺	-128.0001068	-32.1245732	-14.3315882
Cl ¹⁶⁺	-144.5001053	-36.2573491	-16.1717298
Ar ¹⁷⁺	-162.0001039	-40.6401250	-18.1229957
K ¹⁸⁺	-180.5001025	-45.2729290	-20.1854143
Ca ¹⁹⁺	-200.0001011	-50.1556719	-22.3588987
Sc ²⁰⁺	-220.5000997	-55.2884470	-24.6434270
Ti ²¹⁺	-242.0000982	-60.6712096	-27.0391423
V ²²⁺	-264.5000968	-66.3040043	-29.5459360
Cr ²³⁺	-288.0000954	-72.1867723	-32.1638666
Mn ²⁴⁺	-312.5000940	-78.3195561	-34.8929092
Fe ²⁵⁺	-338.0000926	-84.7023234	-37.7330356
Co ²⁶⁺	-364.5000911	-91.3351046	-40.6843095
Ni ²⁷⁺	-392.0000897	-98.2178836	-43.7466763
Cu ²⁸⁺	-420.5000883	-105.3506347	-46.9201264
Zn ²⁹⁺	-450.0000869	-112.7334297	-50.2047666
Ga ³⁰⁺	-480.5000854	-120.3662112	-53.6004280
Ge ³¹⁺	-512.0000840	-128.2489871	-57.1072545
As ³²⁺	-544.5000825	-136.3817629	-60.7251768
Se ³³⁺	-578.0000811	-144.7645387	-64.4540869
Br ³⁴⁺	-612.5000797	-153.3973146	-68.2943272
Kr ³⁵⁺	-648.0000782	-162.2800859	-72.2456105

Table S59. Total energies for r^2 SCANh for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5001386	-0.1329381	-0.0628054
He ⁺	-2.0001308	-0.5157120	-0.2362595
Li ²⁺	-4.5001275	-1.1484847	-0.5208482
Be ³⁺	-8.0001252	-2.0312627	-0.9165435
B ⁴⁺	-12.5001233	-3.1640379	-1.4233523
C ⁵⁺	-18.0001216	-4.5468125	-2.0412713
N ⁶⁺	-24.5001200	-6.1795882	-2.7703035
O ⁷⁺	-32.0001184	-8.0623651	-3.6104472
F ⁸⁺	-40.5001169	-10.1951395	-4.5616956
Ne ⁹⁺	-50.0001154	-12.5779155	-5.6141845
Na ¹⁰⁺	-60.5001139	-15.2106938	-6.7975478
Mg ¹¹⁺	-72.0001125	-18.0934690	-8.0821701
Al ¹²⁺	-84.5001110	-21.2262455	-9.4778404
Si ¹³⁺	-98.0001096	-24.6090094	-10.9846487
P ¹⁴⁺	-112.5001082	-28.2417950	-12.6025617
S ¹⁵⁺	-128.0001068	-32.1245732	-14.3315912
Cl ¹⁶⁺	-144.5001053	-36.2573491	-16.1717424
Ar ¹⁷⁺	-162.0001039	-40.6401250	-18.1229935
K ¹⁸⁺	-180.5001025	-45.2729290	-20.1854143
Ca ¹⁹⁺	-200.0001011	-50.1556719	-22.3588945
Sc ²⁰⁺	-220.5000997	-55.2884470	-24.6434271
Ti ²¹⁺	-242.0000982	-60.6712096	-27.0391423
V ²²⁺	-264.5000968	-66.3040043	-29.5459378
Cr ²³⁺	-288.0000954	-72.1867783	-32.1638534
Mn ²⁴⁺	-312.5000940	-78.3195561	-34.8929092
Fe ²⁵⁺	-338.0000926	-84.7023234	-37.7330364
Co ²⁶⁺	-364.5000911	-91.3351046	-40.6843095
Ni ²⁷⁺	-392.0000897	-98.2178836	-43.7466763
Cu ²⁸⁺	-420.5000883	-105.3506347	-46.9201275
Zn ²⁹⁺	-450.0000869	-112.7334297	-50.2047459
Ga ³⁰⁺	-480.5000854	-120.3662112	-53.6004099
Ge ³¹⁺	-512.0000840	-128.2489871	-57.1072545
As ³²⁺	-544.5000825	-136.3817629	-60.7251768
Se ³³⁺	-578.0000811	-144.7645387	-64.4541940
Br ³⁴⁺	-612.5000797	-153.3973146	-68.2943323
Kr ³⁵⁺	-648.0000782	-162.2800862	-72.2456105

Table S60. Total energies for rSCAN0 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.5000945	-0.1315921	-0.0615319
He ⁺	-2.0000898	-0.5130709	-0.2338592
Li ²⁺	-4.5000876	-1.1445483	-0.5173147
Be ³⁺	-8.0000859	-2.0260300	-0.9118763
B ⁴⁺	-12.5000844	-3.1575094	-1.4175504
C ⁵⁺	-18.0000831	-4.5389883	-2.0343354
N ⁶⁺	-24.5000818	-6.1704680	-2.7622328
O ⁷⁺	-32.0000805	-8.0519488	-3.6012446
F ⁸⁺	-40.5000793	-10.1834274	-4.5513564
Ne ⁹⁺	-50.0000781	-12.5649075	-5.6043678
Na ¹⁰⁺	-60.5000769	-15.1963894	-6.7849368
Mg ¹¹⁺	-72.0000757	-18.0778687	-8.0684182
Al ¹²⁺	-84.5000745	-21.2093492	-9.4629585
Si ¹³⁺	-98.0000733	-24.5908191	-10.9686326
P ¹⁴⁺	-112.5000722	-28.2223071	-12.5854113
S ¹⁵⁺	-128.0000710	-32.1037889	-14.3133040
Cl ¹⁶⁺	-144.5000698	-36.2352688	-16.1523109
Ar ¹⁷⁺	-162.0000686	-40.6167487	-18.1024382
K ¹⁸⁺	-180.5000674	-45.2482520	-20.1637147
Ca ¹⁹⁺	-200.0000662	-50.1297048	-22.3360609
Sc ²⁰⁺	-220.5000651	-55.2611841	-24.6194663
Ti ²¹⁺	-242.0000639	-60.6426525	-27.0140436
V ²²⁺	-264.5000627	-66.2741481	-29.5197065
Cr ²³⁺	-288.0000615	-72.1556264	-32.1364950
Mn ²⁴⁺	-312.5000603	-78.2871079	-34.8644050
Fe ²⁵⁺	-338.0000591	-84.6685806	-37.7033991
Co ²⁶⁺	-364.5000579	-91.3000650	-40.6535348
Ni ²⁷⁺	-392.0000567	-98.1815475	-43.7147664
Cu ²⁸⁺	-420.5000555	-105.3130067	-46.8870867
Zn ²⁹⁺	-450.0000543	-112.6945025	-50.1705824
Ga ³⁰⁺	-480.5000531	-120.3259871	-53.5651150
Ge ³¹⁺	-512.0000519	-128.2074670	-57.0708038
As ³²⁺	-544.5000507	-136.3389468	-60.6875909
Se ³³⁺	-578.0000495	-144.7204267	-64.4154758
Br ³⁴⁺	-612.5000483	-153.3519065	-68.2544755
Kr ³⁵⁺	-648.0000471	-162.2333820	-72.2046190

Table S61. Total energies for r^2 SCAN0 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5000945	-0.1315921	-0.0615319
He ⁺	-2.0000898	-0.5130709	-0.2338595
Li ²⁺	-4.5000876	-1.1445483	-0.5173147
Be ³⁺	-8.0000859	-2.0260300	-0.9118763
B ⁴⁺	-12.5000844	-3.1575094	-1.4175507
C ⁵⁺	-18.0000831	-4.5389883	-2.0343354
N ⁶⁺	-24.5000818	-6.1704680	-2.7622328
O ⁷⁺	-32.0000805	-8.0519483	-3.6012398
F ⁸⁺	-40.5000793	-10.1834275	-4.5513560
Ne ⁹⁺	-50.0000781	-12.5649077	-5.6043678
Na ¹⁰⁺	-60.5000769	-15.1963894	-6.7849368
Mg ¹¹⁺	-72.0000757	-18.0778687	-8.0684182
Al ¹²⁺	-84.5000745	-21.2093492	-9.4629585
Si ¹³⁺	-98.0000733	-24.5908191	-10.9686319
P ¹⁴⁺	-112.5000722	-28.2223071	-12.5854110
S ¹⁵⁺	-128.0000710	-32.1037889	-14.3133065
Cl ¹⁶⁺	-144.5000698	-36.2352688	-16.1523211
Ar ¹⁷⁺	-162.0000686	-40.6167487	-18.1024379
K ¹⁸⁺	-180.5000674	-45.2482520	-20.1637154
Ca ¹⁹⁺	-200.0000662	-50.1297045	-22.3360593
Sc ²⁰⁺	-220.5000651	-55.2611837	-24.6194661
Ti ²¹⁺	-242.0000639	-60.6426525	-27.0140436
V ²²⁺	-264.5000627	-66.2741481	-29.5197051
Cr ²³⁺	-288.0000615	-72.1556264	-32.1364873
Mn ²⁴⁺	-312.5000603	-78.2871079	-34.8644050
Fe ²⁵⁺	-338.0000591	-84.6685806	-37.7033995
Co ²⁶⁺	-364.5000579	-91.3000650	-40.6535348
Ni ²⁷⁺	-392.0000567	-98.1815475	-43.7147664
Cu ²⁸⁺	-420.5000555	-105.3130067	-46.8870867
Zn ²⁹⁺	-450.0000543	-112.6945025	-50.1705581
Ga ³⁰⁺	-480.5000531	-120.3259871	-53.5651219
Ge ³¹⁺	-512.0000519	-128.2074670	-57.0708038
As ³²⁺	-544.5000507	-136.3389468	-60.6875909
Se ³³⁺	-578.0000495	-144.7204267	-64.4154754
Br ³⁴⁺	-612.5000483	-153.3519065	-68.2544755
Kr ³⁵⁺	-648.0000471	-162.2333829	-72.2046190

Table S62. Total energies for rSCAN50 for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5000407	-0.1293695	-0.0594700
He ⁺	-2.0000389	-0.5086891	-0.2299147
Li ²⁺	-4.5000378	-1.1380075	-0.5114785
Be ³⁺	-8.0000369	-2.0173287	-0.9041498
B ⁴⁺	-12.5000361	-3.1466483	-1.4079343
C ⁵⁺	-18.0000353	-4.5259676	-2.0228269
N ⁶⁺	-24.5000344	-6.1552875	-2.7488324
O ⁷⁺	-32.0000337	-8.0346077	-3.5859498
F ⁸⁺	-40.5000329	-10.1639271	-4.5341744
Ne ⁹⁺	-50.0000321	-12.5432473	-5.5880469
Na ¹⁰⁺	-60.5000313	-15.1725684	-6.7639691
Mg ¹¹⁺	-72.0000305	-18.0518879	-8.0455492
Al ¹²⁺	-84.5000297	-21.1812082	-9.4382058
Si ¹³⁺	-98.0000289	-24.5605215	-10.9419882
P ¹⁴⁺	-112.5000281	-28.1898468	-12.5568780
S ¹⁵⁺	-128.0000273	-32.0691680	-14.2828835
Cl ¹⁶⁺	-144.5000265	-36.1984879	-16.1199946
Ar ¹⁷⁺	-162.0000257	-40.5778078	-18.0682292
K ¹⁸⁺	-180.5000249	-45.2071434	-20.1276015
Ca ¹⁹⁺	-200.0000241	-50.0864450	-22.2980515
Sc ²⁰⁺	-220.5000233	-55.2157645	-24.5795813
Ti ²¹⁺	-242.0000225	-60.5950770	-26.9722626
V ²²⁺	-264.5000217	-66.2244074	-29.4760370
Cr ²³⁺	-288.0000209	-72.1037262	-32.0909296
Mn ²⁴⁺	-312.5000201	-78.2330472	-34.8169480
Fe ²⁵⁺	-338.0000193	-84.6123623	-37.6540549
Co ²⁶⁺	-364.5000185	-91.2416852	-40.6022938
Ni ²⁷⁺	-392.0000177	-98.1210069	-43.6616333
Cu ²⁸⁺	-420.5000168	-105.2503130	-46.8320689
Zn ²⁹⁺	-450.0000160	-112.6296435	-50.1136426
Ga ³⁰⁺	-480.5000152	-120.2589665	-53.5063102
Ge ³¹⁺	-512.0000144	-128.1382864	-57.0101027
As ³²⁺	-544.5000135	-136.2676063	-60.6249978
Se ³³⁺	-578.0000127	-144.6469262	-64.3509948
Br ³⁴⁺	-612.5000118	-153.2762460	-68.1881060
Kr ³⁵⁺	-648.0000110	-162.1555634	-72.1363498

Table S63. Total energies for r²SCAN50 for the 1s, 2p, and 3d states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	$E_{\text{tot}}^{1s} [E_h]$	$E_{\text{tot}}^{2p} [E_h]$	$E_{\text{tot}}^{3d} [E_h]$
H ⁰	-0.5000407	-0.1293695	-0.0594700
He ⁺	-2.0000389	-0.5086891	-0.2299147
Li ²⁺	-4.5000378	-1.1380075	-0.5114785
Be ³⁺	-8.0000369	-2.0173287	-0.9041498
B ⁴⁺	-12.5000361	-3.1466483	-1.4079328
C ⁵⁺	-18.0000353	-4.5259676	-2.0228269
N ⁶⁺	-24.5000344	-6.1552875	-2.7488328
O ⁷⁺	-32.0000337	-8.0346077	-3.5859499
F ⁸⁺	-40.5000329	-10.1639271	-4.5341741
Ne ⁹⁺	-50.0000321	-12.5432473	-5.5880469
Na ¹⁰⁺	-60.5000313	-15.1725684	-6.7639691
Mg ¹¹⁺	-72.0000305	-18.0518879	-8.0455493
Al ¹²⁺	-84.5000297	-21.1812082	-9.4382058
Si ¹³⁺	-98.0000289	-24.5605215	-10.9419878
P ¹⁴⁺	-112.5000281	-28.1898468	-12.5568778
S ¹⁵⁺	-128.0000273	-32.0691680	-14.2828960
Cl ¹⁶⁺	-144.5000265	-36.1984879	-16.1199942
Ar ¹⁷⁺	-162.0000257	-40.5778078	-18.0682289
K ¹⁸⁺	-180.5000249	-45.2071434	-20.1275565
Ca ¹⁹⁺	-200.0000241	-50.0864450	-22.2980507
Sc ²⁰⁺	-220.5000233	-55.2157645	-24.5795814
Ti ²¹⁺	-242.0000225	-60.5950770	-26.9722626
V ²²⁺	-264.5000217	-66.2244074	-29.4760370
Cr ²³⁺	-288.0000209	-72.1037262	-32.0909284
Mn ²⁴⁺	-312.5000201	-78.2330472	-34.8169480
Fe ²⁵⁺	-338.0000193	-84.6123623	-37.6540549
Co ²⁶⁺	-364.5000185	-91.2416852	-40.6022938
Ni ²⁷⁺	-392.0000177	-98.1210069	-43.6616333
Cu ²⁸⁺	-420.5000168	-105.2503130	-46.8320686
Zn ²⁹⁺	-450.0000160	-112.6296435	-50.1136215
Ga ³⁰⁺	-480.5000152	-120.2589665	-53.5063101
Ge ³¹⁺	-512.0000144	-128.1382864	-57.0101027
As ³²⁺	-544.5000135	-136.2676063	-60.6249978
Se ³³⁺	-578.0000127	-144.6469262	-64.3509944
Br ³⁴⁺	-612.5000118	-153.2762460	-68.1881089
Kr ³⁵⁺	-648.0000110	-162.1555635	-72.1363498

Table S64. Total energies for UHF for the $1s$, $2p$, and $3d$ states calculated with PySCF using exponents from the AHGBSP3-9 basis set.

System	E_{tot}^{1s} [E_h]	E_{tot}^{2p} [E_h]	E_{tot}^{3d} [E_h]
H ⁰	-0.5000000	-0.1250000	-0.0555556
He ⁺	-2.0000000	-0.5000000	-0.2222222
Li ²⁺	-4.5000000	-1.1250000	-0.5000000
Be ³⁺	-8.0000000	-2.0000000	-0.8888889
B ⁴⁺	-12.5000000	-3.1250000	-1.3888889
C ⁵⁺	-18.0000000	-4.5000000	-2.0000000
N ⁶⁺	-24.4999999	-6.1249999	-2.7222222
O ⁷⁺	-31.9999999	-7.9999999	-3.5555555
F ⁸⁺	-40.4999999	-10.1249999	-4.4999999
Ne ⁹⁺	-49.9999999	-12.4999999	-5.5555554
Na ¹⁰⁺	-60.4999998	-15.1249998	-6.7222221
Mg ¹¹⁺	-71.9999998	-17.9999998	-7.9999998
Al ¹²⁺	-84.4999998	-21.1249998	-9.3888887
Si ¹³⁺	-97.9999997	-24.4999997	-10.8888887
P ¹⁴⁺	-112.4999997	-28.1249997	-12.4999997
S ¹⁵⁺	-127.9999997	-31.9999997	-14.2222219
Cl ¹⁶⁺	-144.4999996	-36.1249996	-16.0555552
Ar ¹⁷⁺	-161.9999996	-40.4999996	-17.9999996
K ¹⁸⁺	-180.4999995	-45.1249995	-20.0555551
Ca ¹⁹⁺	-199.9999995	-49.9999995	-22.2222218
Sc ²⁰⁺	-220.4999994	-55.1249994	-24.4999995
Ti ²¹⁺	-241.9999993	-60.4999994	-26.8888883
V ²²⁺	-264.4999993	-66.1249993	-29.3888883
Cr ²³⁺	-287.9999992	-71.9999992	-31.9999994
Mn ²⁴⁺	-312.4999991	-78.1249992	-34.7222215
Fe ²⁵⁺	-337.9999991	-84.4999991	-37.5555548
Co ²⁶⁺	-364.4999990	-91.1249990	-40.4999992
Ni ²⁷⁺	-391.9999989	-97.9999990	-43.5555547
Cu ²⁸⁺	-420.4999989	-105.1249989	-46.7222213
Zn ²⁹⁺	-449.9999988	-112.4999988	-49.9999990
Ga ³⁰⁺	-480.4999987	-120.1249987	-53.3888878
Ge ³¹⁺	-511.9999986	-127.9999986	-56.8888877
As ³²⁺	-544.4999985	-136.1249985	-60.4999988
Se ³³⁺	-577.9999984	-144.4999985	-64.2222209
Br ³⁴⁺	-612.4999983	-153.1249984	-68.0555542
Kr ³⁵⁺	-647.9999982	-161.9999983	-71.9999985