

In this appendix we present similar stability plots to those shown in the main text. These are given in Figs. 3, 4 and 7 to 9 for the  $B \to D^*$  form factors and in Figs. 1, 2, 5, 6 and 10 to 12 for the  $B_s \to D_s^*$  form factors. We also give similar plots to those given in the main text showing variations in our chiral-continuum extrapolation parameters. These are given in Figs. 13 to 18.

FIG. 1. Values of  $f^s$  for  $B_s \to D_s^*$  evaluated at  $q^2 = 1 \text{GeV}$ ,  $q^2 = 5 \text{GeV}$  and  $q^2 = 10 \text{GeV}$  for different combinations of correlator fits using different parameters. The red line and error band corresponds to our chosen combination and the blue line and error band corresponds to the form factors resulting from different fit combinations. We see that no combination of correlator fits results in a significant variation.





FIG. 2. Values of  $g^s$  for  $B_s \to D_s^*$  evaluated at  $q^2 = 1$ GeV,  $q^2 = 5$ GeV and  $q^2 = 10$ GeV for different combinations of correlator fits using different parameters. The red line and error band corresponds to our chosen combination and the blue line and error band corresponds to the form factors resulting from different fit combinations. We see that no combination of correlator fits results in a significant variation.

FIG. 3. Values of  $F_1$  for  $B \to D^*$  evaluated at  $q^2 = 1 \text{GeV}$ ,  $q^2 = 5 \text{GeV}$  and  $q^2 = 10 \text{GeV}$  for different combinations of correlator fits using different parameters. The red line and error band corresponds to our chosen combination and the blue line and error band corresponds to the form factors resulting from different fit combinations. We see that no combination of correlator fits results in a significant variation.





FIG. 4. Values of  $F_2$  for  $B \to D^*$  evaluated at  $q^2 = 1 \text{GeV}$ ,  $q^2 = 5 \text{GeV}$  and  $q^2 = 10 \text{GeV}$  for different combinations of correlator fits using different parameters. The red line and error band corresponds to our chosen combination and the blue line and error band corresponds to the form factors resulting from different fit combinations. We see that no combination of correlator fits results in a significant variation.

FIG. 5. Values of  $F_1^s$  for  $B_s \to D_s^*$  evaluated at  $q^2 = 1 \text{GeV}$ ,  $q^2 = 5 \text{GeV}$  and  $q^2 = 10 \text{GeV}$  for different combinations of correlator fits using different parameters. The red line and error band corresponds to our chosen combination and the blue line and error band corresponds to the form factors resulting from different fit combinations. We see that no combination of correlator fits results in a significant variation.



FIG. 6. Values of  $F_2^s$  for  $B_s \to D_s^*$  evaluated at  $q^2 = 1 \text{GeV}$ ,  $q^2 = 5 \text{GeV}$  and  $q^2 = 10 \text{GeV}$  for different combinations of correlator fits using different parameters. The red line and error band corresponds to our chosen combination and the blue line and error band corresponds to the form factors resulting from different fit combinations. We see that no combination of correlator fits results in a significant variation.



FIG. 7. Values of  $F_{T_1}$  for  $B \to D^*$  evaluated at  $q^2 = 1 \text{GeV}$ ,  $q^2 = 5 \text{GeV}$  and  $q^2 = 10 \text{GeV}$  for different combinations of correlator fits using different parameters. The red line and error band corresponds to our chosen combination and the blue line and error band corresponds to the form factors resulting from different fit combinations. We see that no combination of correlator fits results in a significant variation.



FIG. 8. Values of  $F_{T_2}$  for  $B \to D^*$  evaluated at  $q^2 = 1 \text{GeV}$ ,  $q^2 = 5 \text{GeV}$  and  $q^2 = 10 \text{GeV}$  for different combinations of correlator fits using different parameters. The red line and error band corresponds to our chosen combination and the blue line and error band corresponds to the form factors resulting from different fit combinations. We see that no combination of correlator fits results in a significant variation.



FIG. 9. Values of  $F_{T_3}$  for  $B \to D^*$  evaluated at  $q^2 = 1 \text{GeV}$ ,  $q^2 = 5 \text{GeV}$  and  $q^2 = 10 \text{GeV}$  for different combinations of correlator fits using different parameters. The red line and error band corresponds to our chosen combination and the blue line and error band corresponds to the form factors resulting from different fit combinations. We see that no combination of correlator fits results in a significant variation.



FIG. 10. Values of  $F_{T_1}^s$  for  $B_s \to D_s^*$  evaluated at  $q^2 = 1$ GeV,  $q^2 = 5$ GeV and  $q^2 = 10$ GeV for different combinations of correlator fits using different parameters. The red line and error band corresponds to our chosen combination and the blue line and error band corresponds to the form factors resulting from different fit combinations. We see that no combination of correlator fits results in a significant variation.







FIG. 12. Values of  $F_{T_3}^s$  for  $B_s \to D_s^*$  evaluated at  $q^2 = 1$ GeV,  $q^2 = 5$ GeV and  $q^2 = 10$ GeV for different combinations of correlator fits using different parameters. The red line and error band corresponds to our chosen combination and the blue line and error band corresponds to the form factors resulting from different fit combinations. We see that no combination of correlator fits results in a significant variation.



FIG. 13. Values of the form factors  $f^s$  and  $g^s$  evaluated at  $q^2 = 1 \text{GeV}, q^2 = 5 \text{GeV}$  and  $q^2 = 10 \text{GeV}$ , corresponding to the blue, red and green points respectively, for different combinations of chiral-continuum extrapolation parameters.  $\sigma \to \sigma/2$  indicates that we multiply the prior widths of  $b_n^{Y,jkl}$  defined in the main text by 0.5,  $\sigma_{\pi} \to \sigma_{\pi}/2$  indicates that we multiply the prior widths of  $\tilde{a}, \tilde{b}$  and  $g_{D^*D\pi}$  by 0.5, and  $\mathcal{O}(n_w, n_{M_H}, n_{am_c}, n_{am_h})$  indicates the order to which we sum in n, i, j, k respectively in our fit function.



8





FIG. 14. Values of the form factors  $F_1$  and  $F_1^s$  evaluated at  $q^2 = 1$ GeV,  $q^2 = 5$ GeV and  $q^2 = 10$ GeV, corresponding to the blue, red and green points respectively, for different combinations of chiral-continuum extrapolation parameters.  $\sigma \to \sigma/2$  indicates that we multiply the prior widths of  $b_n^{Y,jkl}$ defined in the main text by 0.5,  $\sigma_{\pi} \to \sigma_{\pi}/2$  indicates that we multiply the prior widths of  $\tilde{a}, \tilde{b}$  and  $g_{D^*D\pi}$  by 0.5, and  $\mathcal{O}(n_w, n_{M_H}, n_{am_c}, n_{am_h})$  indicates the order to which we sum in n, i, j, k respectively in our fit function.

FIG. 15. Values of the form factors  $F_2$  and  $F_2^s$  evaluated at  $q^2 = 1 \text{GeV}$ ,  $q^2 = 5 \text{GeV}$  and  $q^2 = 10 \text{GeV}$ , corresponding to the blue, red and green points respectively, for different combinations of chiral-continuum extrapolation parameters.  $\sigma \to \sigma/2$  indicates that we multiply the prior widths of  $b_n^{Y,jkl}$ defined in the main text by 0.5,  $\sigma_{\pi} \to \sigma_{\pi}/2$  indicates that we multiply the prior widths of  $\tilde{a}$ ,  $\tilde{b}$  and  $g_{D^*D\pi}$  by 0.5, and  $\mathcal{O}(n_w, n_{M_H}, n_{am_c}, n_{am_h})$  indicates the order to which we sum in n, i, j, k respectively in our fit function.





FIG. 16. Values of the form factors  $F_{T_1}$  and  $F_{T_1}^s$  evaluated at  $q^2 = 1$ GeV,  $q^2 = 5$ GeV and  $q^2 = 10$ GeV, corresponding to the blue, red and green points respectively, for different combinations of chiral-continuum extrapolation parameters.  $\sigma \to \sigma/2$  indicates that we multiply the prior widths of  $b_n^{Y,jkl}$ defined in the main text by 0.5,  $\sigma_{\pi} \to \sigma_{\pi}/2$  indicates that we multiply the prior widths of  $\tilde{a}$ ,  $\tilde{b}$  and  $g_{D^*D\pi}$  by 0.5, and  $\mathcal{O}(n_w, n_{M_H}, n_{am_c}, n_{am_h})$  indicates the order to which we sum in n, i, j, k respectively in our fit function.

FIG. 17. Values of the form factors  $F_{T_2}$  and  $F_{T_2}^s$  evaluated at  $q^2 = 1 \text{GeV}$ ,  $q^2 = 5 \text{GeV}$  and  $q^2 = 10 \text{GeV}$ , corresponding to the blue, red and green points respectively, for different combinations of chiral-continuum extrapolation parameters.  $\sigma \to \sigma/2$  indicates that we multiply the prior widths of  $b_n^{Y,jkl}$ defined in the main text by 0.5,  $\sigma_{\pi} \to \sigma_{\pi}/2$  indicates that we multiply the prior widths of  $\tilde{a}$ ,  $\tilde{b}$  and  $g_{D^*D\pi}$  by 0.5, and  $\mathcal{O}(n_w, n_{M_H}, n_{am_c}, n_{am_h})$  indicates the order to which we sum in n, i, j, k respectively in our fit function.



FIG. 18. Values of the form factors  $F_{T_3}$  and  $F^s_{T_3}$  evaluated at  $q^2 = 1 \text{GeV}$ ,  $q^2 = 5 \text{GeV}$  and  $q^2 = 10 \text{GeV}$ , corresponding to the blue, red and green points respectively, for different combinations of chiral-continuum extrapolation parameters.  $\sigma \to \sigma/2$  indicates that we multiply the prior widths of  $b_n^{Y,jkl}$ defined in the main text by 0.5,  $\sigma_{\pi} \to \sigma_{\pi}/2$  indicates that we multiply the prior widths of  $\tilde{a}$ ,  $\tilde{b}$  and  $g_{D^*D\pi}$  by 0.5, and  $\mathcal{O}(n_w, n_{M_H}, n_{am_c}, n_{am_h})$  indicates the order to which we sum in n, i, j, k respectively in our fit function.