

Supporting information to:

Theoretical and numerical comparison of quantum- and
classical embedding models for optical spectra

Marina Jansen, Peter Reinholdt, Erik D. Hedegård, and Carolin König

S-1 Preliminary remarks

In this supporting information, the calculated excitation energies (in eV) and oscillator strengths for the models NOPOL, GSPOL and PE DPOL introduced in section 2 in the main text of the strongest $\pi \rightarrow \pi^*$ transition are given. Calculations were done with PE and FDE embedding models according to the procedure presented in section 3 of the main text for different configurations of pNA and pFTAA. For the definition of the different shifts (Δ NOPOL, Δ GSPOL, Δ DPOL, Δ DPOL+EEF, and Δ REF) as well as contributions (Δ NOPOL, $\Delta\Delta$ GSPOL, $\Delta\Delta$ DPOL, $\Delta\Delta$ DPOL+EEF, and $\Delta\Delta$ EEF) we refer to the main text.

S-2 Excitation energies and S -Shifts for *para*-Nitroaniline




Figure S-2.1: Contributions to the S -shifts and their average for different configurations of pNA in 3 and 4 Å water environments of water obtained from a MD simulation and subsequently calculated in a PE and FDE framework and different orders of polarization contributions obtained in calculations with aug-cc-pVDZ and aug-cc-pVTZ basis sets.




Figure S-2.2: Contributions to the S -shifts and their average for different configurations of pNA in 3, 4, 5 and 12 Å environments of water obtained from a MD simulation and subsequently calculated in a PE framework and different orders of polarization contributions obtained in calculations with aug-cc-pVDZ and aug-cc-pVTZ basis sets.

S-2.1 Calculations in a 3 Å water environment

Table S-2.1: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pNA in aug-cc-pVDZ quality and a 3 Å water environment obtained with a FDE embedding model.

$\Delta E^{\text{ex}}(\text{FDE})$:	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	4.68	3.56	-1.12	3.52	-0.04	-1.16	-1.16	3.48	-1.19
Snap 2	4.51	3.17	-1.35	3.13	-0.04	-1.38	-1.38	3.09	-1.42
Snap 3	4.19	3.66	-0.52	3.62	-0.05	-0.57	-0.57	3.56	-0.62
Snap 4	4.01	3.64	-0.37	3.59	-0.05	-0.42	-0.42	3.54	-0.47
Snap 5	4.25	4.01	-0.24	3.97	-0.04	-0.29	-0.29	3.94	-0.31
Snap 6	4.54	3.73	-0.81	3.68	-0.05	-0.86	-0.86	3.64	-0.90
Snap 7	4.53	4.26	-0.27	4.23	-0.03	-0.30	-0.30	4.17	-0.36
\emptyset	4.39	3.72	-0.67	3.67	-0.04	-0.71	-0.71	3.63	-0.75

Table S-2.2: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pNA in aug-cc-pVDZ quality and a 3 Å water environment obtained with a PE embedding model.

$\Delta E^{\text{ex}}(\text{PE})$:	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	4.68	3.55	-1.13	3.50	-0.04	3.48	-0.02	-1.17	-1.19	3.48	-1.19
Snap 2	4.51	3.14	-1.37	3.11	-0.04	3.09	-0.02	-1.41	-1.43	3.09	-1.42
Snap 3	4.19	3.65	-0.53	3.60	-0.06	3.56	-0.04	-0.59	-0.63	3.56	-0.62
Snap 4	4.01	3.61	-0.40	3.56	-0.04	3.53	-0.04	-0.45	-0.49	3.54	-0.47
Snap 5	4.25	3.99	-0.26	3.95	-0.04	3.93	-0.03	-0.30	-0.32	3.94	-0.31
Snap 6	4.54	3.72	-0.82	3.66	-0.06	3.63	-0.03	-0.88	-0.91	3.64	-0.90
Snap 7	4.53	4.26	-0.27	4.22	-0.04	4.19	-0.03	-0.31	-0.33	4.17	-0.36
\emptyset	4.39	3.70	-0.68	3.66	-0.05	3.63	-0.03	-0.73	-0.76	3.63	-0.75

Table S-2.3: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pNA in aug-cc-pVTZ quality and a 3 Å water environment obtained with a FDE embedding model.

$\Delta E^{\text{ex}}(\text{FDE})$:	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	4.68	3.57	-1.11	3.53	-0.04	-1.16	-1.16	3.50	-1.19
Snap 2	4.52	3.18	-1.34	3.14	-0.04	-1.39	-1.39	3.11	-1.41
Snap 3	4.19	3.67	-0.52	3.62	-0.05	-0.57	-0.57	3.57	-0.62
Snap 4	4.02	3.64	-0.37	3.59	-0.05	-0.43	-0.43	3.55	-0.47
Snap 5	4.26	4.01	-0.24	3.97	-0.04	-0.29	-0.29	3.95	-0.31
Snap 6	4.54	3.74	-0.80	3.68	-0.05	-0.86	-0.86	3.65	-0.89
Snap 7	4.53	4.27	-0.26	4.23	-0.04	-0.30	-0.30	4.18	-0.35
\emptyset	4.39	3.73	-0.67	3.68	-0.05	-0.71	-0.71	3.64	-0.75

Table S-2.4: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pNA in aug-cc-pVTZ quality and a 3 Å water environment obtained with a PE embedding model.

$\Delta E^{\text{ex}}(\text{PE})$:	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	4.68	3.56	-1.12	3.52	-0.05	3.49	-0.02	-1.17	-1.19	3.50	-1.19
Snap 2	4.52	3.15	-1.37	3.10	-0.04	3.08	-0.02	-1.42	-1.44	3.11	-1.41
Snap 3	4.19	3.65	-0.54	3.60	-0.06	3.56	-0.04	-0.60	-0.63	3.57	-0.62
Snap 4	4.02	3.61	-0.41	3.56	-0.05	3.52	-0.04	-0.46	-0.50	3.55	-0.47
Snap 5	4.26	4.00	-0.25	3.96	-0.04	3.94	-0.03	-0.29	-0.32	3.95	-0.31
Snap 6	4.54	3.72	-0.82	3.66	-0.07	3.63	-0.03	-0.88	-0.91	3.65	-0.89
Snap 7	4.53	4.26	-0.27	4.22	-0.04	4.20	-0.03	-0.31	-0.33	4.18	-0.35
\emptyset	4.39	3.71	-0.68	3.66	-0.05	3.63	-0.03	-0.73	-0.76	3.64	-0.75

S-2.2 Calculations in a 4 Å water environment

Table S-2.5: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pNA in aug-cc-pVDZ quality and a 4 Å water environment obtained with a FDE embedding model.

$\Delta E^{\text{ex}}(\text{FDE})$:	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	4.68	3.49	-1.18	3.43	-0.07	-1.25	-1.25	3.38	-1.30
Snap 2	4.51	3.22	-1.29	3.18	-0.04	-1.33	-1.33	3.15	-1.36
Snap 3	4.19	3.57	-0.61	3.50	-0.07	-0.68	-0.68	3.43	-0.76
Snap 4	4.01	3.58	-0.43	3.51	-0.08	-0.50	-0.50	3.45	-0.56
Snap 5	4.25	4.01	-0.24	3.96	-0.05	-0.29	-0.29	3.93	-0.32
Snap 6	4.54	3.68	-0.86	3.61	-0.07	-0.92	-0.92	3.56	-0.98
Snap 7	4.53	4.22	-0.31	4.17	-0.05	-0.36	-0.36	4.10	-0.43
\emptyset	4.39	3.68	-0.70	3.62	-0.06	-0.76	-0.76	3.57	-0.81

Table S-2.6: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pNA in aug-cc-pVDZ quality and a 4 Å water environment obtained with a PE embedding model.

$\Delta E^{\text{ex}}(\text{PE})$:	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	4.68	3.49	-1.19	3.41	-0.08	3.38	-0.03	-1.26	-1.30	3.38	-1.30
Snap 2	4.51	3.20	-1.31	3.16	-0.04	3.14	-0.02	-1.35	-1.38	3.15	-1.36
Snap 3	4.19	3.57	-0.62	3.47	-0.09	3.41	-0.06	-0.71	-0.77	3.43	-0.76
Snap 4	4.01	3.55	-0.46	3.47	-0.08	3.42	-0.05	-0.54	-0.59	3.45	-0.56
Snap 5	4.25	4.00	-0.25	3.96	-0.04	3.92	-0.04	-0.30	-0.33	3.93	-0.32
Snap 6	4.54	3.67	-0.87	3.58	-0.09	3.54	-0.04	-0.96	-1.00	3.56	-0.98
Snap 7	4.53	4.22	-0.31	4.16	-0.06	4.12	-0.04	-0.37	-0.41	4.10	-0.43
\emptyset	4.39	3.67	-0.71	3.60	-0.07	3.56	-0.04	-0.78	-0.82	3.57	-0.81

Table S-2.7: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pNA in aug-cc-pVTZ quality and a 4 Å water environment obtained with a FDE embedding model.

$\Delta E^{\text{ex}}(\text{FDE})$:	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	4.68	3.51	-1.18	3.44	-0.07	-1.25	-1.25	3.40	-1.29
Snap 2	4.52	3.23	-1.29	3.19	-0.05	-1.34	-1.34	3.16	-1.36
Snap 3	4.19	3.58	-0.62	3.50	-0.07	-0.69	-0.69	3.44	-0.75
Snap 4	4.02	3.59	-0.43	3.51	-0.08	-0.51	-0.51	3.46	-0.56
Snap 5	4.26	4.02	-0.24	3.97	-0.05	-0.29	-0.29	3.94	-0.32
Snap 6	4.54	3.69	-0.85	3.61	-0.07	-0.93	-0.93	3.57	-0.97
Snap 7	4.53	4.23	-0.31	4.17	-0.05	-0.36	-0.36	4.11	-0.42
\emptyset	4.39	3.69	-0.70	3.63	-0.06	-0.77	-0.77	3.58	-0.81

Table S-2.8: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pNA in aug-cc-pVTZ quality and a 4 Å water environment obtained with a PE embedding model.

$\Delta E^{\text{ex}}(\text{PE})$:	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	4.68	3.50	-1.18	3.42	-0.08	3.39	-0.03	-1.26	-1.30	3.40	-1.29
Snap 2	4.52	3.21	-1.32	3.16	-0.05	3.13	-0.03	-1.36	-1.39	3.16	-1.36
Snap 3	4.19	3.57	-0.62	3.47	-0.10	3.41	-0.06	-0.72	-0.78	3.44	-0.75
Snap 4	4.02	3.55	-0.46	3.47	-0.09	3.42	-0.05	-0.55	-0.60	3.46	-0.56
Snap 5	4.26	4.01	-0.24	3.96	-0.05	3.93	-0.04	-0.29	-0.33	3.94	-0.32
Snap 6	4.54	3.67	-0.87	3.58	-0.09	3.54	-0.04	-0.96	-1.00	3.57	-0.97
Snap 7	4.53	4.23	-0.31	4.17	-0.06	4.13	-0.04	-0.37	-0.41	4.11	-0.42
\emptyset	4.39	3.68	-0.71	3.60	-0.07	3.56	-0.04	-0.79	-0.83	3.58	-0.81

S-2.3 PE calculations in a 5 Å water environment

Table S-2.9: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pNA in aug-cc-pVDZ quality and a 5 Å water environment obtained with a PE embedding model.

$\Delta E^{\text{ex}}(\text{PE})$:	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	Δ GSPOL	Δ DPOL
Snap 1	4.68	3.44	-1.23	3.35	-0.09	3.31	-0.04	-1.33	-1.36
Snap 2	4.51	3.12	-1.39	3.05	-0.07	3.02	-0.03	-1.46	-1.49
Snap 3	4.19	3.53	-0.66	3.41	-0.11	3.35	-0.06	-0.77	-0.84
Snap 4	4.01	3.50	-0.51	3.40	-0.10	3.35	-0.05	-0.61	-0.66
Snap 5	4.25	3.99	-0.27	3.93	-0.05	3.90	-0.03	-0.32	-0.36
Snap 6	4.54	3.57	-0.97	3.46	-0.11	3.41	-0.05	-1.07	-1.13
Snap 7	4.53	4.22	-0.30	4.16	-0.06	4.12	-0.04	-0.36	-0.40
\emptyset	4.39	3.62	-0.76	3.54	-0.09	3.49	-0.04	-0.85	-0.89

Table S-2.10: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pNA in aug-cc-pVTZ quality and a 5 Å water environment obtained with a PE embedding model.

$\Delta E^{\text{ex}}(\text{PE}):$	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	Δ GSPOL	Δ DPOL
Snap 1	4.68	3.44	-1.24	3.35	-0.09	3.31	-0.04	-1.34	-1.37
Snap 2	4.52	3.12	-1.40	3.05	-0.07	3.02	-0.03	-1.47	-1.50
Snap 3	4.19	3.53	-0.67	3.41	-0.11	3.35	-0.06	-0.78	-0.84
Snap 4	4.02	3.50	-0.51	3.40	-0.10	3.35	-0.05	-0.61	-0.67
Snap 5	4.26	3.99	-0.27	3.93	-0.05	3.90	-0.03	-0.32	-0.36
Snap 6	4.54	3.57	-0.97	3.46	-0.11	3.41	-0.05	-1.08	-1.13
Snap 7	4.53	4.22	-0.31	4.16	-0.06	4.12	-0.04	-0.37	-0.41
\emptyset	4.39	3.62	-0.77	3.54	-0.09	3.49	-0.04	-0.85	-0.90

S-2.4 PE calculations in a 12 Å water environment

Table S-2.11: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pNA in aug-cc-pVDZ quality and a 12 Å water environment obtained with a PE embedding model.

$\Delta E^{\text{ex}}(\text{PE}):$	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	Δ GSPOL	Δ DPOL
Snap 1	4.68	3.47	-1.21	3.37	-0.10	3.33	-0.04	-1.31	-1.35
Snap 2	4.51	3.08	-1.44	2.94	-0.13	2.90	-0.04	-1.57	-1.61
Snap 3	4.19	3.51	-0.67	3.39	-0.12	3.31	-0.08	-0.79	-0.87
Snap 4	4.01	3.33	-0.69	3.17	-0.15	3.10	-0.07	-0.84	-0.91
Snap 5	4.25	3.91	-0.34	3.70	-0.22	3.65	-0.05	-0.55	-0.60
Snap 6	4.54	3.54	-1.00	3.40	-0.13	3.34	-0.06	-1.13	-1.19
Snap 7	4.53	4.01	-0.52	3.91	-0.10	3.86	-0.06	-0.61	-0.67
\emptyset	4.39	3.55	-0.84	3.41	-0.14	3.36	-0.06	-0.97	-1.03

Table S-2.12: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pNA in aug-cc-pVTZ quality and a 12 Å water environment obtained with a PE embedding model.

$\Delta E^{\text{ex}}(\text{PE}):$	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	Δ GSPOL	Δ DPOL
Snap 1	4.68	3.49	-1.20	3.38	-0.11	3.33	-0.04	-1.31	-1.35
Snap 2	4.52	3.08	-1.44	2.94	-0.14	2.89	-0.04	-1.58	-1.63
Snap 3	4.19	3.52	-0.67	3.39	-0.13	3.31	-0.08	-0.80	-0.88
Snap 4	4.02	3.33	-0.69	3.16	-0.16	3.09	-0.08	-0.85	-0.93
Snap 5	4.26	3.93	-0.33	3.71	-0.22	3.66	-0.05	-0.55	-0.60
Snap 6	4.54	3.54	-1.00	3.40	-0.14	3.34	-0.06	-1.14	-1.20
Snap 7	4.53	4.02	-0.51	3.92	-0.10	3.86	-0.06	-0.61	-0.67
\emptyset	4.39	3.56	-0.84	3.41	-0.14	3.35	-0.06	-0.98	-1.04

S-2.5 Oscillator strengths and \mathcal{F} -shifts for *para*-nitroaniline




Figure S-2.3: Contributions to the \mathcal{F} -shifts and their average for different configurations of pNA in 3 and 4 Å water environments of water obtained from a MD simulation and subsequently calculated in a PE and FDE framework, different orders of polarization contributions and effective external field (EEF) effects obtained in calculations with aug-cc-pVDZ and aug-cc-pVTZ basis sets.

S-2.6 Calculations in a 3 Å water environment

Table S-2.13: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pNA in aug-cc-pVDZ quality and a 3 Å water environment obtained with a FDE embedding model.

Δf_L (FDE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	0.129	0.180	0.052	0.187	0.007	0.059	0.059	0.211	0.082
Snap 2	0.159	0.142	-0.017	0.149	0.007	-0.010	-0.010	0.160	0.001
Snap 3	0.301	0.362	0.062	0.374	0.011	0.073	0.073	0.410	0.110
Snap 4	0.127	0.230	0.104	0.247	0.017	0.120	0.120	0.273	0.146
Snap 5	0.261	0.307	0.046	0.291	-0.017	0.030	0.030	0.275	0.014
Snap 6	0.273	0.215	-0.058	0.245	0.030	-0.027	-0.027	0.267	-0.006
Snap 7	0.306	0.255	-0.051	0.301	0.046	-0.004	-0.004	0.353	0.047
\emptyset	0.222	0.242	0.020	0.256	0.015	0.034	0.034	0.278	0.056

Table S-2.14: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pNA in aug-cc-pVDZ quality and a 3 Å water environment obtained with a PE embedding model.

Δf_L (PE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	DPOL+EEF	$\Delta\Delta$ EEF	Δ GSPOL	Δ DPOL	Δ DPOL+EEF	REF	Δ REF
Snap 1	0.129	0.182	0.053	0.189	0.007	0.205	0.016	0.210	0.005	0.060	0.077	0.081	0.211	0.082
Snap 2	0.159	0.143	-0.016	0.150	0.007	0.165	0.015	0.162	-0.004	-0.009	0.006	0.003	0.160	0.001
Snap 3	0.301	0.363	0.063	0.376	0.013	0.401	0.025	0.410	0.009	0.076	0.101	0.109	0.410	0.110
Snap 4	0.127	0.235	0.108	0.250	0.015	0.282	0.032	0.273	-0.009	0.123	0.155	0.146	0.273	0.146
Snap 5	0.261	0.309	0.048	0.291	-0.017	0.296	0.005	0.299	0.003	0.030	0.035	0.038	0.275	0.014
Snap 6	0.273	0.228	-0.045	0.258	0.030	0.279	0.022	0.273	-0.006	-0.015	0.007	0.000	0.267	-0.006
Snap 7	0.306	0.259	-0.046	0.307	0.047	0.347	0.040	0.357	0.010	0.001	0.041	0.051	0.353	0.047
\emptyset	0.222	0.246	0.024	0.260	0.014	0.282	0.022	0.283	0.001	0.038	0.060	0.061	0.278	0.056

Table S-2.15: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pNA in aug-cc-pVTZ quality and a 3 Å water environment obtained with a FDE embedding model.

Δf_L (FDE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	0.129	0.182	0.053	0.189	0.008	0.061	0.061	0.213	0.084
Snap 2	0.160	0.143	-0.017	0.151	0.008	-0.009	-0.009	0.161	0.001
Snap 3	0.297	0.363	0.066	0.375	0.012	0.078	0.078	0.410	0.113
Snap 4	0.119	0.233	0.113	0.249	0.017	0.130	0.130	0.273	0.153
Snap 5	0.256	0.305	0.050	0.285	-0.020	0.029	0.029	0.269	0.013
Snap 6	0.271	0.219	-0.051	0.250	0.031	-0.020	-0.020	0.268	-0.003
Snap 7	0.304	0.263	-0.040	0.308	0.045	0.004	0.004	0.353	0.050
\emptyset	0.219	0.244	0.025	0.258	0.014	0.039	0.039	0.278	0.059

Table S-2.16: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pNA in aug-cc-pVTZ quality and a 3 Å water environment obtained with a PE embedding model.

Δf_L (PE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	DPOL+EEF	$\Delta\Delta$ EEF	Δ GSPOL	Δ DPOL	Δ DPOL+EEF	REF	Δ REF
Snap 1	0.129	0.184	0.055	0.191	0.008	0.209	0.017	0.213	0.004	0.063	0.080	0.084	0.213	0.084
Snap 2	0.160	0.145	-0.015	0.152	0.007	0.168	0.016	0.164	-0.004	-0.008	0.008	0.004	0.161	0.001
Snap 3	0.297	0.365	0.068	0.377	0.012	0.404	0.026	0.412	0.008	0.080	0.106	0.115	0.410	0.113
Snap 4	0.119	0.236	0.116	0.251	0.015	0.285	0.034	0.275	-0.010	0.132	0.166	0.156	0.273	0.153
Snap 5	0.256	0.307	0.051	0.287	-0.020	0.290	0.003	0.293	0.003	0.031	0.034	0.037	0.269	0.013
Snap 6	0.271	0.234	-0.037	0.263	0.029	0.285	0.022	0.279	-0.006	-0.008	0.015	0.008	0.268	-0.003
Snap 7	0.304	0.271	-0.033	0.314	0.043	0.354	0.040	0.363	0.009	0.010	0.050	0.059	0.353	0.050
\emptyset	0.219	0.249	0.029	0.262	0.014	0.285	0.023	0.286	0.001	0.043	0.066	0.066	0.278	0.059

S-2.7 Calculations in a 4 Å water environment

Table S-2.17: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pNA in aug-cc-pVDZ quality and a 4 Å water environment obtained with a FDE embedding model.

Δf_L (FDE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	0.129	0.190	0.062	0.200	0.010	0.071	0.071	0.209	0.081
Snap 2	0.159	0.137	-0.023	0.145	0.008	-0.015	-0.015	0.152	-0.007
Snap 3	0.301	0.376	0.076	0.388	0.012	0.088	0.088	0.419	0.118
Snap 4	0.127	0.252	0.125	0.268	0.016	0.141	0.141	0.286	0.159
Snap 5	0.261	0.308	0.047	0.293	-0.014	0.032	0.032	0.266	0.005
Snap 6	0.273	0.241	-0.032	0.269	0.028	-0.004	-0.004	0.285	0.012
Snap 7	0.306	0.299	-0.006	0.329	0.030	0.023	0.023	0.354	0.048
\emptyset	0.222	0.258	0.035	0.270	0.013	0.048	0.048	0.282	0.059

Table S-2.18: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pNA in aug-cc-pVDZ quality and a 4 Å water environment obtained with a PE embedding model.

Δf_L (PE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	DPOL+EEF	$\Delta\Delta$ EEF	Δ GSPOL	Δ DPOL	Δ DPOL+EEF	REF	Δ REF
Snap 1	0.129	0.192	0.064	0.203	0.011	0.228	0.024	0.208	-0.020	0.075	0.099	0.079	0.209	0.081
Snap 2	0.159	0.139	-0.021	0.146	0.007	0.164	0.018	0.152	-0.012	-0.013	0.005	-0.007	0.152	-0.007
Snap 3	0.301	0.376	0.075	0.392	0.016	0.433	0.041	0.420	-0.013	0.092	0.133	0.119	0.419	0.118
Snap 4	0.127	0.256	0.129	0.273	0.017	0.311	0.038	0.291	-0.020	0.146	0.184	0.164	0.286	0.159
Snap 5	0.261	0.309	0.048	0.297	-0.013	0.308	0.011	0.292	-0.016	0.036	0.047	0.031	0.266	0.005
Snap 6	0.273	0.251	-0.022	0.281	0.030	0.314	0.033	0.288	-0.026	0.008	0.041	0.015	0.285	0.012
Snap 7	0.306	0.303	-0.003	0.336	0.034	0.382	0.045	0.366	-0.016	0.031	0.076	0.060	0.354	0.048
\emptyset	0.222	0.261	0.039	0.275	0.015	0.306	0.030	0.288	-0.018	0.053	0.083	0.066	0.282	0.059

Table S-2.19: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pNA in aug-cc-pVTZ quality and a 4 Å water environment obtained with a FDE embedding model.

Δf_L (FDE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	0.129	0.192	0.063	0.202	0.010	0.073	0.073	0.211	0.082
Snap 2	0.160	0.138	-0.022	0.147	0.009	-0.013	-0.013	0.153	-0.007
Snap 3	0.297	0.377	0.080	0.389	0.013	0.092	0.092	0.419	0.122
Snap 4	0.119	0.253	0.133	0.269	0.016	0.150	0.150	0.286	0.166
Snap 5	0.256	0.306	0.050	0.288	-0.018	0.032	0.032	0.261	0.006
Snap 6	0.271	0.246	-0.025	0.274	0.028	0.003	0.003	0.286	0.015
Snap 7	0.304	0.304	0.001	0.333	0.029	0.030	0.030	0.353	0.050
\emptyset	0.219	0.259	0.040	0.272	0.012	0.052	0.052	0.281	0.062

Table S-2.20: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pNA in aug-cc-pVTZ quality and a 4 Å water environment obtained with a PE embedding model.

Δf_L (PE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	DPOL+EEF	$\Delta\Delta$ EEF	Δ GSPOL	Δ DPOL	Δ DPOL+EEF	REF	Δ REF
Snap 1	0.129	0.194	0.065	0.206	0.011	0.232	0.026	0.211	-0.021	0.077	0.103	0.082	0.211	0.082
Snap 2	0.160	0.140	-0.020	0.148	0.008	0.167	0.019	0.155	-0.012	-0.012	0.008	-0.005	0.153	-0.007
Snap 3	0.297	0.377	0.080	0.394	0.016	0.436	0.043	0.422	-0.014	0.096	0.139	0.125	0.419	0.122
Snap 4	0.119	0.256	0.136	0.274	0.018	0.314	0.040	0.292	-0.022	0.154	0.194	0.173	0.286	0.166
Snap 5	0.256	0.307	0.052	0.293	-0.015	0.302	0.009	0.285	-0.017	0.037	0.046	0.029	0.261	0.006
Snap 6	0.271	0.257	-0.014	0.286	0.029	0.320	0.034	0.293	-0.027	0.015	0.049	0.022	0.286	0.015
Snap 7	0.304	0.309	0.005	0.341	0.032	0.388	0.047	0.370	-0.018	0.037	0.084	0.066	0.353	0.050
\emptyset	0.219	0.263	0.044	0.277	0.014	0.308	0.031	0.290	-0.019	0.058	0.089	0.070	0.281	0.062

S-2.8 PE calculations in aug-cc-pVDZ quality in a 5 Å water environment

Table S-2.21: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pNA in aug-cc-pVDZ quality and a 5 Å water environment obtained with a PE embedding model.

Δf_L (PE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	Δ GSPOL	Δ DPOL
Snap 1	0.129	0.199	0.070	0.211	0.012	0.239	0.028	0.082	0.110
Snap 2	0.159	0.152	-0.007	0.163	0.011	0.185	0.022	0.004	0.026
Snap 3	0.301	0.381	0.081	0.401	0.019	0.446	0.045	0.100	0.146
Snap 4	0.127	0.263	0.136	0.281	0.018	0.322	0.042	0.154	0.195
Snap 5	0.261	0.303	0.041	0.268	-0.035	0.257	-0.011	0.007	-0.004
Snap 6	0.273	0.278	0.005	0.303	0.025	0.341	0.038	0.030	0.069
Snap 7	0.306	0.297	-0.009	0.335	0.038	0.383	0.049	0.029	0.078
\emptyset	0.222	0.268	0.045	0.280	0.013	0.311	0.030	0.058	0.088

Table S-2.22: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pNA in aug-cc-pVTZ quality and a 5 Å water environment obtained with a PE embedding model.

Δf_L (PE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	Δ GSPOL	Δ DPOL
Snap 1	0.129	0.199	0.070	0.211	0.012	0.239	0.028	0.082	0.110
Snap 2	0.160	0.152	-0.008	0.163	0.011	0.185	0.022	0.003	0.025
Snap 3	0.297	0.381	0.084	0.401	0.019	0.446	0.045	0.104	0.149
Snap 4	0.119	0.263	0.144	0.281	0.018	0.322	0.042	0.161	0.203
Snap 5	0.256	0.303	0.047	0.268	-0.035	0.257	-0.011	0.012	0.002
Snap 6	0.271	0.278	0.008	0.303	0.025	0.341	0.038	0.033	0.071
Snap 7	0.304	0.297	-0.007	0.335	0.038	0.383	0.049	0.031	0.080
\emptyset	0.219	0.268	0.048	0.280	0.013	0.311	0.030	0.061	0.091

S-2.9 PE calculations in aug-cc-pVDZ quality in a 12 Å water environment

Table S-2.23: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pNA in aug-cc-pVDZ quality and a 12 Å water environment obtained with a PE embedding model.

Δf_L (PE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	Δ GSPOL	Δ DPOL
Snap 1	0.129	0.194	0.065	0.207	0.013	0.239	0.032	0.079	0.111
Snap 2	0.159	0.158	-0.001	0.177	0.019	0.205	0.027	0.018	0.045
Snap 3	0.301	0.382	0.082	0.403	0.021	0.457	0.054	0.102	0.156
Snap 4	0.127	0.289	0.162	0.311	0.022	0.362	0.050	0.184	0.235
Snap 5	0.261	0.236	-0.026	0.230	-0.005	0.314	0.084	-0.031	0.053
Snap 6	0.273	0.286	0.013	0.313	0.027	0.358	0.045	0.040	0.085
078 Snap 7	0.306	0.355	0.049	0.365	0.011	0.419	0.053	0.060	0.113
\emptyset	0.222	0.271	0.049	0.287	0.015	0.336	0.049	0.065	0.114

Table S-2.24: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pNA in aug-cc-pVTZ quality and a 12 Å water environment obtained with a PE embedding model.

Δf_L (PE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	Δ GSPOL	Δ DPOL
Snap 1	0.129	0.196	0.067	0.210	0.014	0.244	0.034	0.081	0.115
Snap 2	0.160	0.160	0.000	0.179	0.020	0.208	0.029	0.020	0.048
Snap 3	0.297	0.383	0.086	0.404	0.021	0.460	0.056	0.107	0.163
Snap 4	0.119	0.289	0.170	0.313	0.023	0.366	0.053	0.193	0.246
Snap 5	0.256	0.232	-0.024	0.237	0.005	0.324	0.087	-0.018	0.068
Snap 6	0.271	0.289	0.018	0.315	0.026	0.362	0.047	0.045	0.091
Snap 7	0.304	0.357	0.053	0.368	0.011	0.424	0.056	0.064	0.120
\emptyset	0.219	0.272	0.053	0.289	0.017	0.341	0.052	0.070	0.122

S-3 Shifts of pentameric formyl thiophene acetic acid

S-3.1 Excitation energies and \mathcal{S} -shifts of pentameric formyl thiophene acetic acid in a 3 Å water environment in aug-cc-pVDZ quality

Table S-3.1: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pFTAA in aug-cc-pVDZ quality and a 3 Å water environment obtained with a FDE embedding model.

ΔE^{ex} (FDE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	2.92	3.07	0.15	3.09	0.01	0.17	0.17	3.05	0.14
Snap 2	3.17	3.21	0.04	3.24	0.02	0.07	0.07	3.20	0.03
\emptyset	3.05	3.14	0.10	3.16	0.02	0.12	0.12	3.13	0.09

Table S-3.2: Excitation energies and contributions from the different polarization models to the \mathcal{S} -shifts and their average for different configurations of pFTAA in aug-cc-pVDZ quality and a 3 Å water environment obtained with a PE embedding model and pseudo-potentials for entries marked with *.

ΔE^{ex} (PE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	2.92	3.08	0.16	3.09	0.01	3.06	-0.03	0.17	0.14	3.05	0.14
Snap 2*	3.17	3.18	0.01	3.24	0.05	3.16	-0.08	0.07	-0.02	3.20	0.03
Snap 3*	2.78	2.68	-0.09	2.85	0.17	2.82	-0.03	0.07	0.04	2.64	-0.13
Snap 4*	2.98	2.90	-0.08	2.97	0.07	2.95	-0.02	-0.01	-0.04	2.90	-0.09
Snap 5	3.20	3.31	0.11	3.32	0.02	3.29	-0.04	0.13	0.09	3.28	0.08
Snap 6	3.36	3.46	0.10	3.46	0.00	3.43	-0.03	0.10	0.07	3.42	0.06
Snap 7	2.74	2.80	0.06	2.83	0.03	2.79	-0.04	0.09	0.05	2.80	0.06
Snap 8*	3.05	2.91	-0.14	2.95	0.03	2.91	-0.03	-0.10	-0.14	2.95	-0.10
\emptyset	3.02	3.04	0.02	3.09	0.05	3.05	-0.04	0.07	0.03	3.03	0.01

S-3.2 Oscillator strengths and \mathcal{F} -shifts of pFTAA in a 3 Å water environment in aug-cc-pVDZ quality

Table S-3.3: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pFTAA in aug-cc-pVDZ quality in a 3 Å water environment obtained with a FDE embedding model.

f_L (FDE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	Δ GSPOL	Δ DPOL	REF	Δ REF
Snap 1	0.900	1.195	0.294	1.248	0.053	0.348	0.348	1.288	0.388
Snap 2	1.165	1.304	0.140	1.348	0.044	0.183	0.183	1.157	-0.007
\emptyset	1.033	1.249	0.217	1.298	0.049	0.265	0.265	1.223	0.191

Table S-3.4: Oscillator strengths and contributions from the different polarization models to the \mathcal{F} -shifts and their average for different configurations of pFTAA in aug-cc-pVDZ quality in a 3 Å water environment obtained with a PE embedding model (and optional effective external potential (EEF)) and pseudo-potentials for entries marked with *.

Δf_L (PE):	VACUUM	NOPOL	Δ NOPOL	GSPOL	$\Delta\Delta$ GSPOL	DPOL	$\Delta\Delta$ DPOL	DPOL+EEF	$\Delta\Delta$ EEF	Δ GSPOL	Δ DPOL	Δ DPOL+EEF	REF	Δ REF
Snap 1	0.900	1.221	0.320	1.280	0.060	1.343	0.063	1.314	-0.029	0.380	0.443	0.414	1.288	0.388
Snap 2*	1.165	1.308	0.143	1.332	0.024	1.384	0.052	1.308	-0.076	0.167	0.219	0.143	1.157	-0.007
Snap 3*	1.150	1.076	-0.074	1.226	0.150	1.284	0.058	1.212	-0.072	0.076	0.134	0.0617	1.086	-0.064
Snap 4*	1.214	1.089	-0.125	1.197	0.108	1.274	0.078	1.214	-0.060	-0.017	0.061	-0.0001	1.065	-0.148
Snap 5	1.242	1.439	0.197	1.472	0.034	1.556	0.084	1.518	-0.038	0.231	0.315	0.276	1.504	0.263
Snap 6	0.802	1.299	0.497	1.350	0.000	1.422	0.071	1.348	-0.074	0.548	0.620	0.546	1.274	0.472
Snap 7	1.094	1.282	0.188	1.358	0.077	1.420	0.061	1.352	-0.068	0.265	0.326	0.258	1.340	0.246
Snap 8*	1.359	1.470	0.111	1.500	0.030	1.534	0.034	1.440	-0.094	0.141	0.175	0.081	1.416	0.057
\emptyset	1.116	1.273	0.157	1.339	0.060	1.402	0.063	1.338	-0.064	0.224	0.287	0.222	1.266	0.151