

```

<< Units`
<< PhysicalConstants`
<< PlotLegends`

SetDirectory[NotebookDirectory[]]

Get["NitrogenRateEquations.m"]
Get["NitrogenMoleculeRateEqs.m"]

HartreeToeV := 27.2113845
eVToHartree := 1 / HartreeToeV
JouleToHartree := 2.29371269*^17
MilliJouleToHartree := 1*^-3 * JouleToHartree
BohrToAngstroem := 0.5291772083
AngstroemToBohr := 1 / BohrToAngstroem
MicrometerToBohr := 1*^4 * AngstroemToBohr
BohrToMicrometer := 1 / MicrometerToBohr
t0ToSecond := 24.18884326505*^-18
t0ToFemtoSecond := 24.18884326505*^-3
crossSectionAUtoBarn := 1*^8 * BohrToAngstroem^2
crossSectionAUtocm2 := crossSectionAUtoBarn * 1*^-24
crossSectioncm2toAU := 1 / crossSectionAUtocm2

neginfinity := -1000 / t0ToFemtoSecond
posinfinity := 10 000 / t0ToFemtoSecond

```

Average charge state from the heuristic models

Christian Buth, 18 April 2012

Argonne National Laboratory, Argonne, Illinois 60439, USA

Max-Planck-Institut für Kernphysik, Saupfercheckweg 1, 69117 Heidelberg, Germany

The PULSE Institute for Ultrafast Energy Science, SLAC National Accelerator Laboratory, Menlo Park, California 94025, USA

Experimental data

■ Pulse energy fractions

```

optdamp280 := 0.31
optdamp80 := 0.25
optdamp7 := 0.16
optdamp4 := 0.26

```

■ Experimental ion yields

4 fs, 0.15 mJ, 1.1 keV

```

newMatthias4 := {92.985, 36.341, 1.413, 0, 0, 0, 0}
normOleg4 = 1 / Total[newMatthias4] * newMatthias4
{0.711226, 0.277966, 0.0108078, 0., 0., 0., 0.}

```

7 fs, 0.26 mJ, 1.1 keV

```

newMatthias7 := {221.485, 87.888, 9.342, 0.085, 0.000, 0.000, 0.000}
normOleg7 = 1 / Total[newMatthias7] * newMatthias7
{0.694746, 0.275684, 0.0293036, 0.000266625, 0., 0., 0.}

80 fs, 0.26 mJ, 1.1 keV

newMatthias80 := {218.068, 103.774, 26.075, 9.804, 3.315, 0.000, 0.000}
normOleg80 = 1 / Total[newMatthias80] * newMatthias80
{0.604006, 0.287434, 0.0722227, 0.0271552, 0.00918191, 0., 0.}

280 fs, 0.26 mJ, 1.1 keV

newMatthias280 := {204.331, 105.281, 27.561, 13.151, 9.881, 0.587, 0.000}
normOleg280 = 1 / Total[newMatthias280] * newMatthias280
{0.56634, 0.291805, 0.0763903, 0.0364504, 0.027387, 0.00162698, 0.}

chrgExpt = {{4, normOleg4.Table[i, {i, 1, 7}]}, {7, normOleg7.Table[i, {i, 1, 7}]},
  {80, normOleg80.Table[i, {i, 1, 7}]}, {280, normOleg280.Table[i, {i, 1, 7}]}}
{{4, 1.29958}, {7, 1.33509}, {80, 1.55007}, {280, 1.67162}}

```

Single-atom model

■ Individual charge-state plots

4 fs, 0.15 mJ, 1.1 keV

```

atmy4v1 = ionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 0.5 * 4 / t0ToFemtoSecond, nintdata, True]
atmy4normv1 := 1 / Total[atmy4v1[[2 ;;]]] * atmy4v1;
{0.988226, 0.000506524, 0.0104219, 0.000119515,
  0.000699056, 0.0000268954, 3.15177 × 10-7, 5.40747 × 10-10}

atmy4v2 = ionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 0.8 * 4 / t0ToFemtoSecond, nintdata, True]
atmy4normv2 := 1 / Total[atmy4v2[[2 ;;]]] * atmy4v2;
{0.988226, 0.000506524, 0.0103995, 0.000116808,
  0.000718218, 0.0000326474, 5.06764 × 10-7, 1.21157 × 10-9}

atmy4v3 = ionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 1 * 4 / t0ToFemtoSecond, nintdata, True]
atmy4normv3 := 1 / Total[atmy4v3[[2 ;;]]] * atmy4v3;
{0.988226, 0.000506524, 0.010386, 0.000115178,
  0.000729999, 0.0000358351, 6.3151 × 10-7, 1.74039 × 10-9}

atmy4v4 = ionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 2 * 4 / t0ToFemtoSecond, nintdata, True]
atmy4normv4 := 1 / Total[atmy4v4[[2 ;;]]] * atmy4v4;
{0.988226, 0.000506524, 0.0103324, 0.000108679,
  0.000778321, 0.0000470627, 1.19383 × 10-6, 4.78262 × 10-9}

atmy4v5 = ionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 10 * 4 / t0ToFemtoSecond, nintdata, True]
atmy4normv5 := 1 / Total[atmy4v5[[2 ;;]]] * atmy4v5;
{0.988226, 0.000506524, 0.0101943, 0.0000918414,
  0.00090495, 0.0000733384, 3.14888 × 10-6, 2.14381 × 10-8}

```

```
atmy4noDCHv1 = ionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 0.5 * 4 / t0ToFemtoSecond, nintdata, False]
atmy4normnoDCHv1 := 1 / Total[atmy4noDCHv1[[2 ;;]]] * atmy4noDCHv1;
```

```
{0.988226, 0.000506524, 0.0109964, 0.000129508,
  0.000139637, 2.09005 × 10-6, 2.08819 × 10-9, 5.38833 × 10-11}
```

```
atmy4noDCHv2 = ionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 0.8 * 4 / t0ToFemtoSecond, nintdata, False]
atmy4normnoDCHv2 := 1 / Total[atmy4noDCHv2[[2 ;;]]] * atmy4noDCHv2;
```

```
{0.988226, 0.000506524, 0.010929, 0.000125991,
  0.000209111, 3.53431 × 10-6, 5.02453 × 10-9, 1.30588 × 10-10}
```

```
atmy4noDCHv3 = ionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 1 * 4 / t0ToFemtoSecond, nintdata, False]
atmy4normnoDCHv3 := 1 / Total[atmy4noDCHv3[[2 ;;]]] * atmy4noDCHv3;
```

```
{0.988226, 0.000506524, 0.0108886, 0.000123877,
  0.000250646, 4.55255 × 10-6, 7.54347 × 10-9, 1.96977 × 10-10}
```

```
atmy4noDCHv4 = ionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 2 * 4 / t0ToFemtoSecond, nintdata, False]
atmy4normnoDCHv4 := 1 / Total[atmy4noDCHv4[[2 ;;]]] * atmy4noDCHv4;
```


```
{0.988226, 0.000506524, 0.0107282, 0.000115456,
  0.000413972, 0.0000100057, 2.50045 × 10-8, 6.67276 × 10-10}
```

```
atmy4noDCHv5 = ionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 10 * 4 / t0ToFemtoSecond, nintdata, False]
atmy4normnoDCHv5 := 1 / Total[atmy4noDCHv5[[2 ;;]]] * atmy4noDCHv5;
```

```
{0.988226, 0.000506524, 0.0103226, 0.0000938741,
  0.000805987, 0.0000449803, 2.12747 × 10-7, 6.31724 × 10-9}
```


```
GraphicsRow[
```

```
{BarChart[normOleg4, PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+"},
  BarChart[atmy4normv1[[2 ;;]], PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"},
  BarChart[atmy4normnoDCHv1[[2 ;;]], PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}}}]
```




```
GraphicsRow[
```


```
{BarChart[normOleg4, PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+"},
  BarChart[atmy4normv2[[2 ;;]], PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"},
  BarChart[atmy4normnoDCHv2[[2 ;;]], PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}}}]
```




```
GraphicsRow[
  {BarChart[normOleg4, PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+"},
  BarChart[atmy4normv3[[2 ;;]], PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"},
  BarChart[atmy4normnoDCHv3[[2 ;;]], PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}}}]
```



```
GraphicsRow[
  {BarChart[normOleg4, PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+"},
  BarChart[atmy4normv4[[2 ;;]], PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"},
  BarChart[atmy4normnoDCHv4[[2 ;;]], PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}}}]
```



```
GraphicsRow[
  {BarChart[normOleg4, PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+"},
  BarChart[atmy4normv5[[2 ;;]], PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"},
  BarChart[atmy4normnoDCHv5[[2 ;;]], PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}}}]
```



7 fs, 0.26 mJ, 1.1 keV

```
atmy7v1 = ionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 0.3 * 7 / t0ToFemtoSecond, nintdata, True]
atmy7normv1 := 1 / Total[atmy7v1[[2 ;;]]] * atmy7v1;
```

```
{0.987524, 0.00053315, 0.010988, 0.000133653,
  0.000787496, 0.0000328757, 4.23717 × 10-7, 8.04234 × 10-10}
```

```
atmy7v2 = ionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 0.6 * 7 / t0ToFemtoSecond, nintdata, True]
atmy7normv2 := 1 / Total[atmy7v2[[2 ;;]]] * atmy7v2;
```

```
{0.987524, 0.00053315, 0.0109464, 0.00012859,
  0.000822765, 0.0000437922, 8.46562 × 10-7, 2.56413 × 10-9}
```

```

atmy7v3 = ionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 1 * 7 / t0ToFemtoSecond, nintdata, True]
atmy7normv3 := 1 / Total[atmy7v3[[2 ;;]]] * atmy7v3;
{0.987524, 0.000533151, 0.0109029, 0.000123278,
  0.000861251, 0.0000536025, 1.3594 × 10-6, 5.44981 × 10-9}

atmy7v4 = ionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 2 * 7 / t0ToFemtoSecond, nintdata, True]
atmy7normv4 := 1 / Total[atmy7v4[[2 ;;]]] * atmy7v4;
{0.987524, 0.00053315, 0.0108316, 0.000114545,
  0.000926101, 0.0000677654, 2.34336 × 10-6, 1.26182 × 10-8}

atmy7v5 = ionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 10 * 7 / t0ToFemtoSecond, nintdata, True]
atmy7normv5 := 1 / Total[atmy7v5[[2 ;;]]] * atmy7v5;
{0.987524, 0.000533151, 0.0107037, 0.0000987747,
  0.00103949, 0.0000956824, 4.72423 × 10-6, 3.86216 × 10-8}

atmy7noDCHv1 = ionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 0.3 * 7 / t0ToFemtoSecond, nintdata, False]
atmy7normnoDCHv1 := 1 / Total[atmy7noDCHv1[[2 ;;]]] * atmy7noDCHv1;
{0.987524, 0.00053315, 0.0116299, 0.000145551,
  0.000164268, 2.64934 × 10-6, 2.92755 × 10-9, 8.07109 × 10-11}

atmy7noDCHv2 = ionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 0.6 * 7 / t0ToFemtoSecond, nintdata, False]
atmy7normnoDCHv2 := 1 / Total[atmy7noDCHv2[[2 ;;]]] * atmy7noDCHv2;
{0.987524, 0.00053315, 0.0115044, 0.000138878,
  0.000293353, 5.77817 × 10-6, 1.05245 × 10-8, 2.93796 × 10-10}


atmy7noDCHv3 = ionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 1 * 7 / t0ToFemtoSecond, nintdata, False]
atmy7normnoDCHv3 := 1 / Total[atmy7noDCHv3[[2 ;;]]] * atmy7noDCHv3;
{0.987524, 0.000533151, 0.0113736, 0.000131891,
  0.000426591, 0.000010333, 2.55935 × 10-8, 7.25598 × 10-10}

atmy7noDCHv4 = ionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 2 * 7 / t0ToFemtoSecond, nintdata, False]
atmy7normnoDCHv4 := 1 / Total[atmy7noDCHv4[[2 ;;]]] * atmy7noDCHv4;
{0.987524, 0.00053315, 0.011161, 0.000120453,
  0.000638948, 0.0000219626, 7.59673 × 10-8, 2.22645 × 10-9}


atmy7noDCHv5 = ionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 10 * 7 / t0ToFemtoSecond, nintdata, False]
atmy7normnoDCHv5 := 1 / Total[atmy7noDCHv5[[2 ;;]]] * atmy7noDCHv5;
{0.987524, 0.000533151, 0.010788, 0.000100145,
  0.00098079, 0.0000730254, 4.35021 × 10-7, 1.44987 × 10-8}

```


```
GraphicsRow[{BarChart[normOleg7, PlotRange -> {-0.2, 1},
  ChartLabels -> {"N+", "N^2+", "N^3+", "N^4+", "N^5+", "N^6+", "N^7+"}],
BarChart[atmy7normv1[[2 ;;]], PlotRange -> {-0.2, 1},
  ChartLabels -> {"N+", "N^2+", "N^3+", "N^4+", "N^5+", "N^6+", "N^7+"}],
BarChart[atmy7normnoDCHv1[[2 ;;]], PlotRange -> {-0.2, 1},
  ChartLabels -> {"N+", "N^2+", "N^3+", "N^4+", "N^5+", "N^6+", "N^7+"}}}]
```




```
GraphicsRow[{BarChart[normOleg7, PlotRange -> {-0.2, 1},
  ChartLabels -> {"N+", "N^2+", "N^3+", "N^4+", "N^5+", "N^6+", "N^7+"}],
BarChart[atmy7normv2[[2 ;;]], PlotRange -> {-0.2, 1},
  ChartLabels -> {"N+", "N^2+", "N^3+", "N^4+", "N^5+", "N^6+", "N^7+"}],
BarChart[atmy7normnoDCHv2[[2 ;;]], PlotRange -> {-0.2, 1},
  ChartLabels -> {"N+", "N^2+", "N^3+", "N^4+", "N^5+", "N^6+", "N^7+"}}}]
```




```
GraphicsRow[{BarChart[normOleg7, PlotRange -> {-0.2, 1},
  ChartLabels -> {"N+", "N^2+", "N^3+", "N^4+", "N^5+", "N^6+", "N^7+"}],
BarChart[atmy7normv3[[2 ;;]], PlotRange -> {-0.2, 1},
  ChartLabels -> {"N+", "N^2+", "N^3+", "N^4+", "N^5+", "N^6+", "N^7+"}],
BarChart[atmy7normnoDCHv3[[2 ;;]], PlotRange -> {-0.2, 1},
  ChartLabels -> {"N+", "N^2+", "N^3+", "N^4+", "N^5+", "N^6+", "N^7+"}}}]
```



```
GraphicsRow[{BarChart[normOleg7, PlotRange -> {-0.2, 1},
  ChartLabels -> {"N+", "N^2+", "N^3+", "N^4+", "N^5+", "N^6+", "N^7+"}],
BarChart[atmy7normv4[[2 ;;]], PlotRange -> {-0.2, 1},
  ChartLabels -> {"N+", "N^2+", "N^3+", "N^4+", "N^5+", "N^6+", "N^7+"}],
BarChart[atmy7normnoDCHv4[[2 ;;]], PlotRange -> {-0.2, 1},
  ChartLabels -> {"N+", "N^2+", "N^3+", "N^4+", "N^5+", "N^6+", "N^7+"}}}]
```



```
GraphicsRow[{BarChart[normOleg7, PlotRange → {-0.2, 0.8},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"},
  BarChart[atmy7normv5[[2 ;;]], PlotRange → {-0.2, 0.8},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"},
  BarChart[atmy7normnoDCHv5[[2 ;;]], PlotRange → {-0.2, 0.8},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}}]
```



80 fs, 0.26 mJ, 1.1 keV


```
atmy80 = ionyieldcrateranalysis[optdamp80 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 80 / t0ToFemtoSecond, nintdata, True]
atmy80norm := 1 / Total[atmy80[[2 ;;]]] * atmy80;
```

```
{0.981613, 0.000741284, 0.0149101, 0.000204478,
  0.00218833, 0.000316866, 0.0000252098, 3.32352 × 10-7}
```

```
atmy80noDCH = ionyieldcrateranalysis[optdamp80 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 80 / t0ToFemtoSecond, nintdata, False]
atmy80normnoDCH := 1 / Total[atmy80noDCH[[2 ;;]]] * atmy80noDCH;
```

```
{0.981613, 0.000741284, 0.0150653, 0.000208325,
  0.00210919, 0.000259838, 2.46733 × 10-6, 1.32243 × 10-7}
```

```
GraphicsRow[{BarChart[normOleg80, PlotRange → {-0.2, 0.8},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"},
  BarChart[atmy80norm[[2 ;;]], PlotRange → {-0.2, 0.8},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"},
  BarChart[atmy80normnoDCH[[2 ;;]], PlotRange → {-0.2, 0.8},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}}]
```



280 fs, 0.26 mJ, 1.1 keV


```
atmy280 = ionyieldcrateranalysis[optdamp280 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 280 / t0ToFemtoSecond, nintdata, True]
atmy280norm := 1 / Total[atmy280[[2 ;;]]] * atmy280;
```

```
{0.978037, 0.000852961, 0.0170978, 0.000272074,
  0.00308426, 0.000591163, 0.0000633126, 1.39692 × 10-6}
```

```
atmy280noDCH = ionyieldcrateranalysis[optdamp280 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 280 / t0ToFemtoSecond, nintdata, False]
atmy280normnoDCH := 1 / Total[atmy280noDCH[[2 ;;]]] * atmy280noDCH;
```

```
{0.978037, 0.000852961, 0.0171588, 0.000273818,
  0.00306725, 0.000599564, 9.87461 × 10-6, 7.20824 × 10-7}
```

```
GraphicsRow[{BarChart[normOleg280, PlotRange → {-0.2, 0.8},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[atmy280norm[[2 ;;]], PlotRange → {-0.2, 0.8},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[atmy280normnoDCH[[2 ;;]], PlotRange → {-0.2, 0.8},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}]]]
```



■ Average charge state plot

```
chgStates := Table[i, {i, 0, 7}]

atmtheoryAveChrg = {Total[atmy4normv3 * chgStates], Total[atmy7normv3 * chgStates],
  Total[atmy80norm * chgStates], Total[atmy280norm * chgStates]}
{2.10011, 2.11854, 2.26612, 2.34701}

atmtheoryAveChrgnoDCH =
  {Total[atmy4normnoDCHv3 * chgStates], Total[atmy7normnoDCHv3 * chgStates],
  Total[atmy80normnoDCH * chgStates], Total[atmy280normnoDCH * chgStates]}
{2.01124, 2.03872, 2.24341, 2.3368}


atmmoreave4 := {{4, Total[atmy4normv1 * chgStates]}, {4, Total[atmy4normv2 * chgStates]},
  {4, Total[atmy4normv4 * chgStates]}, {4, Total[atmy4normv5 * chgStates]}}
atmmoreave7 := {{7, Total[atmy7normv1 * chgStates]}, {7, Total[atmy7normv2 * chgStates]},
  {7, Total[atmy7normv4 * chgStates]}, {7, Total[atmy7normv5 * chgStates]}}

atmmoreave4noDCH :=
  {{4, Total[atmy4normnoDCHv1 * chgStates]}, {4, Total[atmy4normnoDCHv2 * chgStates]},
  {4, Total[atmy4normnoDCHv4 * chgStates]}, {4, Total[atmy4normnoDCHv5 * chgStates]}}
atmmoreave7noDCH := {{7, Total[atmy7normnoDCHv1 * chgStates]},
  {7, Total[atmy7normnoDCHv2 * chgStates]},
  {7, Total[atmy7normnoDCHv4 * chgStates]}, {7, Total[atmy7normnoDCHv5 * chgStates]}}


atmchrgTheory := Partition[Riffle[{4, 7, 80, 280}, atmtheoryAveChrg], 2]
atmchrgTheorynoDCH := Partition[Riffle[{4, 7, 80, 280}, atmtheoryAveChrgnoDCH], 2]
```




```
ListPlot[{chrgExpt, atmchrgTheory, atmchrgTheorynoDCH,
  atmmoreave4, atmmoreave7, atmmoreave4noDCH, atmmoreave7noDCH},
  Joined → True, PlotRange → All, PlotMarkers → Automatic,
  PlotStyle → {{Thick, Black}, {Thick, Red}, {Thick, Green}, {Thick, Blue},
  {Thick, Magenta}, {Thick, Brown}, {Thick, Cyan}}, Frame → True, Axes → False,
  FrameLabel → {"Nominal pulse duration [fs]", "Average Charge State"},
  LabelStyle → {FontFamily → "Arial"},
  PlotLegend → {"Experiment", "Theory", "Theory without DCHs", "Variation",
  "Variation without DCHs"},
  LegendPosition → {0, -0.35}, LegendSize → {0.8, 0.5},
  LegendTextSpace → 5, LegendShadow → None]
```




```
ListPlot[{chrgExpt, atmchrgTheory, atmchrgTheorynoDCH},
  Joined → True, PlotRange → All, PlotMarkers → Automatic,
  PlotStyle → {{Thick, Black}, {Thick, Red}, {Thick, Green}}, Frame → True,
  Axes → False, FrameLabel → {"Nominal pulse duration [fs]", "Average Charge State"},
  LabelStyle → {FontFamily → "Arial"},
  PlotLegend → {"Experiment", "Theory", "Theory without DCHs"},
  LegendPosition → {0.1, -0.35}, LegendSize → {0.7, 0.3},
  LegendTextSpace → 5, LegendShadow → None]
```



```
graphatm = ListPlot[{atmchrgTheory, atmchrgTheorynoDCH},
  Joined → True, PlotRange → All, PlotMarkers → Automatic,
  PlotStyle → {{Thick, Dotted, Blue}, {Thick, Dotted, Magenta}}, Frame → True,
  Axes → False, FrameLabel → {"Nominal pulse duration [fs]", "Average Charge State"},
  LabelStyle → {FontFamily → "Arial"}]
```



```
ListPlot[{chrgExpt, atmchrgTheory}, Joined → True, PlotRange → All,
  PlotMarkers → Automatic, PlotStyle → {{Thick, Black}, {Thick, Red}}, Frame → True,
  Axes → False, FrameLabel → {"Pulse duration [fs]", "Average Charge State"},
  LabelStyle → {FontFamily → "Arial"}, PlotLegend → {"Experiment", "Theory"},
  LegendPosition → {0.1, -0.34}, LegendSize → {0.7, 0.2},
  LegendTextSpace → 5, LegendShadow → None]
```



Symmetric-sharing model

■ Individual charge-state plots

4 fs, 0.15 mJ, 1.1 keV

```
imoly4v1 = imolionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 0.5 * 4 / t0ToFemtoSecond, nintdata, True]
imoly4normv1 := 1 / Total[imoly4v1[[2 ;;]]] * imoly4v1;
```

```
{0.978614, 0.00083352, 0.0171142, 0.000336473, 0.00267367,
  0.000102137, 0.000290933, 0.000017552, 0.0000155351, 1.41143 × 10-6,
  5.27084 × 10-8, 9.58868 × 10-10, 8.11636 × 10-12, 2.43961 × 10-14, 2.36494 × 10-17}
```

```

imoly4v2 = imolionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 0.8 * 4 / t0ToFemtoSecond, nintdata, True]
imoly4normv2 := 1 / Total[imoly4v2[[2 ;;]]] * imoly4v2;
{0.978614, 0.00083352, 0.0170803, 0.000331945, 0.00269382,
  0.000109577, 0.000297937, 0.00002016, 0.0000164503, 1.75552 × 10-6,
  8.0725 × 10-8, 1.87962 × 10-9, 2.11891 × 10-11, 8.78011 × 10-14, 1.18631 × 10-16}
imoly4v3 = imolionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 1 * 4 / t0ToFemtoSecond, nintdata, True]
imoly4normv3 := 1 / Total[imoly4v3[[2 ;;]]] * imoly4v3;
{0.978614, 0.00083352, 0.0170599, 0.000329221, 0.00270633,
  0.000113667, 0.000302251, 0.0000215936, 0.0000170249, 1.95564 × 10-6,
  9.89804 × 10-8, 2.57536 × 10-9, 3.29937 × 10-11, 1.57088 × 10-13, 2.44697 × 10-16}
imoly4v4 = imolionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 2 * 4 / t0ToFemtoSecond, nintdata, True]
imoly4normv4 := 1 / Total[imoly4v4[[2 ;;]]] * imoly4v4;
{0.978614, 0.00083352, 0.0169785, 0.000318356, 0.00275832,
  0.000127884, 0.000319954, 0.0000265593, 0.0000194779, 2.72443 × 10-6,
  1.80873 × 10-7, 6.41854 × 10-9, 1.17855 × 10-10, 8.14433 × 10-13, 1.84509 × 10-15}
imoly4v5 = imolionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 10 * 4 / t0ToFemtoSecond, nintdata, True]
imoly4normv5 := 1 / Total[imoly4v5[[2 ;;]]] * imoly4v5;
{0.978614, 0.00083352, 0.0167691, 0.000290224, 0.00289631,
  0.000160923, 0.000365782, 0.0000375985, 0.0000266664, 4.88045 × 10-6,
  4.82206 × 10-7, 2.64759 × 10-8, 8.14723 × 10-10, 9.57324 × 10-12, 3.68946 × 10-14}
imoly4noDCHv1 = imolionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 0.5 * 4 / t0ToFemtoSecond, nintdata, False]
imoly4normnoDCHv1 := 1 / Total[imoly4noDCHv1[[2 ;;]]] * imoly4noDCHv1;
{0.978614, 0.00083352, 0.0179832, 0.000362382, 0.0020756,
  0.0000643163, 0.0000636836, 2.1955 × 10-6, 6.35742 × 10-7, 2.2211 × 10-8,
  2.34464 × 10-10, 1.158 × 10-12, 1.38251 × 10-14, 1.60926 × 10-17, 2.35028 × 10-19}
imoly4noDCHv2 = imolionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 0.8 * 4 / t0ToFemtoSecond, nintdata, False]
imoly4normnoDCHv2 := 1 / Total[imoly4noDCHv2[[2 ;;]]] * imoly4noDCHv2;
{0.978614, 0.00083352, 0.0178813, 0.000355783, 0.00215028,
  0.0000656212, 0.0000941418, 3.42349 × 10-6, 1.41049 × 10-6, 5.61381 × 10-8,
  6.87671 × 10-10, 4.40669 × 10-12, 5.70854 × 10-14, 9.37881 × 10-17, 1.37979 × 10-18}
imoly4noDCHv3 = imolionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 1 * 4 / t0ToFemtoSecond, nintdata, False]
imoly4normnoDCHv3 := 1 / Total[imoly4noDCHv3[[2 ;;]]] * imoly4noDCHv3;
{0.978614, 0.00083352, 0.0178202, 0.000351816, 0.00219503,
  0.0000666343, 0.000112059, 4.21144 × 10-6, 2.01846 × 10-6, 8.65839 × 10-8,
  1.15242 × 10-9, 8.20574 × 10-12, 1.11368 × 10-13, 2.12328 × 10-16, 3.13861 × 10-18}
imoly4noDCHv4 = imolionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 2 * 4 / t0ToFemtoSecond, nintdata, False]
imoly4normnoDCHv4 := 1 / Total[imoly4noDCHv4[[2 ;;]]] * imoly4noDCHv4;
{0.978614, 0.00083352, 0.0175776, 0.000336036, 0.00237159,
  0.0000727732, 0.000180368, 7.8324 × 10-6, 5.45275 × 10-6, 3.12996 × 10-7,
  5.65145 × 10-9, 5.21127 × 10-11, 8.40631 × 10-13, 2.38159 × 10-15, 3.59887 × 10-17}

```

```

imoly4noDCHv5 = imolionyieldcrateranalysis[optdamp4 * 0.15 * MilliJouleToHartree,
  1100 * eVToHartree, 10 * 4 / t0ToFemtoSecond, nintdata, False]
imoly4normnoDCHv5 := 1 / Total[imoly4noDCHv5[[2 ;;]]] * imoly4noDCHv5;

```

```


{0.978614, 0.00083352, 0.0169636, 0.000295706, 0.00279594,
  0.000119315, 0.000329287, 0.0000250417, 0.0000202962, 2.69508 × 10-6,
  1.09936 × 10-7, 1.48663 × 10-9, 3.67242 × 10-11, 1.90883 × 10-13, 3.21426 × 10-15}

```

```

GraphicsRow[{BarChart[normOleg4, PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[imoly4normmv1[[2 ;;]], PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}],
  BarChart[imoly4normnoDCHv1[[2 ;;]], PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}]]]


```



```

GraphicsRow[{BarChart[normOleg4, PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[imoly4normmv2[[2 ;;]], PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}],
  BarChart[imoly4normnoDCHv2[[2 ;;]], PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}]]]


```




```

GraphicsRow[{BarChart[normOleg4, PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[imoly4normmv3[[2 ;;]], PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}],
  BarChart[imoly4normnoDCHv3[[2 ;;]], PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}]]]


```



```
GraphicsRow[{BarChart[normOleg4, PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[imoly4normv4[[2 ;;]], PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}],
  BarChart[imoly4normnoDCHv4[[2 ;;]], PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}]]]
```



```
GraphicsRow[{BarChart[normOleg4, PlotRange → {-0.2, 1},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[imoly4normv5[[2 ;;]], PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}],
  BarChart[imoly4normnoDCHv5[[2 ;;]], PlotRange → {-0.2, 1}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}]]]
```



7 fs, 0.26 mJ, 1.1 keV

```
imoly7v1 = imolionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 0.3 * 7 / t0ToFemtoSecond, nintdata, True]
```

```
imoly7normv1 := 1 / Total[imoly7v1[[2 ;;]]] * imoly7v1;
```

```
{0.977467, 0.000867423, 0.0178349, 0.000370047, 0.00295345,
  0.000120621, 0.000343, 0.0000222988, 0.0000196536, 1.93447 × 10-6,
  7.87971 × 10-8, 1.57132 × 10-9, 1.46449 × 10-11, 4.86539 × 10-14, 5.21941 × 10-17}
```

```
imoly7v2 = imolionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 0.6 * 7 / t0ToFemtoSecond, nintdata, True]
```

```
imoly7normv2 := 1 / Total[imoly7v2[[2 ;;]]] * imoly7v2;
```

```
{0.977467, 0.000867423, 0.017773, 0.000361689, 0.00298879,
  0.000134341, 0.000356352, 0.0000274355, 0.0000215696, 2.67998 × 10-6,
  1.47804 × 10-7, 4.20555 × 10-9, 5.91322 × 10-11, 3.09415 × 10-13, 5.29901 × 10-16}
```

```
imoly7v3 = imolionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 1 * 7 / t0ToFemtoSecond, nintdata, True]
```

```
imoly7normv3 := 1 / Total[imoly7v3[[2 ;;]]] * imoly7v3;
```

```
{0.977467, 0.000867423, 0.0177082, 0.000352921, 0.00302812,
  0.000146468, 0.000370957, 0.0000319605, 0.0000237535, 3.42004 × 10-6,
  2.30977 × 10-7, 8.2884 × 10-9, 1.52462 × 10-10, 1.05438 × 10-12, 2.391 × 10-15}
```

```
imoly7v4 = imolionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 2 * 7 / t0ToFemtoSecond, nintdata, True]
```

```
imoly7normv4 := 1 / Total[imoly7v4[[2 ;;]]] * imoly7v4;
```

```
{0.977467, 0.000867423, 0.0176019, 0.000338512, 0.00309539,
  0.000163724, 0.00039547, 0.000038299, 0.0000276547, 4.62296 × 10-6,
  3.91306 × 10-7, 1.81024 × 10-8, 4.49999 × 10-10, 4.19755 × 10-12, 1.27923 × 10-14}
```

```

imoly7v5 = imolionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 10 * 7 / t0ToFemtoSecond, nintdata, True]
imoly7normv5 := 1 / Total[imoly7v5[[2 ;;]]] * imoly7v5;
{0.977467, 0.000867423, 0.0174111, 0.000312504, 0.00321278,
  0.000198401, 0.000437633, 0.0000502589, 0.0000352323, 7.25012 × 10-6,
  8.18601 × 10-7, 5.16418 × 10-8, 1.84168 × 10-9, 2.57477 × 10-11, 1.19229 × 10-13}

imoly7noDCHv1 = imolionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 0.3 * 7 / t0ToFemtoSecond, nintdata, False]
imoly7normnoDCHv1 := 1 / Total[imoly7noDCHv1[[2 ;;]]] * imoly7noDCHv1;
{0.977467, 0.000867423, 0.0187888, 0.000400259, 0.00231804,
  0.0000763262, 0.0000788051, 2.90756 × 10-6, 8.77138 × 10-7, 3.30002 × 10-8,
  3.76634 × 10-10, 2.04051 × 10-12, 2.61952 × 10-14, 3.3707 × 10-17, 5.26185 × 10-19}

imoly7noDCHv2 = imolionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 0.6 * 7 / t0ToFemtoSecond, nintdata, False]
imoly7normnoDCHv2 := 1 / Total[imoly7noDCHv2[[2 ;;]]] * imoly7noDCHv2;
{0.977467, 0.000867423, 0.0186023, 0.000387865, 0.00245056,
  0.0000790879, 0.000137729, 5.55936 × 10-6, 2.75542 × 10-6, 1.28116 × 10-7,
  1.85385 × 10-9, 1.43661 × 10-11, 2.10407 × 10-13, 4.40675 × 10-16, 6.9669 × 10-18}


imoly7noDCHv3 = imolionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 1 * 7 / t0ToFemtoSecond, nintdata, False]
imoly7normnoDCHv3 := 1 / Total[imoly7noDCHv3[[2 ;;]]] * imoly7noDCHv3;
{0.977467, 0.000867423, 0.018408, 0.000374901, 0.002588,
  0.0000838805, 0.000196324, 8.78612 × 10-6, 5.7819 × 10-6, 3.32106 × 10-7,
  6.00143 × 10-9, 5.64926 × 10-11, 9.38626 × 10-13, 2.64441 × 10-15, 4.2469 × 10-17}

imoly7noDCHv4 = imolionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 2 * 7 / t0ToFemtoSecond, nintdata, False]
imoly7normnoDCHv4 := 1 / Total[imoly7noDCHv4[[2 ;;]]] * imoly7noDCHv4;
{0.977467, 0.000867423, 0.018092, 0.000353712, 0.00280802,
  0.0000978117, 0.000284886, 0.0000156289, 0.0000128556, 1.05095 × 10-6,
  2.69384 × 10-8, 3.07736 × 10-10, 6.20231 × 10-12, 2.40456 × 10-14, 3.99399 × 10-16}


imoly7noDCHv5 = imolionyieldcrateranalysis[optdamp7 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 10 * 7 / t0ToFemtoSecond, nintdata, False]
imoly7normnoDCHv5 := 1 / Total[imoly7noDCHv5[[2 ;;]]] * imoly7noDCHv5;
{0.977467, 0.000867423, 0.0175368, 0.000316185, 0.00315856,
  0.00016592, 0.00041314, 0.0000400537, 0.0000297763, 5.26264 × 10-6,
  2.85362 × 10-7, 4.65835 × 10-9, 1.37253 × 10-10, 8.90774 × 10-13, 1.68573 × 10-14}

GraphicsRow[{BarChart[normOleg7, PlotRange → {-0.2, 0.8},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[imoly7normv1[[2 ;;]], PlotRange → {-0.2, 0.8}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}],
  BarChart[imoly7normnoDCHv1[[2 ;;]], PlotRange → {-0.2, 0.8}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}]}]}


```




```
GraphicsRow[{BarChart[normOleg7, PlotRange -> {-0.2, 0.8},
  ChartLabels -> {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[imoly7normv2[[2 ;;]], PlotRange -> {-0.2, 0.8}, ChartLabels -> {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}],
  BarChart[imoly7normnoDCHv2[[2 ;;]], PlotRange -> {-0.2, 0.8}, ChartLabels -> {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}]}}
```




```
GraphicsRow[{BarChart[normOleg7, PlotRange -> {-0.2, 0.8},
  ChartLabels -> {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[imoly7normv3[[2 ;;]], PlotRange -> {-0.2, 0.8}, ChartLabels -> {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}],
  BarChart[imoly7normnoDCHv3[[2 ;;]], PlotRange -> {-0.2, 0.8}, ChartLabels -> {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}]}}
```



```
GraphicsRow[{BarChart[normOleg7, PlotRange -> {-0.2, 0.8},
  ChartLabels -> {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[imoly7normv4[[2 ;;]], PlotRange -> {-0.2, 0.8}, ChartLabels -> {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}],
  BarChart[imoly7normnoDCHv4[[2 ;;]], PlotRange -> {-0.2, 0.8}, ChartLabels -> {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}]}}
```



```
GraphicsRow[{BarChart[normOleg7, PlotRange -> {-0.2, 0.8},
  ChartLabels -> {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[imoly7normv5[[2 ;;]], PlotRange -> {-0.2, 0.8}, ChartLabels -> {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}],
  BarChart[imoly7normnoDCHv5[[2 ;;]], PlotRange -> {-0.2, 0.8}, ChartLabels -> {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}]}}
```



80 fs, 0.26 mJ, 1.1 keV

```

imoly80 = imolionyieldcrateranalysis[optdamp80 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 80 / t0ToFemtoSecond, nintdata, True]
imoly80norm := 1 / Total[imoly80[[2 ;;]]] * imoly80;

```

```

{0.968285, 0.00109844, 0.0220804, 0.000560027, 0.00581114,
  0.000543207, 0.00119863, 0.000211757, 0.000153946, 0.0000478241,
  8.6114 × 10-6, 8.75247 × 10-7, 5.067 × 10-8, 1.14788 × 10-9, 8.60671 × 10-12}

```

```

imoly80noDCH = imolionyieldcrateranalysis[optdamp80 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 80 / t0ToFemtoSecond, nintdata, False]
imoly80normnoDCH := 1 / Total[imoly80noDCH[[2 ;;]]] * imoly80noDCH;

```

```


{0.968285, 0.00109844, 0.02228, 0.000568692, 0.00578529,
  0.000476187, 0.00115198, 0.000180727, 0.000131739, 0.0000382293,
  3.45813 × 10-6, 8.95272 × 10-8, 4.30491 × 10-9, 4.47385 × 10-11, 1.3694 × 10-12}

```

```

GraphicsRow[{BarChart[normOleg80, PlotRange → {-0.2, 0.8},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[imoly80norm[[2 ;;]], PlotRange → {-0.2, 0.8}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}],
  BarChart[imoly80normnoDCH[[2 ;;]], PlotRange → {-0.2, 0.8}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}]}]

```



280 fs, 0.26 mJ, 1.1 keV

```

imoly280 = imolionyieldcrateranalysis[optdamp280 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 280 / t0ToFemtoSecond, nintdata, True]
imoly280norm := 1 / Total[imoly280[[2 ;;]]] * imoly280;

```

```

{0.963123, 0.00119759, 0.0240005, 0.000693249, 0.00737736,
  0.00087296, 0.00185482, 0.000420836, 0.00030548, 0.000120621,
  0.0000289629, 4.0282 × 10-6, 3.28117 × 10-7, 1.18271 × 10-8, 1.4901 × 10-10}

```

```

imoly280noDCH = imolionyieldcrateranalysis[optdamp280 * 0.26 * MilliJouleToHartree,
  1100 * eVToHartree, 280 / t0ToFemtoSecond, nintdata, False]
imoly280normnoDCH := 1 / Total[imoly280noDCH[[2 ;;]]] * imoly280noDCH;

```

```


{0.963123, 0.00119759, 0.0240722, 0.000696852, 0.00738765,
  0.000879909, 0.00180447, 0.000427943, 0.000269426, 0.000121958,
  0.0000179165, 7.65503 × 10-7, 5.3669 × 10-8, 9.48188 × 10-10, 3.97662 × 10-11}

```

```

GraphicsRow[{BarChart[normOleg280, PlotRange → {-0.03, 0.6},
  ChartLabels → {"N+", "N2+", "N3+", "N4+", "N5+", "N6+", "N7+"}],
  BarChart[imoly280norm[[2 ;;]], PlotRange → {-0.03, 0.6}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}],
  BarChart[imoly280normnoDCH[[2 ;;]], PlotRange → {-0.03, 0.6}, ChartLabels → {"N+", "N2+",
    "N3+", "N4+", "N5+", "N6+", "N7+", "N8+", "N9+", "N10+", "N11+", "N12+", "N13+", "N14+"}]}]

```



■ Average charge state plot

```

makeave[imolyi_] := Module[{prob, yi},
  prob = imolatomicprob[imolyi];
  yi = 1 / Total[prob[[2 ;;]]] * prob;
  Total[yi * chgStates]
]

imoltheoryAveChrg =
  {makeave[imoly4v3], makeave[imoly7v3], makeave[imoly80], makeave[imoly280]}
{1.17923, 1.19594, 1.33692, 1.4209}

imoltheoryAveChrgnoDCH = {makeave[imoly4noDCHv3],
  makeave[imoly7noDCHv3], makeave[imoly80noDCH], makeave[imoly280noDCH]}
{1.12933, 1.15088, 1.32353, 1.41472}

imolmoreave4 = {{4, makeave[imoly4v1]},
  {4, makeave[imoly4v2]}, {4, makeave[imoly4v4]}, {4, makeave[imoly4v5]}}
{{4, 1.17515}, {4, 1.17771}, {4, 1.18524}, {4, 1.20066}}

imolmoreave7 = {{7, Total[imoly7v1]},
  {7, Total[imoly7v2]}, {7, makeave[imoly7v4]}, {7, makeave[imoly7v5]}}
{{7, 1.}, {7, 1.}, {7, 1.20352}, {7, 1.21729}}


imolmoreave4noDCH = {{4, makeave[imoly4noDCHv1]}, {4, makeave[imoly4noDCHv2]},
  {4, makeave[imoly4noDCHv4]}, {4, makeave[imoly4noDCHv5]}}
{{4, 1.11866}, {4, 1.12532}, {4, 1.14529}, {4, 1.18669}}

imolmoreave7noDCH = {{7, makeave[imoly7noDCHv1]}, {7, makeave[imoly7noDCHv2]},
  {7, makeave[imoly7noDCHv4]}, {7, makeave[imoly7noDCHv5]}}
{{7, 1.12671}, {7, 1.13852}, {7, 1.17117}, {7, 1.20819}}


imolchrgTheory := Partition[Riffle[{4, 7, 80, 280}, imoltheoryAveChrg], 2]
imolchrgTheorynoDCH := Partition[Riffle[{4, 7, 80, 280}, imoltheoryAveChrgnoDCH], 2]

ListPlot[{chgExpt, imolchrgTheory, imolchrgTheorynoDCH,
  imolmoreave4, imolmoreave7, imolmoreave4noDCH, imolmoreave7noDCH},
  Joined → True, PlotRange → All, PlotMarkers → Automatic,
  PlotStyle → {{Thick, Black}, {Thick, Red}, {Thick, Green}, {Thick, Blue},
  {Thick, Magenta}, {Thick, Brown}, {Thick, Cyan}}, Frame → True, Axes → False,
  FrameLabel → {"Nominal pulse duration [fs]", "Average Charge State"},
  LabelStyle → {FontFamily → "Arial"},
  PlotLegend → {"Experiment", "Theory", "Theory without DCHs", "Variation",
  "Variation without DCHs", "Variation", "Variation without DCHs"},
  LegendPosition → {0, -0.35}, LegendSize → {0.8, 0.5},
  LegendTextSpace → 5, LegendShadow → None]


```




```
ListPlot[{chrgExpt, imolchrgTheory, imolchrgTheorynoDCH},
  Joined → True, PlotRange → All, PlotMarkers → Automatic,
  PlotStyle → {{Thick, Black}, {Thick, Red}, {Thick, Green}}, Frame → True,
  Axes → False, FrameLabel → {"Nominal pulse duration [fs]", "Average Charge State"},
  LabelStyle → {FontFamily → "Arial"},
  PlotLegend → {"Experiment", "Theory", "Theory without DCHs"},
  LegendPosition → {0.1, -0.35}, LegendSize → {0.7, 0.3},
  LegendTextSpace → 5, LegendShadow → None]
```



```
graphimol = ListPlot[{imolchrgTheory, imolchrgTheorynoDCH},
  Joined → True, PlotRange → All, PlotMarkers → Automatic,
  PlotStyle → {{Thick, Dotted, Blue}, {Thick, Dotted, Magenta}}, Frame → True,
  Axes → False, FrameLabel → {"Nominal pulse duration [fs]", "Average Charge State"},
  LabelStyle → {FontFamily → "Arial"}]
```



```
ListPlot[{chrgExpt, imolchrgTheory}, Joined → True, PlotRange → All,
PlotMarkers → Automatic, PlotStyle → {{Thick, Black}, {Thick, Red}}, Frame → True,
Axes → False, FrameLabel → {"Pulse duration [fs]", "Average Charge State"},
LabelStyle → {FontFamily → "Arial"}, PlotLegend → {"Experiment", "Theory"},
LegendPosition → {0.1, -0.34}, LegendSize → {0.7, 0.2},
LegendTextSpace → 5, LegendShadow → None]
```




Presentation graphics

Comparison of average charge state among experimental data, fragmentation matrix parametrized for 4 fs and 280 fs pulses and the lower-limit model

```
contplt = ListPlot[{chrgExpt, atmchrgTheory, imolchrgTheory, frmachrgTheory}, Joined → True,
PlotRange → All, PlotMarkers → None, PlotStyle → {{Thick, Black}, {Thick, Red},
{Thick, Green}, {Thick, Blue}, {Thick, Magenta}}, Frame → True, Axes → False,
FrameLabel → {"Pulse duration [fs]", "Average charge state  $\bar{q}$ "}, LabelStyle →
{FontFamily → "Arial", FontSlant → Plain, FontSize → 16}, InterpolationOrder → 3];

markerplt = ListPlot[{chrgExpt, atmchrgTheory, imolchrgTheory, frmachrgTheory},
Joined → False, PlotRange → All, PlotMarkers → {Automatic, Medium}, PlotStyle →
{{Thick, Black}, {Thick, Red}, {Thick, Green}, {Thick, Blue}, {Thick, Magenta}}, Frame →
True, Axes → False, FrameLabel → {"Pulse duration [fs]", "Average charge state  $\bar{q}$ "},
LabelStyle → {FontFamily → "Arial", FontSlant → Plain, FontSize → 16}];
```


```
Show[contplt, markerplt]
```



```
logcontplt = ListLogLinearPlot[{chrgExpt, atmchrgTheory, imolchrgTheory, frmachrgTheory},
  Joined -> True, PlotRange -> {{3.7, 300}, {1.1, 2.42}}, PlotMarkers -> None, PlotStyle ->
  {{Thick, Black}, {Thick, Red}, {Thick, Green}, {Thick, Blue}, {Thick, Magenta}}, Frame ->
  True, Axes -> False, FrameLabel -> {"Pulse duration [fs]", "Average charge state  $\bar{q}$ "},
  LabelStyle -> {FontFamily -> "Arial", FontSlant -> Plain, FontSize -> 16}, FrameTicks ->
  {{Automatic, Automatic}, {{5, 10, 30, 100, 300}, {}}}, InterpolationOrder -> 3];
```

```
logmarkerplt = ListLogLinearPlot[{chrgExpt, atmchrgTheory, imolchrgTheory, frmachrgTheory},
  Joined -> False, PlotRange -> {{3.7, 300}, {1.1, 2.42}},
  PlotMarkers -> {Automatic, Medium}, PlotStyle -> {{Thick, Black}, {Thick, Red},
  {Thick, Green}, {Thick, Blue}, {Thick, Magenta}}, Frame -> True,
  Axes -> False, FrameLabel -> {"Pulse duration [fs]", "Average charge state  $\bar{q}$ "},
  LabelStyle -> {FontFamily -> "Arial", FontSlant -> Plain, FontSize -> 16},
  FrameTicks -> {{Automatic, Automatic}, {{5, 10, 30, 100, 300}, {}}};
```

```
Show[logcontplt, logmarkerplt]
```



```

logcontpltlegend =
  ListLogLinearPlot[{chrgExpt, atmchrgTheory, imolchrgTheory, frmachrgTheory},
    Joined → True, PlotRange → {{3.7, 300}, {1.1, 2.42}}, PlotMarkers → None, PlotStyle →
      {{Thick, Black}, {Thick, Red}, {Thick, Green}, {Thick, Blue}, {Thick, Magenta}}, Frame →
      True, Axes → False, FrameLabel → {"Pulse duration [fs]", "Average charge state  $\bar{q}$ "},
    LabelStyle → {FontFamily → "Arial", FontSlant → Plain, FontSize → 16}, FrameTicks →
      {{Automatic, Automatic}, {{5, 10, 30, 100, 300}, {}}}, InterpolationOrder → 3,
    PlotLegend → {"Experiment", "Atom", "Frag. matrix 280 fs", "Frag. matrix 4 fs", "Lower limit"},
    LegendPosition → {0.6, -0.25}, LegendSize → {0.75, 0.6},
    LegendTextSpace → 7, LegendShadow → None];

logmarkerpltlegend =
  ListLogLinearPlot[{chrgExpt, atmchrgTheory, imolchrgTheory, frmachrgTheory},
    Joined → False, PlotRange → {{3.7, 300}, {1.1, 2.42}},
    PlotMarkers → {Automatic, Medium}, PlotStyle → {{Thick, Black}, {Thick, Red},
      {Thick, Green}, {Thick, Blue}, {Thick, Magenta}}, Frame → True,
    Axes → False, FrameLabel → {"Pulse duration [fs]", "Average charge state  $\bar{q}$ "},
    LabelStyle → {FontFamily → "Arial", FontSlant → Plain, FontSize → 16},
    FrameTicks → {{Automatic, Automatic}, {{5, 10, 30, 100, 300}, {}}},
    PlotLegend → {"Experiment", "Atom", "Frag. matrix 280 fs", "Frag. matrix 4 fs", "Lower limit"},
    LegendPosition → {0.6, -0.25}, LegendSize → {0.75, 0.6},
    LegendTextSpace → 7, LegendShadow → None];

Show[logcontpltlegend, logmarkerpltlegend]

```

