
Supplementary Information to Discovery of Standstills in the SU UMa-Type Dwarf Nova NY Serpentis

T. Kato et al.

Received ; Accepted

Abstract

This is Supplementary Information to Discovery of Standstills in the SU UMa-Type Dwarf Nova NY Serpentis (online only)

E-section 1 Data analysis

The data analysis was performed in the same way described in Kato et al. (2009) and Kato et al. (2014) and we used R software¹ for data analysis.

In de-trending the data, we used locally-weighted polynomial regression (LOWESS; Cleveland 1979). The times of superhumps maxima were determined by the template fitting method as described in Kato et al. (2009). The times of all observations are expressed in barycentric Julian days (BJD).

We used phase dispersion minimization (PDM; Stellingwerf 1978) for period analysis and 1σ errors for the PDM analysis was estimated by the methods of Fernie (1989) and Kato et al. (2010).

E-section 2 Superhump excess and disk radius

This part is an excerpt from Kato and Osaki (2013). The dynamical precession rate is a function of the disk radius and the mass ratio, and observing the dynamical precession rate (ϵ^* in the text), we can determine the mass ratio from the disk radius and vice versa.

The dynamical precession rate, $\omega_{\text{dyn}}(\omega_{\text{dyn}}/\omega_{\text{orb}} = \epsilon^*$, when the pressure effect can be neglected) at radius r in the disk can be expressed by

$$\begin{aligned}\omega_{\text{dyn}}/\omega_{\text{orb}} &= \frac{q}{\sqrt{1+q}} \left[\frac{1}{4} \frac{1}{\sqrt{r}} \frac{d}{dr} \left(r^2 \frac{db_{1/2}^{(0)}}{dr} \right) \right] \\ &= \frac{q}{\sqrt{1+q}} \left[\frac{1}{4} \sqrt{r} b_{3/2}^{(1)} \right].\end{aligned}\quad (\text{E1})$$

¹ The R Foundation for Statistical Computing:
<<http://cran.r-project.org/>>.

where r is the dimensionless radius measured in units of the binary separation A , ω_{orb} is the angular frequency of the binary motion, and $\frac{1}{2}b_{s/2}^{(j)}$ is the Laplace coefficient

$$\frac{1}{2}b_{s/2}^{(j)}(r) = \frac{1}{2\pi} \int_0^{2\pi} \frac{\cos(j\phi)d\phi}{(1+r^2-2r\cos\phi)^{s/2}}, \quad (\text{E2})$$

respectively.

References

- Cleveland, W. S. 1979, J. Amer. Statist. Assoc., 74, 829
- Fernie, J. D. 1989, PASP, 101, 225
- Kato, T., et al. 2014, PASJ, 66, 90
- Kato, T., et al. 2009, PASJ, 61, S395
- Kato, T., et al. 2010, PASJ, 62, 1525
- Kato, T., & Osaki, Y. 2013, PASJ, 65, 115
- Osaki, Y., & Kato, T. 2013a, PASJ, 65, 50
- Osaki, Y., & Kato, T. 2013b, PASJ, 65, 95
- Stellingwerf, R. F. 1978, ApJ, 224, 953

E-table 1. Log of Observations

Start*	End*	Mean mag	error	N^\dagger	Observer [‡]	Filter
58172.2051	58172.3539	0.178	0.007	62	KU1	Ic
58172.3470	58172.3650	1.809	0.003	25	OKU	C
58172.4283	58172.6312	15.224	0.004	75	Skl	C
58173.1422	58173.3660	0.134	0.004	283	KU1	Ic
58173.1464	58173.3629	1.832	0.001	289	OKU	C
58176.1463	58176.3650	1.837	0.001	292	OKU	C
58176.1617	58176.3192	0.159	0.003	212	KU1	Ic
58177.1520	58177.3648	1.782	0.001	285	OKU	C
58177.1589	58177.3626	0.118	0.006	225	KU1	Ic
58179.2626	58179.3585	1.863	0.002	129	OKU	C
58180.1488	58180.3579	1.839	0.002	278	OKU	C
58181.1353	58181.3563	1.813	0.002	295	OKU	C
58183.4633	58183.5174	15.466	0.003	74	CRI	C
58184.1627	58184.3455	1.844	0.001	241	OKU	C
58185.4194	58185.5209	15.413	0.002	138	CRI	C
58187.4367	58187.5810	15.906	0.005	63	BSM	C
58188.1362	58188.3521	1.856	0.001	286	OKU	C
58188.1567	58188.1926	-0.202	0.004	49	KU1	C
58189.0737	58189.3176	-0.186	0.003	324	KU1	C
58189.1544	58189.3482	1.828	0.001	260	OKU	C
58189.4367	58189.6208	15.431	0.002	412	CRI	C
58190.1614	58190.3537	-0.224	0.003	257	KU1	C
58190.1666	58190.3493	1.808	0.002	244	OKU	C
58191.1314	58191.3442	1.848	0.001	283	OKU	C
58191.1503	58191.3425	-0.171	0.004	130	KU1	C
58191.3731	58191.4631	15.322	0.011	17	Skl	C
58192.1289	58192.3424	1.896	0.002	276	OKU	C
58193.3988	58193.5967	15.412	0.001	268	CRI	C
58194.2151	58194.3342	1.752	0.002	160	OKU	C
58194.3673	58194.4036	15.410	0.004	50	CRI	C
58194.4061	58194.4200	15.153	0.010	7	Skl	C
58195.1283	58195.3449	1.781	0.001	288	OKU	C
58200.2597	58200.2994	1.008	0.001	54	OKU	C
58200.4858	58200.6102	14.688	0.005	116	Lis	R
58201.1275	58201.3317	1.042	0.003	509	OKU	C
58201.4211	58201.5890	-1.038	0.003	217	DPV	C
58201.4781	58201.5910	14.709	0.005	260	Lis	R
58202.1394	58202.3334	1.195	0.003	260	OKU	C
58202.1498	58202.2489	-0.841	0.004	134	KU1	C
58202.3831	58202.4990	14.833	0.004	211	Lis	R
58202.3980	58202.6087	-0.911	0.003	271	DPV	C
58203.1304	58203.3355	1.242	0.003	187	OKU	C
58203.3256	58203.5027	14.880	0.002	240	CRI	C
58203.3739	58203.4470	-0.813	0.003	93	DPV	C
58203.6130	58203.6347	15.030	0.005	27	RPc	C
58203.7490	58203.9045	15.186	0.004	130	MZK	C

*BJD–2400000

†Number of observations.

‡Observer's code (observations with magnitude larger than 10 reported real magnitudes and others reported differential ones): BSM (S. Brincat), CRI, CR2 (Crimean Astrophys. Obs), DKS (S. Dvorak), DPV (P. Dubovsky), IMi (I. Miller), KU1 (Kyoto U.), Kai (K. Kasai), Kaz (Kazan' Obs.), Lis (Lisnyky Obs.), MZK (K. Menzies), May (Mayaki Obs.), OKU (Osaka Kyoiku U.), RPc (R. Pickard), Skl (A. Sklyanov), Ter (Terskol Obs.), deM (E. de Miguel), BJA is an AAVSO observer,

E-table 1. Log of Observations (continued)

Start*	End*	Mean mag	error	N^\dagger	Observer [‡]	Filter
58204.1323	58204.3353	1.342	0.002	272	OKU	C
58205.1256	58205.3346	1.431	0.002	280	OKU	C
58206.1151	58206.3355	1.536	0.002	294	OKU	C
58206.1552	58206.2880	-0.468	0.004	179	KU1	C
58207.3303	58207.5282	15.273	0.003	268	CRI	C
58208.1273	58208.3341	1.802	0.002	277	OKU	C
58208.3083	58208.4479	15.445	0.003	179	CRI	C
58209.1572	58209.3288	2.215	0.006	229	OKU	C
58209.3750	58209.5436	15.733	0.008	73	SkI	C
58212.1275	58212.3246	2.208	0.004	264	OKU	C
58212.3886	58212.4894	15.854	0.004	134	CRI	C
58213.3860	58213.5098	16.407	0.007	168	CRI	C
58214.2959	58214.5247	16.567	0.014	99	SkI	C
58214.3374	58214.4696	16.671	0.009	68	CRI	C
58215.2862	58215.4658	16.747	0.008	125	CRI	C
58215.7823	58215.9336	16.925	0.007	185	BJA	C
58216.2976	58216.4209	15.411	0.002	167	CRI	C
58216.4561	58216.4670	-0.342	0.006	15	DPV	C
58217.2768	58217.4324	15.505	0.002	209	CRI	C
58217.4087	58217.5775	-0.105	0.003	216	DPV	C
58217.4558	58217.5421	15.519	0.004	34	May	R
58218.2473	58218.5201	15.874	0.004	119	SkI	C
58218.2907	58218.4557	16.038	0.003	218	CRI	C
58218.3249	58218.5753	0.438	0.006	320	DPV	C
58218.4192	58218.4811	16.022	0.005	27	May	R
58218.4261	58218.5580	16.006	0.005	267	Ter	C
58219.2892	58219.5181	16.522	0.006	100	SkI	C
58219.3815	58219.4670	16.608	0.005	36	May	R
58219.4056	58219.5300	16.586	0.005	316	Ter	C
58220.1261	58220.1305	3.203	0.015	5	OKU	C
58220.2801	58220.4182	16.615	0.008	186	CRI	C
58221.4252	58221.5904	16.429	0.008	224	CRI	C
58222.3770	58222.4874	15.377	0.002	150	CRI	C
58223.3931	58223.5257	15.417	0.003	178	CRI	C
58224.0886	58224.1013	2.164	0.010	13	OKU	C
58224.3895	58224.4770	15.954	0.004	119	CRI	C
58224.4474	58224.5008	15.913	0.004	123	Ter	C
58225.4717	58225.5272	16.745	0.006	118	Ter	C
58226.4063	58226.5534	16.913	0.009	214	Ter	C
58226.7111	58226.9098	17.288	0.009	137	DKS	C
58227.1077	58227.3093	3.285	0.005	207	OKU	C
58227.2972	58227.5502	1.198	0.007	169	DPV	C
58227.4402	58227.5476	17.137	0.007	117	deM	C
58228.2954	58228.5958	0.977	0.008	173	DPV	C
58228.7199	58228.9029	16.129	0.017	122	DKS	C
58228.7620	58228.9167	16.180	0.012	240	BJA	C
58229.1071	58229.3004	1.634	0.001	207	OKU	C
58229.2983	58229.5882	-0.552	0.002	184	DPV	C
58229.3822	58229.4170	15.147	0.009	39	CRI	C
58230.1012	58230.3050	1.793	0.003	214	OKU	C
58230.2953	58230.4883	-0.228	0.003	229	DPV	C
58230.3927	58230.5162	15.496	0.004	59	CRI	C
58231.1971	58231.3050	2.434	0.005	144	OKU	C
58231.3064	58231.5842	0.532	0.004	187	DPV	C
58231.3906	58231.5162	16.205	0.004	60	CRI	C

E-table 1. Log of Observations (continued)

Start*	End*	Mean mag	error	N^\dagger	Observer [‡]	Filter
58231.7628	58231.9134	16.924	0.005	200	BJA	C
58232.4840	58232.5730	16.928	0.013	43	CRI	C
58233.4613	58233.5614	16.990	0.010	48	CRI	C
58235.4651	58235.5696	16.532	0.007	50	CRI	C
58236.0765	58236.3033	1.594	0.003	212	OKU	C
58236.3325	58236.3410	15.100	0.013	5	CRI	C
58237.0971	58237.3024	1.678	0.002	247	OKU	C
58237.3537	58237.3666	15.354	0.008	10	CRI	C
58237.7677	58237.9134	15.946	0.003	227	BJA	C
58238.0997	58238.2279	2.147	0.005	115	OKU	C
58238.3099	58238.3530	15.932	0.008	31	CRI	C
58239.1066	58239.3026	3.021	0.008	135	OKU	C
58239.3985	58239.4114	16.893	0.018	10	CRI	C
58242.1198	58242.2893	3.222	0.008	79	OKU	C
58242.3045	58242.4558	1.111	0.006	102	DPV	C
58243.0988	58243.2929	1.590	0.002	260	OKU	C
58243.3453	58243.4951	-0.621	0.002	93	DPV	C
58244.1333	58244.2882	1.594	0.002	208	OKU	C
58244.3633	58244.5028	-0.413	0.002	95	DPV	C
58245.3187	58245.4983	0.129	0.005	118	DPV	C
58248.0703	58248.1571	3.542	0.008	112	OKU	C
58249.0985	58249.2557	3.179	0.005	208	OKU	C
58250.3174	58250.5338	-0.656	0.003	248	DPV	C
58251.1369	58251.1511	1.482	0.008	18	OKU	C
58251.3058	58251.3505	14.997	0.010	35	CRI	C
58251.3092	58251.4069	-0.587	0.002	124	DPV	C
58252.2845	58252.4735	15.471	0.004	89	CRI	C
58252.3133	58252.3652	-0.122	0.004	36	DPV	C
58253.1015	58253.2611	2.535	0.005	211	OKU	C
58253.3344	58253.5356	16.216	0.006	96	CRI	C
58254.2616	58254.3781	16.939	0.013	56	CRI	C
58255.2189	58255.2338	3.472	0.014	20	OKU	C
58255.2776	58255.3982	16.856	0.023	49	CRI	C
58256.1141	58256.2759	3.378	0.007	202	OKU	C
58257.3256	58257.4817	16.489	0.005	146	CRI	C
58258.2986	58258.3927	14.772	0.002	88	CRI	C
58259.3123	58259.3974	14.949	0.002	77	CRI	C
58260.1281	58260.1992	1.634	0.003	93	OKU	C
58260.4625	58260.4655	15.273	0.006	5	CRI	C
58261.2949	58261.3482	15.459	0.001	72	CRI	C
58262.3032	58262.3099	15.624	0.005	10	CRI	C
58263.2911	58263.2978	15.530	0.004	9	CRI	C
58264.3006	58264.3073	15.475	0.008	10	CRI	C
58264.9933	58265.2811	1.978	0.003	152	OKU	C
58265.2734	58265.2949	15.602	0.006	30	CRI	C
58266.2898	58266.2965	15.515	0.007	9	CRI	C
58268.2774	58268.2841	15.556	0.009	10	CRI	C
58269.3288	58269.3354	15.590	0.009	10	CRI	C
58270.3237	58270.3304	15.533	0.005	10	CRI	C
58270.9950	58271.0018	1.819	0.005	10	OKU	C
58271.2986	58271.3053	15.476	0.003	10	CRI	C
58271.9827	58271.9887	1.923	0.010	8	OKU	C
58272.3071	58272.3137	15.611	0.007	10	CRI	C
58273.2938	58273.3042	15.636	0.003	15	CRI	C
58273.9936	58273.9996	1.887	0.011	8	OKU	C

E-table 1. Log of Observations (continued)


Start*	End*	Mean mag	error	N^\dagger	Observer [‡]	Filter
58274.2844	58274.2948	15.446	0.006	15	CRI	C
58275.2991	58275.5153	15.422	0.006	190	CRI	C
58276.3176	58276.5013	15.558	0.002	249	CRI	C
58277.1142	58277.1209	1.928	0.006	10	OKU	C
58277.3583	58277.4324	15.530	0.002	101	CRI	C
58278.3138	58278.5354	15.536	0.001	1096	CRI	C
58278.9976	58279.0074	1.935	0.007	10	OKU	C
58279.3016	58279.4402	15.595	0.001	607	CRI	C
58280.3021	58280.5096	15.426	0.004	99	CRI	C
58281.3092	58281.5233	15.341	0.002	100	CRI	C
58282.1849	58282.1909	1.917	0.005	9	OKU	C
58282.3588	58282.5158	-0.116	0.003	147	CR2	C
58284.3160	58284.5152	15.348	0.003	87	CRI	C
58284.3260	58284.4916	15.277	0.003	99	SkI	C
58285.9986	58286.0053	1.870	0.004	10	OKU	C
58289.3102	58289.5219	15.449	0.002	101	CRI	C
58290.2991	58290.4579	15.347	0.004	75	CRI	C
58291.2984	58291.4441	15.297	0.003	88	SkI	C
58291.9937	58291.9991	1.922	0.013	4	OKU	C
58294.3176	58294.4531	15.406	0.004	65	CRI	C
58298.1535	58298.1595	2.049	0.011	9	OKU	C
58300.3142	58300.4324	15.307	0.005	67	SkI	C
58300.9807	58300.9874	1.940	0.007	10	OKU	C
58301.9666	58301.9719	1.955	0.009	7	OKU	C
58302.2875	58302.3746	15.504	0.002	118	CRI	C
58303.3006	58303.4688	15.484	0.002	228	CRI	C
58304.2886	58304.4034	15.492	0.002	156	CRI	C
58305.2899	58305.4270	15.608	0.002	169	CRI	C
58308.1017	58308.1069	1.800	0.009	8	OKU	C
58309.1546	58309.1622	1.914	0.006	7	OKU	C
58309.2954	58309.3021	15.514	0.005	10	CRI	C
58310.3594	58310.4919	15.680	0.006	190	SkI	C
58311.2958	58311.3023	15.581	0.004	10	CRI	C
58311.3655	58311.5411	15.817	0.003	241	Kai	C
58312.2818	58312.4041	15.417	0.003	164	CRI	C
58312.3709	58312.5367	15.672	0.003	221	Kai	C
58313.2799	58313.4015	15.163	0.002	163	CRI	C
58313.9593	58313.9653	1.204	0.007	9	OKU	C
58314.3804	58314.4697	14.537	0.009	114	CRI	C
58314.9607	58314.9667	0.825	0.010	6	OKU	C
58315.3584	58315.4278	14.618	0.010	68	CRI	C
58315.9782	58316.0466	1.001	0.012	36	OKU	C
58316.3934	58316.4119	14.545	0.013	9	SkI	C
58317.0611	58317.0739	1.136	0.015	15	OKU	C
58318.0563	58318.1379	1.155	0.004	102	OKU	C
58318.4187	58318.5148	14.887	0.004	130	IMi	C
58318.9691	58319.0545	1.250	0.004	115	OKU	C
58319.3349	58319.3488	14.728	0.008	40	CRI	C
58319.4164	58319.5289	14.964	0.003	148	IMi	C
58320.9690	58321.1247	1.428	0.004	140	OKU	C
58321.2681	58321.4104	15.072	0.003	191	CRI	C
58321.9992	58322.0059	1.470	0.006	10	OKU	C
58322.2650	58322.3718	15.200	0.002	142	CRI	C
58322.4103	58322.5146	15.279	0.004	137	IMi	C
58323.0696	58323.0748	1.702	0.007	7	OKU	C
58323.9558	58323.9618	1.735	0.010	9	OKU	C

E-table 1. Log of Observations (continued)

Start*	End*	Mean mag	error	N^\dagger	Observer [‡]	Filter
58325.3120	58325.3616	15.769	0.005	67	CRI	C
58325.4044	58325.5102	15.943	0.009	138	IMi	C
58326.2640	58326.4234	15.935	0.004	215	CRI	C
58328.2703	58328.3666	15.933	0.005	131	CRI	C
58328.9539	58328.9599	2.475	0.013	8	OKU	C
58329.9896	58329.9963	2.478	0.009	9	OKU	C
58330.3185	58330.4426	16.119	0.005	162	CRI	C
58330.9562	58330.9622	2.204	0.015	9	OKU	C
58331.3682	58331.3799	15.589	0.016	10	Lis	R
58331.9574	58331.9626	2.092	0.006	8	OKU	C
58332.2936	58332.4055	15.894	0.005	151	CRI	C
58332.9719	58332.9779	2.622	0.017	9	OKU	C
58333.3349	58333.3416	16.300	0.013	20	Lis	R
58333.9565	58333.9652	3.131	0.017	9	OKU	C
58334.3220	58334.3358	16.486	0.009	20	CRI	C
58334.3343	58334.3676	16.558	0.008	95	Lis	R
58334.9697	58335.1105	2.719	0.006	174	OKU	C
58335.3276	58335.3416	16.170	0.019	20	CRI	C
58335.4095	58335.4145	15.950	0.024	15	Lis	R
58335.9866	58336.0952	2.427	0.008	107	OKU	C
58336.2533	58336.2671	15.697	0.012	20	CRI	C
58336.3361	58336.3713	15.619	0.008	88	Lis	R
58336.9650	58337.0092	1.917	0.004	39	OKU	C
58337.2667	58337.4034	15.593	0.003	150	CRI	C
58337.9793	58338.0684	2.320	0.006	120	OKU	C
58338.2660	58338.3898	16.074	0.006	168	CRI	C
58339.2657	58339.4063	16.656	0.014	67	CRI	C
58339.3467	58339.4127	16.531	0.014	187	Lis	R
58340.2955	58340.3658	16.791	0.013	34	CRI	C
58340.3218	58340.4370	16.771	0.009	260	Lis	R
58340.9989	58341.0760	3.354	0.009	95	OKU	C
58341.4061	58341.4177	16.336	0.026	10	Ter	R
58342.0258	58342.0345	2.479	0.022	7	OKU	C
58342.2753	58342.3851	15.883	0.003	198	Ter	R
58342.9721	58342.9765	2.341	0.013	4	OKU	C
58344.0256	58344.0286	2.012	0.025	5	OKU	C
58344.2673	58344.2758	15.514	0.004	5	CRI	C
58345.2629	58345.2715	15.776	0.003	5	CRI	C
58345.3027	58345.3914	15.698	0.003	251	Lis	R
58346.2643	58346.2729	16.438	0.013	5	CRI	C
58346.3826	58346.3909	16.409	0.020	20	Ter	C
58347.2568	58347.2651	16.722	0.020	20	Ter	C
58347.2661	58347.2746	16.761	0.017	5	CRI	C
58347.9578	58347.9666	3.485	0.016	9	OKU	C
58348.2676	58348.2761	17.009	0.016	5	CRI	C
58348.9662	58348.9750	3.562	0.011	7	OKU	C
58349.2782	58349.2867	17.053	0.019	5	CRI	C
58349.9419	58349.9507	3.403	0.021	8	OKU	C
58350.2716	58350.2801	16.394	0.013	5	CRI	C
58351.2637	58351.2722	15.891	0.007	5	CRI	C
58351.3298	58351.3298	15.714	–	1	Lis	R
58352.2740	58352.2825	15.464	0.006	5	CRI	C
58353.2649	58353.2734	15.442	0.008	5	CRI	C
58354.2710	58354.2795	16.108	0.010	5	CRI	C
58354.3214	58354.3214	15.841	–	1	Lis	R

E-table 1. Log of Observations (continued)

Start*	End*	Mean mag	error	N^\dagger	Observer [‡]	Filter
58355.2651	58355.2736	16.676	0.008	5	CRI	C
58355.3269	58355.3269	16.803	–	1	Lis	R
58355.9409	58355.9486	3.109	0.017	8	OKU	C
58357.3528	58357.3556	16.528	0.115	5	Lis	R
58357.9322	58357.9409	3.371	0.034	9	OKU	C
58358.2569	58358.2654	16.635	0.017	5	CRI	C
58358.9382	58358.9404	2.596	0.020	3	OKU	C
58359.9350	58359.9438	2.310	0.008	9	OKU	C
58360.9441	58360.9507	2.534	0.016	7	OKU	C
58361.2669	58361.2754	16.272	0.026	5	CRI	C
58361.3252	58361.3308	16.533	0.029	6	Lis	R
58362.2570	58362.2655	16.710	0.013	5	CRI	C
58363.2494	58363.2579	17.025	0.019	5	CRI	C
58364.2455	58364.2609	16.625	0.014	5	CRI	C
58365.2524	58365.3312	16.258	0.004	35	CRI	C
58366.2468	58366.3085	16.575	0.009	30	CRI	C
58366.9529	58366.9551	3.163	0.029	3	OKU	C
58369.2620	58369.3153	17.074	0.013	26	CRI	C
58374.2244	58374.2799	16.329	0.013	74	Lis	R
58379.2559	58379.2858	16.957	0.043	15	CRI	C
58380.2026	58380.2196	17.183	0.033	7	CRI	C
58381.2051	58381.2179	15.368	0.004	7	CRI	C
58382.2022	58382.2150	15.259	0.011	7	CRI	C
58383.2280	58383.2366	15.850	0.009	5	CRI	C
58388.1970	58388.2056	17.066	0.025	5	CRI	C
58389.2006	58389.2092	16.888	0.022	5	CRI	C
58390.1873	58390.2001	16.533	0.028	7	CRI	C
58397.2029	58397.2114	17.117	0.021	5	CRI	C
58400.2240	58400.2326	17.330	0.046	5	CRI	C
58403.1823	58403.1942	14.832	0.005	17	CRI	C
58404.2002	58404.2088	14.738	0.019	5	CRI	C
58405.2552	58405.2916	14.849	0.012	47	Lis	R
58407.1705	58407.2318	15.535	0.011	56	Ter	C
58408.1950	58408.2035	16.669	0.058	5	CRI	C
58409.1758	58409.2163	17.180	0.029	36	Ter	C
58409.1802	58409.2329	17.080	0.023	74	Lis	R
58410.1569	58410.2130	17.037	0.017	48	Ter	C
58410.1749	58410.2102	17.050	0.026	50	Lis	R
58411.1742	58411.1827	17.111	0.105	5	CRI	C
58414.1673	58414.2055	15.041	0.011	54	Lis	R



E-figure 1. The rise of SO2 from standstill. There was no hint of a precursor outburst or a “shoulder” as seen in Kepler observations of V1504 Cyg and V344 Lyr (Osaki and Kato 2013a; Osaki and Kato 2013b). The data were binned to 0.002 d.


E-table 2. Superhump maxima of NY Ser during SO1

E	max*	error	$O - C^\dagger$	N^\ddagger
0	58200.5622	0.0011	0.0079	79
6	58201.1773	0.0003	0.0018	205
7	58201.2744	0.0006	-0.0046	207
9	58201.4858	0.0010	-0.0003	209
16	58202.2147	0.0008	0.0040	217
17	58202.3159	0.0006	0.0016	84
18	58202.4194	0.0009	0.0017	210
19	58202.5241	0.0007	0.0028	143
20	58202.6257	0.0019	0.0009	36
26	58203.2428	0.0016	-0.0031	76
27	58203.3607	0.0037	0.0112	145
28	58203.4498	0.0012	-0.0032	165
31	58203.7575	0.0068	-0.0061	39
32	58203.8697	0.0019	0.0026	67
35	58204.1766	0.0009	-0.0011	110
36	58204.2815	0.0009	0.0003	111
45	58205.2154	0.0015	0.0025	111
46	58205.3218	0.0011	0.0054	77
54	58206.1471	0.0010	0.0025	115
66	58207.3741	0.0027	-0.0128	104
67	58207.4991	0.0049	0.0086	104
74	58208.1856	0.0014	-0.0295	111
75	58208.2973	0.0014	-0.0213	141
84	58209.2431	0.0009	-0.0072	111
86	58209.4575	0.0018	0.0001	36
112	58212.1656	0.0015	0.0166	94
113	58212.2713	0.0010	0.0188	111


*BJD-2400000.

†Against max = 2458200.5544 + 0.103524*E*.


‡Number of points used to determine the maximum.




E-figure 2. Mean profile of superhumps in SO1. The data between BJD 2458200 and 2458210 were used. (Upper): PDM analysis. We analyzed 100 samples which randomly contain 50% of observations, and performed PDM analysis for these samples. The result is shown as a form of 90% confidence intervals in the resultant PDM θ statistics. The mean superhump period was 0.10339(1) d. (Lower): Phase-averaged profile.



E-figure 3. Long-period superhumps after SO1. The data between BJD 2458213 and 2458222 were used. (Upper): PDM analysis. The mean superhump period was 0.10516(3) d. The signal near 0.095 d is its one-day alias. (Lower): Phase-averaged profile.



E-figure 4. Development of superhumps in the rising phase of SO₂ in NY Ser. The data were binned to 0.002 d.



E-figure 5. Perid analysis during the second standstill. The data between BJD 2458261 and 2458306 were used. (Upper): PDM analysis. The only signal is the orbital one at 0.09760(3) d. The signal near 0.106 d is its one-day alias. (Lower): Phase-averaged profile.