

CAPEC-150: Collect Data from Common Resource Locations

Attack Pattern ID: 150

Status: Draft

Abstraction: Standard

Presentation Filter:

▼ Description

An adversary exploits well-known locations for resources for the purposes of undermining the security of the target. In many, if not most systems, files and resources are organized in a default tree structure. This can be useful for adversaries because they often know where to look for resources or files that are necessary for attacks. Even when the precise location of a targeted resource may not be known, naming conventions may indicate a small area of the target machine's file tree where the resources are typically located. For example, configuration files are normally stored in the /etc director on Unix systems. Adversaries can take advantage of this to commit other types of attacks.

▼ Typical Severity

Medium

▶ Relationships

▼ Prerequisites

The targeted applications must either expect files to be located at a specific location or, if the location of the files can be configured by the user, the user either failed to move the files from the default location or placed them in a conventional location for files of the given type.

▼ Resources Required

None: No specialized resources are required to execute this type of attack. In some cases, the attacker need not even have direct access to the locations on the target computer where the targeted resources reside.

▼ Related Weaknesses

A Related Weakness relationship associates a weakness with this attack pattern. Each association implies a weakness that must exist for a given attack to be successful. If multiple weaknesses are associated with the attack pattern, then any of the weaknesses (but not necessarily all) may be present for the attack to be successful. Each related weakness is identified by a CWE identifier.

| CWE-ID | Weakness Name |
|--------|---------------|
|--------|---------------|

| | |
|-----|---|
| 552 | Files or Directories Accessible to External Parties |
|-----|---|

▶ Content History