


# Supporting information for: Accurate absolute and relative core-level binding energies from $GW$

Dorothea Golze,\* Levi Keller, and Patrick Rinke


*Department of Applied Physics, Aalto University, Otakaari 1, FI-02150 Espoo, Finland*

E-mail: dorothea.golze@aalto.fi

## 1 Relative core-level binding energies



**Figure S1:** Relative C1s (a), N1s (b), O1s (c) and F1s (d) binding energies ( $\Delta$ BEs) for the CORE65 benchmark set comparing calculated values at the  $\Delta$ SCF,  $evGW_0$ @PBE and  $G_0W_0$ @PBEh( $\alpha = 0.45$ ) level to experiment. Shift of the BE with respect to a reference molecule.  $CH_4$ ,  $NH_3$ ,  $H_2O$  and  $CH_3F$  have been used as reference molecules for C1s, N1s, O1s and F1s respectively.



**Figure S2:** Labels for the carbon atoms for (a) nitrobenzene and (b) phenylacetylene. Color code: white, H; orange, C; blue, N; red, O.

## 2 CORE65 benchmark set

The computed and experimental core-level binding energies for the CORE65 benchmark set are given in Table S1. The labels for the carbon atoms of nitrobenzene and phenylacetylene are given in Figure S2. References in parentheses in Table S1 are the references from which the experimental value in the actual reference were retrieved, e.g., relative binding energy (BE) and BE of the reference compound. Relativistic corrections for  $\Delta\text{SCF}$  are included self-consistently using ZORA and for  $GW$  we add the following relativistic corrections to the extrapolated results in Table S2 and S3: 0.118 eV for C1s, 0.236 eV for N1s, 0.424 eV for O1s and 0.708 eV for F1s.

Note that for O<sub>2</sub>, a spin splitting of the O1s line occurs, i.e., the O1s peak is split in two peaks with the ratio 1:2. The weaker line is at higher and the stronger one at a lower binding energy.

**Table S1:** Core-level binding energies (BEs) as obtained from  $\Delta\text{SCF}$ , ev $GW_0$ @PBE and  $G_0W_0$ @PBEh( $\alpha=0.45$ ) and deviation from experiment  $\Delta_{\text{exp}}=\text{BE}_i^{\text{theory}} - \text{BE}_i^{\text{exp}}$ . All values in eV. The  $\Delta\text{SCF}$  values have been computed at the PBE0 level employing uncontracted def2-QZVP basis sets. For  $GW$ , BEs have been extrapolated to the complete basis set limit by performing a linear regression with respect to the inverse of the total number of basis functions using the cc-pVnZ basis set series ( $n = 3 - 6$ ). Relativistic effects are taken into account for all three methods.

name	formula	core level	$\Delta\text{SCF}$		ev $GW_0$ @PBE		$G_0W_0$ @PBEh		Exp.	ref <sub>exp</sub>
			BE	$\Delta_{\text{exp}}$	BE	$\Delta_{\text{exp}}$	BE	$\Delta_{\text{exp}}$		
methane	CH <sub>4</sub>	C1s	290.46	-0.39	290.62	-0.22	290.80	-0.04	290.84	1
ethane	C <sub>2</sub> H <sub>6</sub>	C1s	290.33	-0.39	290.59	-0.12	290.80	0.09	290.71	1
ethene	C <sub>2</sub> H <sub>4</sub>	C1s	290.43	-0.40	290.74	-0.08	290.87	0.05	290.82	1
ethyne	C <sub>2</sub> H <sub>2</sub>	C1s	290.98	-0.27	291.14	-0.11	291.25	0.00	291.25	1
carbon monoxide	CO	O1s	542.21	0.11	542.16	0.06	541.69	-0.41	542.1	2
carbon monoxide	CO	C1s	296.08	-0.15	295.80	-0.43	295.82	-0.41	296.23	1
carbon dioxide	CO <sub>2</sub>	O1s	541.04	-0.28	540.97	-0.35	540.77	-0.55	541.32	3
carbon dioxide	CO <sub>2</sub>	C1s	297.42	-0.28	297.04	-0.66	298.06	0.36	297.70	1
tetrafluoromethane	CF <sub>4</sub>	F1s	695.06	-0.14	694.77	-0.43	694.29	-0.91	695.2	4
tetrafluoromethane	CF <sub>4</sub>	C1s	301.26	-0.64	300.96	-0.93	302.39	0.49	301.90	1
fluoromethane	CH <sub>3</sub> F	F1s	692.49	0.09	691.99	-0.41	691.50	-0.90	692.4	5
fluoromethane	CH <sub>3</sub> F	C1s	293.16	-0.40	293.35	-0.21	293.71	0.15	293.56	1
trifluoromethane	CHF <sub>3</sub>	F1s	694.23	0.13	693.62	-0.48	693.41	-0.69	694.1	5
trifluoromethane	CHF <sub>3</sub>	C1s	298.62	-0.54	298.58	-0.58	299.55	0.39	299.16	1
methanol	CH <sub>3</sub> OH	O1s	538.73	-0.15	538.60	-0.28	538.51	-0.37	538.88	6 (7,8)
methanol	CH <sub>3</sub> OH	C1s	292.06	-0.24	292.31	0.01	292.62	0.32	292.3	2,6
formaldehyde	CH <sub>2</sub> O	O1s	539.04	-0.29	539.22	-0.11	538.72	-0.61	539.33	6 (7,8)
formaldehyde	CH <sub>2</sub> O	C1s	294.16	-0.22	294.39	0.01	294.68	0.30	294.38	6
dimethyl ether	CH <sub>3</sub> OCH <sub>3</sub>	O1s	538.25	-0.11	538.11	-0.25	538.07	-0.29	538.36	6 (7,8)
dimethyl ether	CH <sub>3</sub> OCH <sub>3</sub>	C1s	291.81	-0.36	292.10	-0.07	292.37	0.20	292.17	9
formic acid	HCOOH	O1s (OH)	540.39	-0.30	540.16	-0.53	540.20	-0.49	540.69	10
formic acid	HCOOH	O1s (C=O)	538.51	-0.51	538.59	-0.43	538.29	-0.73	539.02	10
formic acid	HCOOH	C1s	295.37	-0.38	295.30	-0.45	296.06	0.31	295.75	10

**Table S1:** Continued

name	formula	core level	$\Delta\text{SCF}$		$\text{ev}G_W_0@\text{PBE}$		$G_0W_0@\text{PBEh}$		
			$\Delta_{\text{exp}}$	BE	$\Delta_{\text{exp}}$	BE	$\Delta_{\text{exp}}$	Exp.	
acetone	(CH <sub>3</sub> ) <sub>2</sub> CO	O1s	537.43	-0.30	537.44	-0.29	537.40	-0.33	537.73 6 (7,8)
acetone	(CH <sub>3</sub> ) <sub>2</sub> CO	C1s (C=O)	293.31	-0.57	293.35	-0.53	294.00	0.12	293.88 6
acetone	(CH <sub>3</sub> ) <sub>2</sub> CO	C1s (CH <sub>3</sub> )	290.77	-0.46	290.96	-0.27	291.35	0.12	291.23 6
methyl formate	HCO <sub>2</sub> CH <sub>3</sub>	O1s (OCH <sub>3</sub> )	539.60	-0.04	539.56	-0.08	539.48	-0.16	539.64 6 (7,8)
methyl formate	HCO <sub>2</sub> CH <sub>3</sub>	O1s (C=O)	538.03	-0.21	538.14	-0.10	537.93	-0.31	538.24 6 (7,8)
acetic acid	CH <sub>3</sub> COOH	O1s (OH)	539.82	-0.28	539.61	-0.49	539.69	-0.41	540.10 10
acetic acid	CH <sub>3</sub> COOH	O1s (C=O)	537.80	-0.51	537.81	-0.50	537.66	-0.65	538.31 10
acetic acid	CH <sub>3</sub> COOH	C1s (COOH)	294.93	-0.42	294.82	-0.53	295.66	0.31	295.35 10
acetic acid	CH <sub>3</sub> COOH	C1s (CH <sub>3</sub> )	291.21	-0.34	291.39	-0.16	291.78	0.23	291.55 10
water	H <sub>2</sub> O	O1s	539.53	-0.17	539.34	-0.36	539.08	-0.62	539.7 8
ozone	O <sub>3</sub>	O1s middle	546.89	0.45	546.73	0.29	547.29	0.85	546.44 11
ozone	O <sub>3</sub>	O1s terminal	541.17	-0.58	541.53	-0.22	541.20	-0.55	541.75 11
oxygen	O <sub>2</sub>	O1s weaker	543.67	-0.53	544.27	0.07	543.83	-0.37	544.2 8
oxygen	O <sub>2</sub>	O1s stronger	542.95	-0.15	543.10	0.00	542.83	-0.27	543.1 8
nitrogen	N <sub>2</sub>	N1s	409.65	-0.28	409.75	-0.18	409.63	-0.30	409.93 3
ammonia	NH <sub>3</sub>	N1s	405.27	-0.25	405.09	-0.43	405.32	-0.20	405.52 6 (3,7)
hydrogen cyanide	HCN	N1s	406.48	-0.32	406.62	-0.18	406.75	-0.05	406.8 6 (3,12)
hydrogen cyanide	HCN	C1s	293.14	-0.36	293.19	-0.31	293.24	-0.26	293.5 6
acetonitrile	CH <sub>3</sub> CN	N1s	405.15	-0.43	405.37	-0.21	405.43	-0.15	405.58 13
acetonitrile	CH <sub>3</sub> CN	C1s (CH <sub>3</sub> )	292.39	-0.49	292.47	-0.41	292.89	0.01	292.88 13
acetonitrile	CH <sub>3</sub> CN	C1s (CN)	292.43	-0.17	292.40	-0.20	292.74	0.14	292.60 13
glycine	C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub>	O1s (OH)	539.85	-0.35	539.55	-0.65	539.70	-0.50	540.2 14
glycine	C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub>	O1s (C=O)	537.90	-0.50	537.81	-0.59	537.81	-0.59	538.4 14
glycine	C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub>	N1s	405.14	-0.26	405.09	-0.31	405.43	0.03	405.4 14
glycine	C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub>	C1s (COOH)	294.71	-0.49	294.70	-0.50	295.52	0.32	295.2 14
glycine	C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub>	C1s (CH <sub>2</sub> )	291.88	-0.42	292.14	-0.16	292.55	0.25	292.3 14
pyridine	C <sub>5</sub> H <sub>5</sub> N	N1s	404.35	-0.47	404.50	-0.32	404.83	0.01	404.82 15
pyrrole	C <sub>4</sub> H <sub>4</sub> NH	N1s	405.90	-0.28	405.93	-0.25	406.23	0.05	406.18 15
aniline	C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub>	N1s	405.00	-0.31	404.86	-0.45	405.11	-0.20	405.31 15
urea	CO(NH <sub>2</sub> ) <sub>2</sub>	O1s	536.73	-0.46	536.60	-0.59	536.59	-0.60	537.19 6
urea	CO(NH <sub>2</sub> ) <sub>2</sub>	N1s	405.79	-0.30	405.80	-0.29	406.08	-0.01	406.09 6
urea	CO(NH <sub>2</sub> ) <sub>2</sub>	C1s	294.51	-0.33	294.39	-0.45	295.27	0.43	294.84 6
methylamine	CH <sub>3</sub> NH <sub>2</sub>	N1s	404.84	-0.33	404.82	-0.35	405.14	-0.03	405.17 6 (3,7)
nitrobenzene	C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub>	O1s	538.10	-0.53	538.11	-0.52	538.27	-0.36	538.63 6
nitrobenzene	C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub>	N1s	411.32	-0.28	411.25	-0.35	412.36	0.76	411.6 2
nitrobenzene	C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub>	C1s (C1)	291.67	-0.41	291.90	-0.18	292.42	0.34	292.08 6
nitrobenzene	C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub>	C1s (C2-4)	290.71	-0.42	290.96	-0.17	291.29	0.16	291.13 6
benzene	C <sub>6</sub> H <sub>6</sub>	C1s	289.93	-0.45	290.23	-0.15	290.47	0.09	290.38 16
phenylacetylene	C <sub>8</sub> H <sub>6</sub>	C1s (C3)	290.71	-0.17	290.79	-0.09	291.27	0.39	290.88 17
phenylacetylene	C <sub>8</sub> H <sub>6</sub>	C1s (C2)	290.31	-0.24	290.34	-0.21	290.74	0.19	290.55 17
phenylacetylene	C <sub>8</sub> H <sub>6</sub>	C1s (C4-6)	289.98	-0.18	290.15	-0.01	290.56	0.40	290.16 17
phenylacetylene	C <sub>8</sub> H <sub>6</sub>	C1s (C1)	289.60	-0.15	289.74	-0.01	290.11	0.36	289.75 17

### 3 ev $G_W_0$ results without relativistic correction

For the basis set extrapolation we observe a clear trend. The core-level BEs increase with increasing number of basis functions. The largest basis sets, cc-pV5Z and cc-pV6Z, have a spectrum of virtual states up to several thousand eV. Charge neutral excitations  $\Omega_s$  to these high energy states lead to a few additional small poles in the core region. This is an artifact of finite basis sets and the spectrum in the unoccupied should become continuous in the infinite basis set limit. However, these artifact can disturb in some cases the extrapolation and we therefore exclude

for some excitations the cc-pV5Z and cc-pV6Z data points from the extrapolation. Furthermore, the computational cost for  $\text{ev}GW_0$  with the cc-pV6Z is for the largest molecules very demanding since we include all occupied states explicitly in the calculation. In two cases, we used thus only  $n = 3 - 5$  for the extrapolation.

**Table S2:** Non-relativistic core-level binding from  $\text{ev}GW_0$ @PBE using the cc-pV $n$ Z basis set series with  $n = 3 - 6$ . Extrapolated values ( $\infty$ ), standard error (SE) and correlation coefficient  $R^2$ . The last column gives the basis sets used for the extrapolation; for most cases all data points ( $n = 3 - 6$ ) are included. All values in eV.

CAS	name	formula	core level	ev $GW_0$ @PBE							
				$n = 3$	$n = 4$	$n = 5$	$n = 6$	$\infty$	SE	$R^2$	$n$ used
74-82-8	methane	$\text{CH}_4$	C1s	289.83	290.08	290.21	290.51	290.51	0.12	0.86	3-6
74-84-0	ethane	$\text{C}_2\text{H}_6$	C1s	289.73	290.04	290.19	290.43	290.47	0.08	0.94	3-6
74-85-1	ethene	$\text{C}_2\text{H}_4$	C1s	290.02	290.29	290.38	290.58	290.62	0.07	0.94	3-6
74-86-2	ethyne	$\text{C}_2\text{H}_2$	C1s	290.51	290.74	290.78	291.00	291.02	0.07	0.90	3-6
630-08-0	carbon monoxide	CO	O1s	541.27	541.45	541.58	541.65	541.74	0.02	0.99	3-6
630-08-0	carbon monoxide	CO	C1s	295.10	295.39	295.48	295.55	295.68	0.02	0.99	3-6
124-38-9	carbon dioxide	$\text{CO}_2$	O1s	540.03	540.27	540.24	540.37	540.55			3,4
124-38-9	carbon dioxide	$\text{CO}_2$	C1s	296.14	296.48	296.59	296.82	296.93	0.07	0.96	3-6
75-73-0	tetrafluoromethane	$\text{CF}_4$	F1s	693.36	693.50	693.58	693.74	694.06			5,6
75-73-0	tetrafluoromethane	$\text{CF}_4$	C1s	299.89	300.32	300.46	300.70	300.85	0.07	0.98	3-6
593-53-3	fluoromethane	$\text{CH}_3\text{F}$	F1s	690.98	691.16	691.09	691.21	691.28	0.03	0.97	3,4,6
593-53-3	fluoromethane	$\text{CH}_3\text{F}$	C1s	292.45	292.79	292.95	293.14	293.23	0.06	0.97	3-6
75-46-7	trifluoromethane	$\text{CHF}_3$	F1s	692.59	692.73	692.75	692.89	692.91	0.05	0.88	3-6
75-46-7	trifluoromethane	$\text{CHF}_3$	C1s	297.51	297.94	298.09	298.33	298.46	0.07	0.97	3-6
67-56-1	methanol	$\text{CH}_3\text{OH}$	O1s	537.84	538.00	537.97	538.11	538.17	0.01	1.00	3,4,6
67-56-1	methanol	$\text{CH}_3\text{OH}$	C1s	291.41	291.74	291.85	292.16	292.19	0.11	0.90	3-6
50-00-0	formaldehyde	$\text{CH}_2\text{O}$	O1s	538.14	538.46	538.46	538.56	538.80			3,4
50-00-0	formaldehyde	$\text{CH}_2\text{O}$	C1s	293.48	293.89	293.98	294.16	294.27	0.05	0.98	3-6
115-10-6	dimethyl ether	$\text{CH}_3\text{OCH}_3$	O1s	537.40	537.51	537.55	537.69	537.69	0.05	0.85	3-6
115-10-6	dimethyl ether	$\text{CH}_3\text{OCH}_3$	C1s	291.22	291.53	291.67	291.94	291.98	0.09	0.93	3-6
64-18-6	formic acid	HCOOH	O1s (OH)	539.37	539.56	539.56	539.70	539.73	0.05	0.89	3-6
64-18-6	formic acid	HCOOH	O1s (C=O)	537.47	537.80	537.78	537.89	538.16			3,4
64-18-6	formic acid	HCOOH	C1s	294.34	294.78	294.84	295.08	295.19	0.07	0.96	3-6
67-64-1	acetone	$(\text{CH}_3)_2\text{CO}$	O1s	536.56	536.79	536.79	536.93	537.01	0.01	1.00	3,4,6
67-64-1	acetone	$(\text{CH}_3)_2\text{CO}$	C1s (C=O)	292.56	292.85	292.96	293.18	293.23	0.07	0.95	3-6
67-64-1	acetone	$(\text{CH}_3)_2\text{CO}$	C1s ( $\text{CH}_3$ )	290.12	290.41	290.55	290.79	290.84	0.08	0.93	3-6
107-31-3	methyl formate	$\text{HCO}_2\text{CH}_3$	O1s ( $\text{OCH}_3$ )	538.65	538.84	538.91	539.12	539.13	0.08	0.88	3-6
107-31-3	methyl formate	$\text{HCO}_2\text{CH}_3$	O1s (C=O)	537.01	537.35	537.33	537.43	537.72			3,4
64-19-7	acetic acid	$\text{CH}_3\text{COOH}$	O1s (OH)	538.79	538.97	538.96	539.11	539.18	0.01	1.00	3,4,6
64-19-7	acetic acid	$\text{CH}_3\text{COOH}$	O1s (C=O)	536.78	537.07	537.06	537.19	537.39			3,4
64-19-7	acetic acid	$\text{CH}_3\text{COOH}$	C1s (COOH)	293.97	294.26	294.39	294.67	294.71	0.10	0.91	3-6
64-19-7	acetic acid	$\text{CH}_3\text{COOH}$	C1s ( $\text{CH}_3$ )	290.55	290.79	290.95	291.26	291.27	0.13	0.87	3-6
7732-18-5	water	$\text{H}_2\text{O}$	O1s	538.59	538.75	538.68	538.78	538.92			3,4
10028-15-6	ozone	$\text{O}_3$	O1s middle	545.89	546.08	546.17	546.31	546.31	0.00	1.00	3-5
10028-15-6	ozone	$\text{O}_3$	O1s terminal	540.56	540.81	540.79	540.86	541.10			3,4
7782-44-7	oxygen	$\text{O}_2$	O1s weaker	543.23	543.51	543.46		543.85			3,4
7782-44-7	oxygen	$\text{O}_2$	O1s stronger	541.98	542.30	542.38		542.68			3,4
7727-37-9	nitrogen	$\text{N}_2$	N1s	408.70	409.08	409.20	409.37	409.52	0.04	0.99	3-6
7664-41-7	ammonia	$\text{NH}_3$	N1s	404.63	404.73	404.80	405.06	404.85	0.01	0.99	3-5
74-90-8	hydrogen cyanide	HCN	N1s	405.75	406.12	406.09	406.31	406.39	0.09	0.90	3-6
74-90-8	hydrogen cyanide	HCN	C1s	292.50	292.74	292.82	293.03	293.07	0.07	0.93	3-6
75-05-8	acetonitrile	$\text{CH}_3\text{CN}$	N1s	404.49	404.83	404.81	405.09	405.13	0.10	0.88	3-6
75-05-8	acetonitrile	$\text{CH}_3\text{CN}$	C1s ( $\text{CH}_3$ )	291.66	291.95	292.05	292.31	292.36	0.09	0.92	3-6
75-05-8	acetonitrile	$\text{CH}_3\text{CN}$	C1s (CN)	291.69	291.94	292.03	292.24	292.28	0.07	0.93	3-6
56-40-6	glycine	$\text{C}_2\text{H}_5\text{NO}_2$	O1s (OH)	538.79	538.95	538.99	539.23	539.12			3,4

**Table S2:** Continued

CAS	name	formula	core level	ev $GW_0$ @PBE						SE	$R^2$	$n$ used
				$n = 3$	$n = 4$	$n = 5$	$n = 6$	$\infty$				
56-40-6	glycine	C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub>	O1s (C=O)	536.87	537.13	537.15	537.28	537.39	0.01	1.00	3,4,6	
56-40-6	glycine	C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub>	N1s	404.50	404.65	404.76	405.00	404.86	0.04	0.98	3-5	
56-40-6	glycine	C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub>	C1s (COOH)	293.71	294.11	294.25	294.47	294.58	0.06	0.97	3-6	
56-40-6	glycine	C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub>	C1s (CH <sub>2</sub> )	291.12	291.52	291.68	291.92	292.02	0.07	0.97	3-6	
110-86-1	pyridine	C <sub>5</sub> H <sub>5</sub> N	N1s	403.69	403.91	404.02	404.22	404.26	0.07	0.92	3-6	
109-97-7	pyrrole	C <sub>4</sub> H <sub>4</sub> NH	N1s	404.98	405.28	405.43	405.62	405.70	0.06	0.97	3-6	
62-53-3	aniline	C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub>	N1s	404.04	404.34	404.44		404.63	0.02	1.00	3-5	
57-13-6	urea	CO(NH <sub>2</sub> ) <sub>2</sub>	O1s	535.64	535.90	536.04	536.05	536.17	0.02	0.99	3-6	
57-13-6	urea	CO(NH <sub>2</sub> ) <sub>2</sub>	N1s	404.95	405.15	405.30	405.54	405.56	0.10	0.88	3-6	
57-13-6	urea	CO(NH <sub>2</sub> ) <sub>2</sub>	C1s	293.45	293.76	293.96	294.20	294.27	0.09	0.95	3-6	
74-89-5	methylamine	CH <sub>3</sub> NH <sub>2</sub>	N1s	404.26	404.42	404.45	404.73	404.58			3,4	
98-95-3	nitrobenzene	C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub>	O1s	537.36	537.49	537.61	537.61	537.69	0.03	0.96	3-6	
98-95-3	nitrobenzene	C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub>	N1s	410.23	410.52	410.68	410.96	411.01	0.10	0.92	3-6	
98-95-3	nitrobenzene	C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub>	C1s (C1)	290.99	291.29	291.43	291.74	291.79	0.11	0.91	3-6	
98-95-3	nitrobenzene	C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub>	C1s (C2-4)	290.16	290.37	290.53	290.83	290.85	0.13	0.86	3-6	
71-43-2	benzene	C <sub>6</sub> H <sub>6</sub>	C1s	289.41	289.71	289.84	290.03	290.11	0.06	0.96	3-6	
536-74-3	phenylacetylene	C <sub>8</sub> H <sub>6</sub>	C1s (C3)	290.04	290.36	290.47		290.67	0.03	1.00	3-5	
536-74-3	phenylacetylene	C <sub>8</sub> H <sub>6</sub>	C1s (C2)	289.60	289.92	290.02		290.22	0.04	0.99	3-5	
536-74-3	phenylacetylene	C <sub>8</sub> H <sub>6</sub>	C1s (C4-6)	289.41	289.72	289.84		290.03	0.01	1.00	3-5	
536-74-3	phenylacetylene	C <sub>8</sub> H <sub>6</sub>	C1s (C1)	289.13	289.39	289.46		289.62	0.04	0.99	3-5	

## 4 $G_0W_0$ results without relativistic correction

**Table S3:** Non-relativistic core-level binding from  $G_0W_0$ @PBEh( $\alpha = 0.45$ ) using the cc-pVnZ basis set series with  $n = 3 - 6$ . Extrapolated values ( $\infty$ ), standard error (SE) and correlation coefficient  $R^2$ . The last column gives the basis sets used for the extrapolation; for most cases all data points ( $n = 3 - 6$ ) are included. All values in eV.

CAS	name	formula	core level	$G_0W_0$ @PBEh( $\alpha = 0.45$ )						SE	$R^2$	$n$ used
				$n = 3$	$n = 4$	$n = 5$	$n = 6$	$\infty$				
74-82-8	methane	CH <sub>4</sub>	C1s	290.20	290.40	290.52	290.64	290.68	0.04	0.96	3-6	
74-84-0	ethane	C <sub>2</sub> H <sub>6</sub>	C1s	290.18	290.39	290.38	290.62	290.69	0.05	0.98	3,4,6	
74-85-1	ethene	C <sub>2</sub> H <sub>4</sub>	C1s	290.35	290.54	290.62	290.70	290.76	0.02	0.99	3-6	
74-86-2	ethyne	C <sub>2</sub> H <sub>2</sub>	C1s	290.80	290.89	290.85	291.10	291.13	0.09	0.87	3,4,6	
630-08-0	carbon monoxide	CO	O1s	541.15	541.18	541.23	541.25	541.26	0.01	0.93	3-6	
630-08-0	carbon monoxide	CO	C1s	295.48	295.58	295.58	295.56	295.70			3,4	
124-38-9	carbon dioxide	CO <sub>2</sub>	O1s	540.22	540.28	540.30	540.42	540.34	0.02	0.97	3,4,5	
124-38-9	carbon dioxide	CO <sub>2</sub>	C1s	297.39	297.61	297.62	297.84	297.94	0.04	0.99	3,4,6	
75-73-0	tetrafluoromethane	CF <sub>4</sub>	F1s	693.65	693.61	693.55	693.60	693.59	0.01	0.93	3,4,6	
75-73-0	tetrafluoromethane	CF <sub>4</sub>	C1s	301.60	301.91	301.98	302.17	302.27	0.06	0.96	3-6	
593-53-3	fluoromethane	CH <sub>3</sub> F	F1s	690.81	690.78	690.70	690.79	690.79			3,6	
593-53-3	fluoromethane	CH <sub>3</sub> F	C1s	293.00	293.27	293.34	293.55	293.59	0.07	0.93	3-6	
75-46-7	trifluoromethane	CHF <sub>3</sub>	F1s	692.70	692.67	692.62	692.70	692.70			3,6	
75-46-7	trifluoromethane	CHF <sub>3</sub>	C1s	298.76	299.08	299.14	299.35	299.43	0.07	0.95	3-6	
67-56-1	methanol	CH <sub>3</sub> OH	O1s	537.93	537.98	537.94	538.07	538.08	0.02	0.95	3,4,6	
67-56-1	methanol	CH <sub>3</sub> OH	C1s	291.91	292.16	292.27	292.45	292.50	0.06	0.95	3-6	
50-00-0	formaldehyde	CH <sub>2</sub> O	O1s	538.15	538.21	538.15	538.28	538.30	0.02	0.97	3,4,6	
50-00-0	formaldehyde	CH <sub>2</sub> O	C1s	294.03	294.27	294.36	294.49	294.56	0.03	0.98	3-6	

**Table S3:** Continued

CAS	name	formula	core level	$G_0 W_0 @ \text{PBEh}(\alpha = 0.45)$					SE	$R^2$	$n$ used
				$n = 3$	$n = 4$	$n = 5$	$n = 6$	$\infty$			
115-10-6	dimethyl ether	<chem>CH3OCH3</chem>	O1s	537.56	537.61	537.62	537.75	537.65	0.00	1.00	3,4,5
115-10-6	dimethyl ether	<chem>CH3OCH3</chem>	C1s	291.72	291.96	292.06	292.21	292.26	0.04	0.96	3-6
64-18-6	formic acid	<chem>HCOOH</chem>	O1s (OH)	539.56	539.63	539.70	539.76	539.78	0.03	0.93	3-6
64-18-6	formic acid	<chem>HCOOH</chem>	O1s (C=O)	537.68	537.75	537.81	537.83	537.86	0.01	0.99	3-6
64-18-6	formic acid	<chem>HCOOH</chem>	C1s	295.36	295.62	295.74	295.86	295.95	0.03	0.99	3-6
67-64-1	acetone	<chem>(CH3)2CO</chem>	O1s	536.76	536.82	536.92	536.94	536.97	0.03	0.93	3-6
67-64-1	acetone	<chem>(CH3)2CO</chem>	C1s (C=O)	293.41	293.59	293.73	293.83	293.88	0.04	0.97	3-6
67-64-1	acetone	<chem>(CH3)2CO</chem>	C1s (CH <sub>3</sub> )	290.69	290.91	291.02	291.18	291.23	0.05	0.96	3-6
107-31-3	methyl formate	<chem>HCO2CH3</chem>	O1s (OCH <sub>3</sub> )	538.95	539.01	539.02	539.15	539.06	0.01	0.98	3,4,5
107-31-3	methyl formate	<chem>HCO2CH3</chem>	O1s (C=O)	537.30	537.37	537.43	537.48	537.50	0.02	0.95	3-6
64-19-7	acetic acid	<chem>CH3COOH</chem>	O1s (OH)	539.05	539.12	539.18	539.25	539.27	0.03	0.90	3-6
64-19-7	acetic acid	<chem>CH3COOH</chem>	O1s (C=O)	537.04	537.12	537.16	537.21	537.23	0.02	0.94	3-6
64-19-7	acetic acid	<chem>CH3COOH</chem>	C1s (COOH)	295.03	295.26	295.31	295.50	295.54	0.06	0.92	3-6
64-19-7	acetic acid	<chem>CH3COOH</chem>	C1s (CH <sub>3</sub> )	291.10	291.34	291.43	291.61	291.66	0.06	0.95	3-6
7732-18-5	water	<chem>H2O</chem>	O1s	538.55	538.60	538.50	538.49	538.65			3,4
10028-15-6	ozone	<chem>O3</chem>	O1s middle	546.73	546.79	546.82	546.91	546.87	0.00	1.00	3,4,5
10028-15-6	ozone	<chem>O3</chem>	O1s terminal	540.72	540.74	540.76	540.83	540.77	0.01	0.95	3,4,5
7782-44-7	oxygen	<chem>O2</chem>	O1s weaker	543.37	543.36	543.33	543.40	543.41			3,6
7782-44-7	oxygen	<chem>O2</chem>	O1s stronger	542.33	542.32	542.32	542.39	542.41			3,6
7727-37-9	nitrogen	<chem>N2</chem>	N1s	409.08	409.21	409.28	409.35	409.40	0.02	0.98	3-6
7664-41-7	ammonia	<chem>NH3</chem>	N1s	404.73	404.91	404.70	405.02	405.08	0.00	1.00	3,4,6
74-90-8	hydrogen cyanide	<chem>HCN</chem>	N1s	405.96	406.17	406.13	406.43	406.52	0.06	0.97	3,4,6
74-90-8	hydrogen cyanide	<chem>HCN</chem>	C1s	292.80	292.94	293.00	293.08	293.12	0.02	0.97	3-6
75-05-8	acetonitrile	<chem>CH3CN</chem>	N1s	404.85	405.00	404.94	405.13	405.19	0.01	1.00	3,4,6
75-05-8	acetonitrile	<chem>CH3CN</chem>	C1s (CH <sub>3</sub> )	292.22	292.45	292.57	292.72	292.77	0.05	0.96	3-6
75-05-8	acetonitrile	<chem>CH3CN</chem>	C1s (CN)	292.19	292.35	292.33	292.56	292.63	0.05	0.97	3,4,6
56-40-6	glycine	<chem>C2H5NO2</chem>	O1s (OH)	539.12	539.20	539.22	539.33	539.27	0.00	1.00	3,4,5
56-40-6	glycine	<chem>C2H5NO2</chem>	O1s (C=O)	537.16	537.25	537.33	537.35	537.39	0.02	0.97	3-6
56-40-6	glycine	<chem>C2H5NO2</chem>	N1s	404.80	404.96	405.02	405.17	405.19	0.05	0.92	3-6
56-40-6	glycine	<chem>C2H5NO2</chem>	C1s (COOH)	294.83	295.10	295.18	295.33	295.40	0.04	0.97	3-6
56-40-6	glycine	<chem>C2H5NO2</chem>	C1s (CH <sub>2</sub> )	291.86	292.10	292.22	292.37	292.43	0.05	0.96	3-6
110-86-1	pyridine	<chem>C5H5N</chem>	N1s	404.15	404.33	404.45	404.53	404.60	0.03	0.98	3-6
109-97-7	pyrrole	<chem>C4H4NH</chem>	N1s	405.65	405.75	405.75	405.95	406.00	0.07	0.92	3,4,6
62-53-3	aniline	<chem>C6H5NH2</chem>	N1s	404.43	404.62	404.70	404.83	404.87	0.04	0.96	3-6
57-13-6	urea	<chem>CO(NH2)2</chem>	O1s	535.91	536.01	536.09	536.13	536.17	0.02	0.96	3-6
57-13-6	urea	<chem>CO(NH2)2</chem>	N1s	405.40	405.58	405.67	405.79	405.84	0.04	0.97	3-6
57-13-6	urea	<chem>CO(NH2)2</chem>	C1s	294.51	294.83	294.91	295.07	295.16	0.04	0.97	3-6
74-89-5	methylamine	<chem>CH3NH2</chem>	N1s	404.51	404.55	404.67	404.79	404.90	0.06	0.95	4,5,6
98-95-3	nitrobenzene	<chem>C6H5NO2</chem>	O1s	537.64	537.70	537.77	537.83	537.84	0.03	0.91	3-6
98-95-3	nitrobenzene	<chem>C6H5NO2</chem>	N1s	411.70	411.87	411.95	412.09	412.12	0.05	0.94	3-6
98-95-3	nitrobenzene	<chem>C6H5NO2</chem>	C1s (C1)	291.84	292.01	292.12	292.26	292.30	0.05	0.94	3-6
98-95-3	nitrobenzene	<chem>C6H5NO2</chem>	C1s (C2-4)	290.74	290.90	291.00	291.13	291.17	0.04	0.95	3-6
71-43-2	benzene	<chem>C6H6</chem>	C1s	289.89	290.09	290.16	290.31	290.35	0.05	0.95	3-6
536-74-3	phenylacetylene	<chem>C8H6</chem>	C1s (C3)	290.68	290.88	290.96	291.10	291.15	0.05	0.95	3-6
536-74-3	phenylacetylene	<chem>C8H6</chem>	C1s (C2)	290.17	290.34	290.45	290.58	290.62	0.05	0.95	3-6
536-74-3	phenylacetylene	<chem>C8H6</chem>	C1s (C4-6)	290.00	290.17	290.28	290.40	290.45	0.04	0.96	3-6
536-74-3	phenylacetylene	<chem>C8H6</chem>	C1s (C1)	289.61	289.75	289.77	289.93	289.99	0.05	0.97	3,4,6

# References

- (1) Myrseth, V.; Bozek, J. D.; Kukk, E.; Sæthre, L. J.; Thomas, T. D. Adiabatic and vertical carbon 1s ionization energies in representative small molecules. *J. Electron Spectrosc. Relat. Phenom.* **2002**, *122*, 57–63.
- (2) Siegbahn, K.; Nordling, C.; Johansson, G.; Hedman, J.; Hedén, P. F.; Hamrin, K.; Gelius, U.; Bergmark, T.; Werme, L. O.; Manne, R.; Baer, Y. *ESCA applied to free molecules*; North-Holland Publishing Company Amsterdam-London, 1969; pp 119–126.
- (3) Thomas, T. D.; Shaw, R. W. Accurate core ionization potentials and photoelectron kinetic energies for light elements. *J. Electron Spectrosc. Relat. Phenom.* **1974**, *5*, 1081–1094.
- (4) Siegbahn, K.; Nordling, C.; Johansson, G.; Hedman, J.; Hedén, P. F.; Hamrin, K.; Gelius, U.; Bergmark, T.; Werme, L. O.; Manne, R.; Baer, Y. *ESCA applied to free molecules*; North-Holland Publishing Company Amsterdam-London, 1969; p 89.
- (5) Thomas, T. D. X-ray photoelectron spectroscopy of halomethanes. *J. Am. Chem. Soc.* **1970**, *92*, 4184–4189.
- (6) Bakke, A. A.; Chen, H.-W.; Jolly, W. L. A table of absolute core-electron binding-energies for gaseous atoms and molecules. *J. Electron Spectrosc. Relat. Phenom.* **1980**, *20*, 333–366.
- (7) Mills, B. E.; Martin, R. L.; Shirley, D. A. Further studies of the core binding energy-proton affinity correlation in molecules. *J. Am. Chem. Soc.* **1976**, *98*, 2380–2385.
- (8) Siegbahn, K.; Nordling, C.; Johansson, G.; Hedman, J.; Hedén, P. F.; Hamrin, K.; Gelius, U.; Bergmark, T.; Werme, L. O.; Manne, R.; Baer, Y. *ESCA applied to free molecules*; North-Holland Publishing Company Amsterdam-London, 1969; pp 11–12.
- (9) Drake, J. E.; Riddle, C.; Henderson, H. E.; Glavinčevski, B. ESCA investigations of Group IV derivatives. Part III. Binding energies for methyl substituted disilyl and digermyl chalcogenide series. *Can. J. Chem.* **1977**, *55*, 2957–2961.
- (10) Naves de Brito, A.; Correia, N.; Svensson, S.; Ågren, H. A theoretical study of x-ray photoelectron spectra of model molecules for polymethylmethacrylate. *J. Chem. Phys.* **1991**, *95*, 2965–2974.
- (11) Mocellin, A.; Wiesner, K.; Sorensen, S. L.; Miron, C.; Le Guen, K.; Céolin, D.; Simon, M.; Morin, P.; Bueno Machado, A.; Björneholm, O.; Naves de Brito, A. Site selective dissociation upon core ionization of ozone. *Chem. Phys. Lett.* **2007**, *435*, 214–218.
- (12) Finn, P.; Pearson, R. K.; Hollander, J. M.; Jolly, W. L. Chemical shifts in core electron binding energies for some gaseous nitrogen compounds. *Inorg. Chem.* **1971**, *10*, 378–381.
- (13) Naves de Brito, A.; Svensson, S.; Ågren, H.; Delhalles, J. Experimental and theoretical study of the XPS core levels of gas phase acetonitrile, acrylonitrile and propionitrile. Model molecules for polyacrylonitrile. *J. Electron Spectrosc. Relat. Phenom.* **1993**, *63*, 239–251.
- (14) Plekan, O.; Feyer, V.; Richter, R.; Coreno, M.; de Simone, M.; Prince, K. C.; Caravetta, V. Investigation of the Amino Acids Glycine, Proline, and Methionine by Photoemission Spectroscopy. *J. Phys. Chem. A* **2007**, *111*, 10998–11005.
- (15) Cavell, R. G.; Allison, D. A. Site of protonation in aromatic and acyclic amines and acyclic amides revealed by N1s core level electron spectroscopy. *J. Am. Chem. Soc.* **1977**, *99*, 4203–4204.
- (16) Myrseth, V.; Børve, K. J.; Thomas, T. D. The Substituent Effect of the Methyl Group. Carbon 1s Ionization Energies, Proton Affinities, and Reactivities of the Methylbenzenes. *J. Org. Chem.* **2007**, *72*, 5715–5723.
- (17) Caravetta, V.; Iucci, G.; Ferri, A.; Russo, M. V.; Stranges, S.; de Simone, M.; Polzonetti, G. Synchrotron radiation photoemission study of some π-conjugated alkynes in the gas phase: Experiment and theory. *Chem. Phys.* **2001**, *264*, 175 – 186.