

**a****Contaminants in the source**

Isotope	Half-life	nCi	$\pm$ %
$^{65}\text{Zn}$	244 d	0.042	10%
$^{75}\text{Se}$	120 d	0.006	50%
$^{110\text{m}}\text{Ag}$	250 d	0.062	4%
$^{122}\text{Sb}$	2.724 d	0.022	32%
$^{124}\text{Sb}$	60 d	0.014	11%
$^{198}\text{Au}$	2.697 d	0.497	2%

**b****Flux from nuclear decays**

Isotope	K	Th	U
<b>Lab flux (<math>\text{cm}^{-2}\text{s}^{-1}</math>)</b>			
bare fit	$2.8 \pm 0.1$	$2.7 \pm 0.6$	$1.3 \pm 0.1$
shielded fit	$3.3 \pm 0.2$	$2.7 \pm 0.8$	$1.3 \pm 0.02$
difference	$-0.5 \pm 0.2$	$0.1 \pm 1$	$-0.01 \pm 0.2$

**Flux fraction reaching qubit**

Isotope	K	Th	U
no shield	0.1232	0.1014	0.1003
shield down	0.1181	0.0978	0.0968
shield up	0.0284	0.0214	0.0208
$\eta^{\text{d}}$	0.041	0.036	0.035
$\eta^{\text{u}}$	0.769	0.789	0.793

**c****Average shield efficiency**

	$\eta^{\text{d}}$	$\eta^{\text{u}}$
external gammas	$0.038 \pm 0.007$	$0.781 \pm 0.002$
cosmic rays	—	$0.02 \pm 0.02$
Total	$0.022 \pm 0.003$	$0.461 \pm 0.001$

**d****Absorbed power density in the sample**

	Al	Si
$\rho_{\text{src}}$ ( $\text{keV mm}^{-3}\text{s}^{-1}\mu\text{Ci}^{-1}$ )	8.8	3.3
$P_{\text{ext}}$ ( $\text{keV mm}^{-3}\text{s}^{-1}$ )	0.1	0.094

**e**