

```
[1]: import warnings
warnings.filterwarnings('ignore')

[2]: %matplotlib inline
from matplotlib import cm
import matplotlib.patches as patches
import matplotlib.pyplot as plt
from PIL import Image
import numpy as np
import PIL.ImageFont as ImageFont
import copy
import json
import sys

from pycocotools import mask
from scipy.special import softmax

import tensorflow as tf

[3]: session = tf.Session(graph=tf.Graph())
saved_model_dir = 'model'
_ = tf.saved_model.loader.load(session, ['serve'], saved_model_dir)

[4]: val = json.load(open('val2020.json'))
n_class = len(val['categories'])
score_th = 0.05

image_path = 'input.jpg'
with open(image_path, 'rb') as f:
    np_image_string = np.array([f.read()])
image_raw = Image.open(image_path)
width, height = image_raw.size
image_raw = np.array(image_raw.getdata()).reshape(height, width, 3).astype(np.
    ↳uint8)
plt.imshow(image_raw, interpolation='none')
plt.axis('off')

num_detections, detection_boxes, detection_classes, detection_scores,
    ↳detection_masks, detection_logits, attribute_logits, image_info = session.run(
    ['NumDetections:0', 'DetectionBoxes:0', 'DetectionClasses:0',
    ↳'DetectionScores:0', 'DetectionMasks:0', 'DetectionLogits:0', 'AttributeLogits:
    ↳0', 'ImageInfo:0'],
    feed_dict={'Placeholder:0': np_image_string})
num_detections = np.squeeze(num_detections.astype(np.int32), axis=(0,))
detection_boxes = np.squeeze(detection_boxes * image_info[0, 2], axis=(0,))[0:
    ↳num_detections]
detection_scores = np.squeeze(detection_scores, axis=(0,))[0:num_detections]
detection_classes = np.squeeze(detection_classes.astype(np.int32), axis=(0,))[0:
    ↳num_detections]
detection_masks = np.squeeze(detection_masks, axis=(0,))[0:num_detections]
detection_logits = np.squeeze(detection_logits, axis=(0,))[0:num_detections]
attribute_logits = np.squeeze(attribute_logits, axis=(0,))[0:num_detections]

# include attributes
attributes = []
for i in range(num_detections):
    prob = softmax(attribute_logits[i,:])
    attributes.append([j for j in range(len(prob)) if prob[j] > score_th])
```



```
[5]: max_boxes_to_draw = 10

linewidth = 2
fontsize = 10
line_alpha = 0.8
mask_alpha = 0.5

output_image_path = 'results.pdf'

image = copy.deepcopy(image_raw)

cm_subsection = np.linspace(0., 1., min(max_boxes_to_draw,
    ↳len(detection_scores)))
colors = [cm.jet(x) for x in cm_subsection]

plt.figure()
fig, ax = plt.subplots(1)

for i in range(len(detection_scores)-1, -1, -1):
    if i < max_boxes_to_draw:
        # draw segmentation mask
        seg_mask = detection_masks[i,:,:]
        color = list(np.array(colors[i][:3])*255)
        pil_image = Image.fromarray(image)
        solid_color = np.expand_dims(
            np.ones_like(seg_mask), axis=2) * np.reshape(color, [1, 1, 3])
        pil_solid_color = Image.fromarray(np.uint8(solid_color)).convert('RGBA')
        pil_mask = Image.fromarray(np.uint8(255.0*mask_alpha*seg_mask)).
            ↳convert('L')
        pil_image = Image.composite(pil_solid_color, pil_image, pil_mask)
        image = np.array(pil_image.convert('RGB')).astype(np.uint8)

        # draw bbox
        top, left, bottom, right = detection_boxes[i,:]
        width = right - left
        height = bottom - top
        bbox = patches.Rectangle((left, top), width, height,
                                linewidth=linewidth, edgecolor=colors[i],
                                facecolor='none', alpha=line_alpha)

        ax.add_patch(bbox)

        # draw text
        attributes_str = ", ".join([val['attributes'][attr]['name'] for attr in
            ↳attributes[i]])
        detections_str = '{} ({}%)'.
            ↳format(val['categories'][detection_classes[i]]['name'],
                    int(100*detection_scores[i]))

        display_str = '{}: {}'.format(detections_str, attributes_str)

        font = ImageFont.truetype('arial.ttf', fontsize)
        text_width, text_height = font.getsize(detections_str)
        props = dict(boxstyle='Round, pad=0.05', facecolor=colors[i],
            ↳linewidth=0, alpha=mask_alpha)
        ax.text(left, bottom, detections_str, fontsize=fontsize,
            ↳verticalalignment='top', bbox=props)
        print(display_str)

plt.imshow(image, interpolation='none')
plt.axis('off')
plt.savefig('result.pdf', transparent=True, bbox_inches='tight', pad_inches=0.05)
```

pocket (95%): patch (pocket), slash (pocket), curved (pocket), flap (pocket)

buckle (98%): curved (pocket)

pocket (99%): patch (pocket), welt (pocket), slash (pocket), curved (pocket), flap (pocket)

pants (99%): maxi (length), fly (opening), no non-textile material, no special manufacturing technique, plain (pattern)

collar (99%): shirt (collar)

glasses (99%):

lapel (99%): symmetrical, notched (lapel), single breasted

belt (99%): plain (pattern)

sleeve (99%): wrist-length, set-in sleeve

sleeve (99%): wrist-length, set-in sleeve

<Figure size 432x288 with 0 Axes>

