

# 1 Supplemental material

## 1.1 Tables for $\cos(\theta_\mu^{reco})$

Bin	Min.	Max.	Cross Section [ $10^{-38}$ cm <sup>2</sup> /nucleus]	Uncertainty [ $10^{-38}$ cm <sup>2</sup> /nucleus]
1	-1.0	-0.82	2.21	1.34
2	-0.82	-0.66	2.59	1.19
3	-0.66	-0.39	3.04	1.14
4	-0.39	-0.16	2.79	1.34
5	-0.16	0.05	3.05	1.61
6	0.05	0.25	5.65	2.89
7	0.25	0.43	6.14	2.84
8	0.43	0.59	9.99	4.25
9	0.59	0.73	14.04	4.41
10	0.73	0.83	20.31	5.67
11	0.83	0.91	25.62	6.16
12	0.91	1.0	21.04	4.08

Table 1: Table of cross section values for  $\cos(\theta_\mu^{reco})$

	1	2	3	4	5	6	7	8	9	10	11	12
1	1.7934	0.9270	-0.0605	-0.4256	0.0173	-0.8999	-0.5651	-1.0836	-0.3254	-0.2682	-0.4757	0.7041
2	0.9270	1.4106	0.3556	0.4003	0.7832	0.6165	0.9385	1.1049	1.9390	2.1075	2.4235	0.8802
3	-0.0605	0.3556	1.3019	1.1164	0.7086	1.9313	1.9166	3.0322	2.8167	4.4216	4.6857	1.4270
4	-0.4256	0.4003	1.1164	1.7856	1.4433	3.1686	3.1661	4.7591	4.5361	5.8172	6.2097	1.3219
5	0.0173	0.7832	0.7086	1.4433	2.5863	3.7252	3.8775	5.7256	6.2840	6.9444	6.9237	1.4021
6	-0.8999	0.6165	1.9313	3.1686	3.7252	8.3284	7.7514	11.6528	11.2337	13.8667	13.3612	1.5554
7	-0.5651	0.9385	1.9166	3.1661	3.8775	7.7514	8.0405	11.5437	11.5158	14.0011	13.4258	2.2315
8	-1.0836	1.1049	3.0322	4.7591	5.7256	11.6528	11.5437	18.0482	17.4522	21.4629	21.0347	4.0317
9	-0.3254	1.9390	2.8167	4.5361	6.2840	11.2337	11.5158	17.4522	19.4160	22.0725	22.1412	6.0539
10	-0.2682	2.1075	4.4216	5.8172	6.9444	13.8667	14.0011	21.4629	22.0725	32.0930	26.6263	6.6603
11	-0.4757	2.4235	4.6857	6.2097	6.9237	13.3612	13.4258	21.0347	22.1412	26.6263	37.9812	14.2555
12	0.7041	0.8802	1.4270	1.3219	1.4021	1.5554	2.2315	4.0317	6.0539	6.6603	14.2555	16.6867

Table 2: Table of covariances for  $\cos(\theta_\mu^{r_{eco}})$ . Units are in  $10^{-38} \text{ cm}^{-2}/\text{nucleon}$ , as in the cross section results.

True bin	Reconstructed bin											
	1	2	3	4	5	6	7	8	9	10	11	12
1	0.8234	0.1170	0.0048	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0048	0.0286	0.0215
2	0.0986	0.7053	0.1565	0.0000	0.0000	0.0000	0.0030	0.0000	0.0106	0.0167	0.0061	0.0030
3	0.0038	0.0981	0.7237	0.1283	0.0019	0.0000	0.0058	0.0179	0.0103	0.0019	0.0026	0.0058
4	0.0010	0.0024	0.1420	0.6633	0.1632	0.0077	0.0082	0.0029	0.0000	0.0034	0.0005	0.0053
5	0.0004	0.0000	0.0004	0.1499	0.6568	0.1785	0.0069	0.0019	0.0000	0.0008	0.0000	0.0046
6	0.0002	0.0005	0.0005	0.0030	0.1332	0.6806	0.1752	0.0039	0.0007	0.0000	0.0005	0.0018
7	0.0007	0.0000	0.0009	0.0003	0.0010	0.1242	0.6730	0.1931	0.0046	0.0007	0.0007	0.0009
8	0.0000	0.0000	0.0014	0.0000	0.0001	0.0016	0.1150	0.6915	0.1863	0.0029	0.0004	0.0008
9	0.0003	0.0001	0.0003	0.0000	0.0001	0.0004	0.0018	0.1067	0.7126	0.1730	0.0040	0.0007
10	0.0001	0.0002	0.0003	0.0000	0.0001	0.0002	0.0001	0.0016	0.1232	0.7075	0.1628	0.0041
11	0.0003	0.0002	0.0006	0.0000	0.0002	0.0000	0.0005	0.0002	0.0030	0.1071	0.7413	0.1466
12	0.0001	0.0000	0.0000	0.0000	0.0001	0.0001	0.0002	0.0000	0.0004	0.0018	0.0992	0.8982

## 1.2 Tables for $\cos(\theta_p^{reco})$

Bin	Min.	Max.	Cross Section [ $10^{-38}$ cm <sup>2</sup> /nucleus]	Uncertainty [ $10^{-38}$ cm <sup>2</sup> /nucleus]
1	-1.0	-0.5	1.48	0.54
2	-0.5	0.0	1.92	0.79
3	0.0	0.27	3.62	1.36
4	0.27	0.45	9.96	3.15
5	0.45	0.62	14.54	4.31
6	0.62	0.76	16.78	5.27
7	0.76	0.86	20.52	7.10
8	0.86	0.94	22.96	6.40
9	0.94	1.0	20.85	4.85

Table 4: Table of cross section values for  $\cos(\theta_p^{reco})$

	1	2	3	4	5	6	7	8	9
1	0.2969	0.3030	0.4939	1.1582	1.3929	2.0472	2.1497	1.9569	1.1126
2	0.3030	0.6277	0.5008	1.2688	1.5086	2.3315	1.8130	1.9718	1.9636
3	0.4939	0.5008	1.8496	3.6296	4.7684	5.3382	8.1096	6.9332	1.7090
4	1.1582	1.2688	3.6296	9.9288	12.2306	15.1181	19.8528	17.4264	3.5951
5	1.3929	1.5086	4.7684	12.2306	18.6101	19.3953	28.4204	25.4440	4.5663
6	2.0472	2.3315	5.3382	15.1181	19.3953	27.7419	30.6366	27.0616	7.0598
7	2.1497	1.8130	8.1096	19.8528	28.4204	30.6366	50.4159	41.9922	7.8924
8	1.9569	1.9718	6.9332	17.4264	25.4440	27.0616	41.9922	40.9950	9.9232
9	1.1126	1.9636	1.7090	3.5951	4.5663	7.0598	7.8924	9.9232	23.4981

Table 5: Table of covariances for  $\cos(\theta_p^{reco})$ . Units are in  $10^{-38} \text{ cm}^{-2}/\text{nucleon}$ , as in the cross section results.

True bin	Reconstructed bin								
	1	2	3	4	5	6	7	8	9
1	0.8306	0.0670	0.0108	0.0147	0.0188	0.0159	0.0217	0.0154	0.0051
2	0.1060	0.7694	0.0331	0.0139	0.0119	0.0216	0.0185	0.0123	0.0133
3	0.0238	0.0548	0.6666	0.1671	0.0290	0.0279	0.0151	0.0099	0.0058
4	0.0104	0.0129	0.0771	0.7190	0.1527	0.0115	0.0081	0.0052	0.0031
5	0.0102	0.0117	0.0158	0.0947	0.7345	0.1172	0.0082	0.0059	0.0018
6	0.0113	0.0120	0.0102	0.0164	0.1106	0.7222	0.1002	0.0137	0.0033
7	0.0185	0.0153	0.0096	0.0105	0.0216	0.1094	0.6815	0.1223	0.0115
8	0.0295	0.0173	0.0072	0.0096	0.0139	0.0207	0.0969	0.7174	0.0873
9	0.0396	0.0176	0.0091	0.0060	0.0106	0.0179	0.0273	0.1222	0.7498

Table 6: Table of smearing matrix for  $\cos(\theta_p^{reco})$ . Each row represents a true bin, and each column represents a reconstructed bin. Each value is the fraction of events in the true bin which are reconstructed in the respective reconstructed bin.

### 1.3 Tables for $p_\mu^{reco}$

Bin	Min.	Max.	Cross Section [ $10^{-38}$ cm <sup>2</sup> /nucleus]	Uncertainty [ $10^{-38}$ cm <sup>2</sup> /nucleus]
1	0.1	0.18	4.96	5.29
2	0.18	0.3	15.33	4.83
3	0.3	0.48	21.93	6.60
4	0.48	0.75	15.66	4.64
5	0.75	1.14	7.16	1.65
6	1.14	2.5	0.72	0.20

Table 7: Table of cross section values for  $p_\mu^{reco}$

	1	2	3	4	5	6
1	27.9365	17.2163	24.3234	16.7276	5.5649	0.6573
2	17.2163	23.3313	27.0439	19.2995	6.4874	0.7270
3	24.3234	27.0439	43.5974	29.4177	9.8565	1.1398
4	16.7276	19.2995	29.4177	21.5012	7.0441	0.7499
5	5.5649	6.4874	9.8565	7.0441	2.7370	0.2742
6	0.6573	0.7270	1.1398	0.7499	0.2742	0.0411

Table 8: Table of covariances for  $p_\mu^{reco}$ . Units are in  $10^{-38}$  cm<sup>-2</sup>/nucleon, as in the cross section results.

True bin	Reconstructed bin					
	1	2	3	4	5	6
1	0.9012	0.0839	0.0112	0.0000	0.0000	0.0037
2	0.0262	0.8959	0.0655	0.0091	0.0024	0.0009
3	0.0012	0.0884	0.7750	0.1175	0.0144	0.0035
4	0.0005	0.0132	0.1511	0.6772	0.1415	0.0165
5	0.0002	0.0084	0.0461	0.2104	0.5954	0.1394
6	0.0000	0.0046	0.0422	0.0893	0.2560	0.6079

Table 9: Table of smearing matrix for  $p_\mu^{reco}$ . Each row represents a true bin, and each column represents a reconstructed bin. Each value is the fraction of events in the true bin which are reconstructed in the respective reconstructed bin.

#### 1.4 Tables for $p_p^{reco}$

Bin	Min.	Max.	Cross Section [ $10^{-38}$ cm <sup>2</sup> /nucleus]	Uncertainty [ $10^{-38}$ cm <sup>2</sup> /nucleus]
1	0.3	0.41	27.97	6.76
2	0.41	0.495	29.04	6.35
3	0.495	0.56	29.10	7.75
4	0.56	0.62	26.42	8.16
5	0.62	0.68	23.27	7.45
6	0.68	0.74	20.18	6.75
7	0.74	0.8	15.26	5.34
8	0.8	0.87	10.98	4.69
9	0.87	0.93	7.24	4.13
10	0.93	1.2	2.18	1.19

Table 10: Table of cross section values for  $p_p^{reco}$



	1	2	3	4	5	6	7	8	9	10
1	45.7017	35.3128	38.9875	42.1566	40.2467	33.8402	26.6454	21.5815	13.3534	4.8874
2	35.3128	40.3708	43.1251	43.4089	41.8683	35.6314	27.8538	23.5982	16.4211	5.1985
3	38.9875	43.1251	60.0924	58.9237	51.4485	46.1571	34.3899	30.1461	25.5225	7.3045
4	42.1566	43.4089	58.9237	66.6254	54.3791	49.9635	37.2171	32.8809	28.1581	7.9232
5	40.2467	41.8683	51.4485	54.3791	55.5041	47.1985	36.1147	30.9086	21.6284	6.3370
6	33.8402	35.6314	46.1571	49.9635	47.1985	45.5509	32.7279	28.3037	20.7805	5.6280
7	26.6454	27.8538	34.3899	37.2171	36.1147	32.7279	28.5185	21.8546	15.4636	4.4421
8	21.5815	23.5982	30.1461	32.8809	30.9086	28.3037	21.8546	21.9778	13.5438	3.9134
9	13.3534	16.4211	25.5225	28.1581	21.6284	20.7805	15.4636	13.5438	17.0655	4.1015
10	4.8874	5.1985	7.3045	7.9232	6.3370	5.6280	4.4421	3.9134	4.1015	1.4113

Table 11: Table of covariances for  $p_p^{reco}$ . Units are in  $10^{-38} \text{ cm}^{-2}/nucleon$ , as in the cross section results.

True bin \ Reconstructed bin	1	2	3	4	5	6	7	8	9	10
1	0.9412	0.0437	0.0078	0.0036	0.0018	0.0003	0.0009	0.0002	0.0000	0.0004
2	0.2459	0.7210	0.0256	0.0036	0.0015	0.0013	0.0005	0.0003	0.0000	0.0005
3	0.0467	0.2046	0.7120	0.0326	0.0017	0.0013	0.0005	0.0003	0.0004	0.0000
4	0.0229	0.0656	0.1795	0.6993	0.0301	0.0009	0.0009	0.0004	0.0004	0.0000
5	0.0190	0.0390	0.0675	0.1755	0.6698	0.0280	0.0007	0.0003	0.0000	0.0001
6	0.0107	0.0247	0.0473	0.0723	0.1898	0.6348	0.0191	0.0008	0.0000	0.0006
7	0.0107	0.0181	0.0269	0.0522	0.0844	0.2040	0.5900	0.0128	0.0002	0.0007
8	0.0090	0.0150	0.0194	0.0350	0.0581	0.0962	0.1987	0.5654	0.0028	0.0004
9	0.0083	0.0128	0.0207	0.0191	0.0414	0.0756	0.1053	0.2560	0.4599	0.0008
10	0.0139	0.0148	0.0238	0.0305	0.0364	0.0550	0.0718	0.1079	0.1720	0.4737

Table 12: Table of smearing matrix for  $p_p^{reco}$ . Each row represents a true bin, and each column represents a reconstructed bin. Each value is the fraction of events in the true bin which are reconstructed in the respective reconstructed bin.

## 1.5 Tables for $\theta_{\mu-p}^{reco}$

Bin	Min.	Max.	Cross Section [ $10^{-38}$ cm <sup>2</sup> /nucleus]	Uncertainty [ $10^{-38}$ cm <sup>2</sup> /nucleus]
1	0.0	0.8	1.15	0.42
2	0.8	1.2	3.96	0.96
3	1.2	1.57	8.88	2.53
4	1.57	1.94	11.00	3.61
5	1.94	2.34	7.64	2.60
6	2.34	3.14	2.09	0.80

Table 13: Table of cross section values for  $\theta_{\mu-p}^{reco}$

	1	2	3	4	5	6
1	0.1740	0.2579	0.6364	0.6839	0.3653	0.0985
2	0.2579	0.9197	2.1438	2.7486	1.8152	0.4344
3	0.6364	2.1438	6.4252	8.2692	5.0467	0.9837
4	0.6839	2.7486	8.2692	13.0130	8.5595	1.8212
5	0.3653	1.8152	5.0467	8.5595	6.7773	1.6190
6	0.0985	0.4344	0.9837	1.8212	1.6190	0.6399

Table 14: Table of covariances for  $\theta_{\mu-p}^{reco}$ . Units are in  $10^{-38}$  cm<sup>-2</sup>/nucleon, as in the cross section results.

True bin \ Reconstructed bin	1	2	3	4	5	6
1	0.7362	0.1018	0.0269	0.0281	0.0330	0.0740
2	0.0619	0.7518	0.1227	0.0230	0.0185	0.0221
3	0.0089	0.0651	0.8030	0.0992	0.0120	0.0118
4	0.0073	0.0131	0.1072	0.7898	0.0671	0.0155
5	0.0133	0.0134	0.0169	0.1104	0.7685	0.0775
6	0.0215	0.0181	0.0204	0.0215	0.0933	0.8252

Table 15: Table of smearing matrix for  $\theta_{\mu-p}^{reco}$ . Each row represents a true bin, and each column represents a reconstructed bin. Each value is the fraction of events in the true bin which are reconstructed in the respective reconstructed bin.