



pattern	matching order	partial orders	set operation based model	augmented extension model
 <p>4-cycle</p>		$u_0 > u_1$ $u_1 > u_2$ $u_0 > u_3$	<pre> 1  for <math>v_0 \in V</math> 2    for <math>v_1 \in \text{adj}(v_0)</math> 3      if <math>(v_1 &gt; v_0)</math> break; 4      for <math>v_2 \in \text{adj}(v_0)</math> 5        if <math>(v_2 &gt; v_1)</math> break; 6        for <math>v_3 \in \text{adj}(v_1) \cap \text{adj}(v_2)</math> 7          if <math>(v_3 &gt; v_0)</math> break; 8          output <math>(v_0, v_1, v_2, v_3)</math> </pre>	<pre> 1  for <math>v_0 \in V</math> 2    for <math>v_1 \in \text{adj}(v_0)</math> 3      for <math>w \in \text{adj}(v_1)</math> c-map[<math>w</math>] = 1; 4      if <math>(v_1 &gt; v_0)</math> break; 5      for <math>v_2 \in \text{adj}(v_0)</math> 6        if <math>(v_2 &gt; v_1)</math> break; 7        for <math>v_3 \in \text{adj}(v_2)</math> 8          if <math>(v_3 &gt; v_0)</math> break; 9          if (c-map[<math>v_3</math>] == 1) 10             output <math>(v_0, v_1, v_2, v_3)</math> 11      for <math>w \in \text{adj}(v_1)</math> c-map[<math>w</math>] = 0; </pre>