

57


E-figure 1. Light curve of BO Cet between 2013 June and 2019 February based on ASAS-SN observations. The object mostly stayed in NL state (or standstill), but showed dwarf nova states in late 2013 (first panel) and 2017 November to December (fourth panel).

E-table 1. Superhump maxima of BO Cet (2020)

E	max*	error	$O - C^\dagger$	N^\ddagger
0	59151.6746	0.0029	-0.0294	30
1	59151.8298	0.0026	-0.0249	25
6	59152.6083	0.0019	-0.0001	30
13	59153.6811	0.0017	0.0175	27
14	59153.8265	0.0016	0.0123	29
26	59155.6447	0.0021	0.0217	35
27	59155.7920	0.0026	0.0182	25
33	59156.6897	0.0031	0.0116	22
34	59156.8318	0.0049	0.0029	29
39	59157.5769	0.0044	-0.0056	25
40	59157.7335	0.0011	0.0002	21
41	59157.8758	0.0076	-0.0082	18
43	59158.1895	0.0005	0.0041	433
46	59158.6445	0.0024	0.0068	35
47	59158.7863	0.0028	-0.0021	25
49	59159.1018	0.0028	0.0119	98
51	59159.3924	0.0013	0.0010	77
52	59159.5283	0.0015	-0.0138	68
53	59159.6806	0.0025	-0.0122	22
78	59163.4554	0.0021	-0.0057	81
79	59163.6179	0.0034	0.0061	54
86	59164.6615	0.0042	-0.0055	28
86	59164.6612	0.0042	-0.0058	27
89	59165.1182	0.0008	-0.0010	766

*BJD-2400000.

 † Against max = 2459151.7040 + 0.150732E. ‡ Number of points used to determine the maximum.



E-figure 2. Superhump profile of BO Cet. (Upper): PDM analysis. (Lower): Phase-averaged profile.