



# Isolated platoon coordination

## Isolated coordination



# Cross-fleet platoon coordination

## Cooperative coordination



## Problem setup

- $\mathcal{G} = (\mathcal{N}, \mathcal{E})$  - transportation network (junctions and hubs  $\mathcal{J} \cup \mathcal{H} = \mathcal{N}$  and roads  $\mathcal{E}$ )
- $\mathcal{V} = \{1, \dots, |\mathcal{V}|\}$  - set of trucks with origins and destinations in the network
- Truck  $i$  has a pre-defined path denoted  $\mathcal{E}_i = \{e_i^1, \dots, e_i^{|\mathcal{E}_i|}\}$
- The hubs in its path is denoted  $\mathcal{H}_i = \{h_i^1, \dots, h_i^{|\mathcal{H}_i|}\}$
- Truck  $i$  has a pre-defined waiting budget  $\bar{w}_i$
- The trucks belong to different fleets in the set  $\mathcal{F}$
- The trucks in fleet  $f$  is denoted  $\mathcal{V}^f \subseteq \mathcal{V}$

## Problem setup

The position of truck  $i$  is denoted  $s_i(t) = (e_i(t), d_i(t), k_i^e(t), k_i^h(t))$ , where

- $e_i(t) = (v_i^s(t), v_i^t(t)) \in \mathcal{E}$  is its current edge
- $d_i(t) \in [0, L(e_i(t))]$  is its position on current edge
- $k_i^e(t) \in \{1, \dots, |\mathcal{E}_i|\}$  indicates the position of the current edge in the path of truck  $i$
- $k_i^h(t) \in \{1, \dots, |\mathcal{H}_i|\}$  indicates the position of the next hub in the path of truck  $i$

Truck  $i$  has a coordination state  $c_i(t) = (a_i(t), t_i^a(t), t_i^d(t), b_i(t))$ , where

- $a_i(t)$  indicates whether truck  $i$  is available for coordination
- $t_i^a(t)$  is the arrival time at the next node
- $t_i^d(t)$  is the planned departure time at next node
- $b_i(t)$  is the waiting budget left

The coordination state is updated at coordination instances

## Dynamics of truck $i$ :

If truck  $i$  travel on an edge during a time period, then

$$k_i^e(t + \Delta T) = k_i(t)$$

$$k_i^h(t + \Delta T) = k_i(t)$$

$$e_i(t + \Delta T) = e_i(t)$$

$$d_i(t + \Delta T) = d_i(t) + v\Delta T$$

## Dynamics of truck $i$

If truck  $i$  passes by a junction during a time period, then

$$k_i^e(t + \Delta T) = k_i^e(t) + 1$$

$$k_i^h(t + \Delta T) = k_i^h(t)$$

$$e_i(t + \Delta T) = e_i^{k_i^e(t)+1}$$

$$d_i(t + \Delta T) = v\Delta T - L(e_i(t)) + d_i(t)$$

## Dynamics of truck $i$

If truck  $i$  is located at a hub at a time period and its planned departure time is during the current time period, then

$$k_i^e(t + \Delta T) = k_i^e(t) + 1$$

$$k_i^h(t + \Delta T) = k_i^h(t) + 1$$

$$e_i(t + \Delta T) = e_i^{k_i^e(t)+1}$$

$$d_i(t + \Delta T) = v(t + \Delta T - t_i^d(t))$$

$$t_i^d(t + \Delta T) = t_i^d(t) + L_i^h(k_i^h(t) + 1)/v$$

$$a_i(t + \Delta T) = 1$$

If its planned departure time is after the current time period, then  $k_i^e(t + \Delta T) = k_i^e(t)$ ,  $k_i^h(t + \Delta T) = k_i^h(t)$ ,  $e_i(t + \Delta T) = e_i(t)$ ,  $d_i(t + \Delta T) = L(e_i(t))$ ,  $t_i^d(t + \Delta T) = t_i^d(t)$ ,  $a_i(t + \Delta T) = a_i(t)$ .

The planned departure time is decided by a coordinator

## Coordination at hub $h$

- At each hub there is a coordinator which calculates and informs approaching trucks about their departure times at the hub
- Coordination at hub  $h$  is triggered if a truck arrives within the current time period
- $\mathcal{A}_h^n(t)$  denotes the set with the  $n$  next available trucks that will arrive to hub  $h$
- A pair-wise feasibility graph (PWFG) is computed for the trucks in  $\mathcal{A}_h^n(t)$  based on their arrival time at hub  $h$  and their waiting budget left.
- The cliques in the PWFG are possible platoons
- A linear integer program is solved to coordinate trucks (compute their departure times)
- We can limit the size of the coordination problem by increasing  $n$  until the number of cliques in the PWFG exceeds some limit
- We consider three different coordination solutions which incorporate one cooperation level among fleets each. The preprocessing step of these are the same.



# Preprocessing

- Once coordination is triggered at a hub and the PWFG is computed. We can compute the set of feasible platoons denoted  $\mathcal{P}$  (the hub  $h$  and time  $t$  is omitted for simplicity).
- The set of feasible platoons is denoted  $\mathcal{P}$ , and the platoon  $p$  involves the trucks in the set  $\mathcal{V}_p = \bigcup_{f \in \mathcal{F}} \mathcal{V}_p^f$ , where  $\mathcal{V}_p^f$  is the set of involved trucks from fleet  $f$
- The set of trucks from fleet  $f$  in platoon  $p$  with edge  $e$  in its route is denoted  $\mathcal{V}_{p,e}^f \subseteq \mathcal{V}_p^f$
- The edges in the routes of the trucks in  $\mathcal{V}_p^f$  is denoted  $\mathcal{E}_p^f$
- Fleet  $f$ 's profit of platoon  $p$  is denoted  $r_p^f$  and includes the platooning reward and a waiting cost.

## Preprocessing

- Fleet  $f$ 's platooning reward of platoon  $p$  can for example be

$$\sum_{e \in \mathcal{E}_p^f} R_e^f(\mathcal{V}_{p,e}^1, \dots, \mathcal{V}_{p,e}^F),$$

where

$$R_e^f(\mathcal{V}_{p,e}^1, \dots, \mathcal{V}_{p,e}^F) = r_e \frac{|\mathcal{V}_{p,e}^1| + \dots + |\mathcal{V}_{p,e}^F| - 1}{|\mathcal{V}_{p,e}^1| + \dots + |\mathcal{V}_{p,e}^F|} |\mathcal{V}_{p,e}^f|,$$

where  $r_e$  is the profit of one follower one edge  $e$ .

- The time cost can for example be

$$\sum_{i \in \mathcal{V}_p^f} c |t_p^* - t_i^a|,$$

where  $t_p^* = \min_{i \in \mathcal{V}_p} t_i$  and  $c$  is the time cost.

- It's profit of forming platoon  $p$  is then  $r_p^f = \sum_{e \in \mathcal{E}_p^f} R_e^f(\mathcal{V}_{p,e}^1, \dots, \mathcal{V}_{p,e}^F) - \sum_{i \in \mathcal{V}_p^f} c |t_p^* - t_i^a|$

## Problem formulation (Isolated coordination)

Each fleet  $f$  computes its own solution without cross-fleet platoons.

Optimization problem of fleet  $f$ :

$$\begin{aligned} \max_{\epsilon_p: p \in \mathcal{P}^f} \quad & \sum_{p \in \mathcal{P}^f} r_p^f \epsilon_p \\ \text{s.t.} \quad & \sum_{p \in \mathcal{P}_i^f} \epsilon_p = 1, \forall i \in \mathcal{V}^f \\ & \epsilon_p = \{0, 1\}, \forall p \in \mathcal{P}^f \end{aligned}$$

- The set  $\mathcal{P}^f$  includes the feasible platoons involving only trucks from fleet  $f$
- The decision variable  $\epsilon_p$  indicates whether platoon  $p$  is formed
- The set of feasible platoons involving the truck  $i$  is denoted  $\mathcal{P}_i^f$

## Problem formulation (Cross-fleet coordination, multi-objective approach)

The fleets computes pareto improved solutions (which includes cross-fleet platoons) iteratively (one at a time) until the procedure converges to a pareto optimal solution.

Optimization problem of fleet  $f$ :

$$\begin{aligned} \max_{\epsilon_p: p \in \mathcal{P}} \quad & \sum_{p \in \mathcal{P}} r_p^f \epsilon_p \\ \text{s.t.} \quad & \sum_{p \in \mathcal{P}_i} \epsilon_p = 1, \forall i \in \mathcal{V} \\ & \sum_{p \in \mathcal{P}} r_p^g \epsilon_p \geq \sum_{p \in \mathcal{P}} r_p^g \epsilon'_p, \forall g \in \mathcal{F} \setminus f \\ & \epsilon_p = \{0, 1\}, \forall p \in \mathcal{P} \end{aligned}$$

- $\mathcal{P}_i$  - set of feasible platoons which include truck  $v$
- The solution at the previous iteration is denoted  $\epsilon'_p$
- The second constraint ensures that each iteration is a pareto improvement

## Cooperative solution

A coordinator computes a cooperative solution which maximizes the total profit of all trucks.

Cooperative optimization problem:

$$\begin{aligned} \max_{\epsilon_p: p \in \mathcal{P}} \quad & \sum_{p \in \mathcal{P}} r_p \epsilon_p \\ \text{s.t.} \quad & \sum_{p \in \mathcal{P}_i} \epsilon_p = 1, \forall i \in \mathcal{V} \\ & \epsilon_p = \{0, 1\}, \forall p \in \mathcal{P} \end{aligned}$$

- The total profit of platoon  $p$  is denoted  $r_p = \sum_{f \in \mathcal{F}} r_p^f$


# Coordination

Once a coordination solution is computed. The coordinator informs the trucks in  $\mathcal{A}_h^n(t)$  about their platoons and departure times.




The coordination state of truck  $i \in \mathcal{V}_p$  is updated as  $t_i^h(t) = t_p^*$ ,  $b_i(t) = t_p^* - t_i^a(t)$ ,  $a_i(t) = 0$ .

## Simulation setup

- The reward per follower is 0.05\$/km and the cost of waiting is 0.1\$/min
- Trucks have default departure times within a period of 60 minutes
- Trucks can deviate 10 minutes from their default departure times
- We consider a transport network with 15 nodes (1 hub and 14 junctions/destinations)





# Total profit in two fleet case







# Total gain




# Gain of cooperation for fleet 1




# Gain per truck

Gain per truck fleet 1(Pareto-isolated)




Gain per truck(Pareto-isolated)




# Computation time


Computation time of isolated coordination




Computation time of pareto coordination




Computation time of cooperative coordination





Computation time of preprocessing




## Four fleet case





# Total profit of all fleets



# Profit of fleet 1




## Profit of fleet 2







# Profit of fleet 3




# Profit of fleet 4



## Gain of cooperation fleet 3




# Computation time




## Simulation set up


Trucks have different origins and destinations in a network of hubs and junctions




# Comp time iso



# Profit Isolated




# Comp time par







# Profit Isolated



# Comp time par



# Profit Isolated



# Total profit (isolated, pareto, cooperative)

