

① Discourse

Input [1, None, 0, -1, 0]

p_1

Define a list named "elements" with the values {input}.

Human

s_1

```
elements = [1, None, 0, -1, 0]
```

Model

p_2

Count the number of zeros in variable elements and store the value into variable "zero_count".

Human

s_2

```
zero_count = len([l for l in elements if l == 0])
```

Model

p_3

Scan through the list in order and remove all the zeros, store the result into variable "non_zero".

Human

s_3

```
non_zero = []
for e in elements:
    if e != 0:
        non_zero.append(e)
```

Model

p_4

Merge the variable non_zero and a new list containing "zero_count" 0s and store the result to "result". Print the variable "result".

Human


s_4

```
result = non_zero + [0] * zero_count
print(result)
```

Model

Expected Output [1, None, -1, 0, 0]

② Generation



③ Evaluation

```
# Define a list named "elements" with the values [1, None, 0, ...
elements = [1, None, 0, -1, 0]

# Count the number of zeros in variable elements and store the ...
zero_count = len([l for l in elements if l == 0])

# Scan through the list in order and remove all the zeros ...
non_zero = []
for e in elements:
    if e != 0:
        non_zero.append(e)

# Merge the variable non_zero and a new list containing ...
result = non_zero + [0] * zero_count
print(result)
```

Execute

..... [1, None, -1, 0, 0] Actual Output

