


**Stage 1:**  
A topological  
property of  
neighborhood of  $\mathcal{P}$



**Stage 2:**  
Characterization of  
 $\mathcal{W}$ ,  $\mathcal{W}^\circ$  and  $\mathcal{W}^e$



**Stage 3:**  
Characterization of  
domain of attraction  
 $D(\mathcal{P})$  of  $\mathcal{P}$

**Proposition 1**  
a property near a compact  
regular level set



**Corollary 1**  
there exists a neighborhood of  $\mathcal{P}$   
homeomorphic to  $\mathcal{U} \times \mathbb{S}^1$

**Lemma 3**  
 $\mathcal{W}^e = \mathcal{S} = e_{\mathcal{V}}^{-1}(\partial\bar{\mathcal{E}})$



**Lemma 4**  
 $(-\infty, +\infty) \times \mathcal{S} \approx \Psi^{(-\infty, +\infty)}(\mathcal{S})$



**Lemma 5**  
1.  $\mathcal{W}^\circ = \Psi^{(-\infty, 0]}(\mathcal{S})$ , open in  $\mathcal{W}$       2.  $\mathcal{W}^\circ \approx (-\infty, 0] \times \mathcal{S}$

**Proposition 2**  
 $e_{\mathcal{V}}^{-1}(\bar{\mathcal{E}}) \cup \mathcal{W}^\circ \approx \mathbb{R}^{n-1} \times \mathbb{S}^1$



**Theorem 1**  
 $D(\mathcal{P}) \approx \mathbb{R}^{n-1} \times \mathbb{S}^1$