

Document ID 17554526

[**Impaired fear recognition** in regular recreational **cocaine** users. introduction : the ability to read facial expressions is essential for normal human social interaction. the aim of the present study was to conduct the first investigation of facial expression recognition performance in recreational **cocaine** users. materials and methods : three groups , comprised of 21 **cocaine** naive participants (cn) , 30 occasional **cocaine** (oc) , and 48 regular recreational **cocaine** (rc) users , were compared. an emotional facial expression (efe) task consisting of a male and female face expressing six basic emotions (happiness , surprise , **sadness** , anger , fear , and disgust) was administered. mean percent accuracy and latencies for correct responses across eight presentations of each basic emotion were derived. participants were also assessed with the " eyes task " to investigate their ability to recognize more complex emotional states and the symptom checklist-90-revised to measure psychopathology. results : there were no group differences in psychopathology or " eyes task " performance , but the rc group , who otherwise had similar illicit substance use histories to the oc group , exhibited **Impaired fear recognition** accuracy compared to the oc and cn groups. the rc group also correctly identified anger , fear , happiness , and surprise , more slowly than cn , but not oc participants. the oc group was slower than cn when correctly identifying disgust. the selective **Impaired fear recognition** accuracy manifested by the rc group can not be explained by the subacute effects of **cocaine** , or **ecstasy** , because recent and less recent users of these drugs within this group were similarly impaired. possible parallels between rc users and **psychopaths** with respect to **Impaired fear recognition**]

Cluster1 (cause)

Representative

What emotion did the rc group correctly identify more slowly than the oc group?:anger
What was the main difference between cn and rc users?:Impaired fear recognition

Non-Representative

save my edits

Cluster4 (interacts with)

Representative

Non-Representative

save my edits

Cluster8 (interacts with)

Cluster10 (substrate)

Cluster2 (upregulator)

Cluster3 (cause)

Cluster5 (substrate)

Cluster6 (downregulator)

Cluster7 (interacts with)

Representative

What drug can't be explained by the subacute effects of cocaine?:ecstasy
What drug is not a cause of the rc group's poor fear recognition?:cocaine

Non-Representative

save my edits

Cluster9 (cause)

Highlight Answers

Save new clusters

Save Document Slots