


Target Quantum Program

I. Analyze the overall structure



II. Unit Testing (for each subroutine)

Tool: IO mark

① IO analysis

Proc1 : (Nqs, θ , qs) \rightarrow (qs')

```
Proc1(double  $\theta$ , qubits qs) {  
  foreach q in qs  
  { Rz( $\theta$ , q); }  
}
```

② Decide which subtasks should be run and run them

Subtask A: Relation Checking

A.1 Select the relation to check

Proc1 is a unitary transform on qs.

A.2 Run the testing

PASS or FAIL

Subtask B: Structural Testing

B.1 Decide the structure to test

The loop statement traverses all qubits of qs.

B.2 Run the testing

relies on
Relation Checking
for the test case.

PASS or FAIL

Subtask C: Behavior Testing

C.1 Equivalence
class partitioning

Criteria:
boundary value
+ CSP

Nqs: = 1 / ≥ 2
 θ : ≥ 0 / < 0
qs: classical / superposition

C.2 Combination of classes

Criterion:
ECC

1. (Nqs=1, $\theta \geq 0$, qs is classical);
2. (Nqs ≥ 2 , $\theta < 0$, qs is superposition);
-

C.3 Generate test cases

Criterion:
STV + SCAQ

Input

1. (Nqs=1, $\theta=0.1$, qs=|0>);
2. (Nqs=2, $\theta=-0.2$, qs= $\frac{1}{\sqrt{2}}(|00> + |11>)$);
-

Expected output

qs'=|0>
qs'= $\frac{1}{\sqrt{2}}(|00> + e^{-0.4}|11>)$

C.4 Run the testing

relies on
Relation Checking
for the test cases.

PASS or FAIL

③ Collect test results of all subtasks

Note:

Endian mode of interfaces should be considered in the whole testing processes.

Results of unit testing



or




or



Results of integration testing

III. Integration Testing

① Select integration strategies



4 subroutine pairs
bottom-up order:
1 \rightarrow 2 \rightarrow 3 \rightarrow 4

② Integrate each subroutine pair

- Pair 1: Q-Q coupling
- Pair 2: QUCL coupling
- Pair 3: Q-Q coupling
- Pair 4: CUQL coupling