

HumanEval Function Test

```
METADATA = {\n  'author': 'jt',\n  'dataset': 'test'\n}\n\ndef check(candidate):\n    assert candidate([1.0, 2.0, 3.9, 4.0, 5.0, 2.2], 0.3) == True\n    assert candidate([1.0, 2.0, 3.9, 4.0, 5.0, 2.2], 0.05) == False\n    ...
```

MBPP Function Test

```
[  
    "assert get_ludic(10) == [1, 2, 3, 5, 7]",  
    "assert get_ludic(25) == [1, 2, 3, 5, 7, 11, 13, 17, 23, 25]", ...  
]
```

ClassEval Method Test

```
class VendingMachineTestPurchaseItem(unittest.TestCase):\n    def test_purchase_item(self):\n        vm = VendingMachine()\n        vm.inventory = {'Coke': {'price': 1.25, 'quantity': 10}}\n        vm.balance = 1.25\n        self.assertEqual(vm.purchase_item('Coke'), 0.0)\n        self.assertEqual(vm.inventory, {'Coke': {'price': 1.25, 'quantity': 9}})\n    def test_purchase_item_2(self):\n        vm = VendingMachine()\n        vm.inventory = {'Coke': {'price': 1.25, 'quantity': 10}}\n        vm.balance = 1.25\n        self.assertEqual(vm.purchase_item('Pizza'), False)\n        self.assertEqual(vm.inventory, {'Coke': {'price': 1.25, 'quantity': 10}})\n    ...
```

ClassEval Class Test

```
class VendingMachineTestMain (unittest.TestCase):\n    def setUp(self) -> None:\n        self.vm = VendingMachine()\n        self.vm.inventory = {'Coke': {'price': 1.25, 'quantity': 10}}\n        self.vm.balance = 0\n    def test_all(self):\n        self.assertEqual(vm.insert_coin(1.25), 1.25)\n        self.assertEqual(vm.purchase_item('Coke'), 0.0)\n        self.assertEqual(vm.inventory, {'Coke': {'price': 1.25, 'quantity': 9}})\n        self.assertEqual(vm.restock_item('Coke', 10), True)\n        self.assertEqual(vm.inventory, {'Coke': {'price': 1.25, 'quantity': 19}})\n        self.assertEqual(vm.display_items(), 'Coke - $1.25 [19]')\n    ...
```

Test Fixtures:
setUp