

HumanEval

Prompt:

```
def truncate_number(number: float) ->float:
```

```
    """
```

Given a positive floating point number, it can be decomposed into an integer part (largest integer smaller than given number) and decimals (leftover part always smaller than 1).

Return the decimal part of the number.

```
>>>truncate_number(3.5)
```

```
0.5
```

```
    """
```

Function Completion

MBPP

Prompt:

You are an expert Python programmer, and here is your task:

...

Write a function to check if the given tuple list has all k elements. Your code should pass these tests:\n\n["assert check_k_elements([(4, 4), (4, 4, 4), (4, 4), (4, 4, 4, 4), (4,)], 4) == True", "assert check_k_elements([(7, 7, 7), (7, 7)], 7) == True", "assert check_k_elements([(9, 9), (9, 9, 9, 9)], 7) == False"]

[BEGIN]

Function Generation

Object-Oriented Programming (OOP)

Prompt:

First, write a `**WDS**` class using the Python language. Then, within the WDS class, create a public function called `**without_duplicates**` to implement finding the length of the longest substring in a given string `**s**` that does not contain any duplicate characters.

Class, Encapsulation, Public function

Object-Oriented Programming (OOP)

Prompt:

Firstly, design a class named `**MS**` using the Python language, which has instance attributes `**word1**` and `**word2**`, a private function `**private_Minimum_Steps**`, and a public function `**public_Minimum_Steps**`. Then, in the private function `**private_Minimum_Steps**`, return the minimum number of steps required to make `**word1**` and `**word2**` identical. Finally, in the public function `**public_Minimum_Steps**`, call the private function `**private_Minimum_Steps**` to return the result.

Class, Encapsulation, Properties, Public function,
Private function

Object-Oriented Programming (OOP)

Prompt:

Question: Given a positive integer `**n**`, return the number of groups of consecutive positive integers that satisfy the sum of all numbers equals `**n**`;

Based on the above question, please create a class `**SNS**` in Python, which has an attribute `**n**`. Then create another class `**SN_SNS**` that inherits from the `**SNS**` class, and add a public function `**Sum_Numbers**` to return the number of groups of consecutive positive integers that satisfy the sum of all numbers equals `**n**`.

Class, Encapsulation, Properties, Public function,
Private function, Inheritance,

Object-Oriented Programming (OOP)

Prompt:

First, write a class named `**STR**` in Python, which has an instance attribute, `**s**`, and a public function named `**without_duplicates**`. In the public function `**without_duplicates**`, based on the instance attribute `**s**`, find the length of the longest substring without duplicate characters. Next, create a class named `**SUB_STR**` that inherits from the `**STR**` class and add a public function named `**without_duplicates**`. In the public function `**without_duplicates**` of the `**SUB_STR**` class, find the maximum distance between repeated characters in the instance attribute `**s**`.

Class, Encapsulation, Properties, Public function,
Inheritance, Polymorphism