

### Prompt:

You are an expert Python programmer, and here is your task:

In the Python language, start by creating a **PME** class. Within the **PME** class, define a public function called **prime\_number**. Within this function, validate whether a given integer **number** is a prime number. If it is prime, the function should return **True**; otherwise, it should return **False**.

Your code should pass these tests:

```
"PME().prime_number(17) == True"
```

[BEGIN]

Please understand the requirement and write a rough solving process. It starts with a input-output structure. The necessary details should be written in natural languages.

### Input:

- The input to the `prime\_number` function is an integer `number`.

### Output:

- The function should return `True` if the input `number` is a prime number.

- The function should return `False` if the input `number` is not a prime number.

### Solving Process:

1. **Input Validation:**

- Check if the input `number` is a positive integer. If not, return an error or handle the situation accordingly.

2. **Prime Number Check:**

- If the input `number` is 2 or 3, return `True` since they are prime.

- If the input `number` is less than 2, return `False` since prime numbers are greater than 1.

- Iterate from 2 to the square root of the input `number`.

- Check if the input `number` is divisible evenly by any number in the iteration.

- If it is divisible by any number, return `False` (not a prime number).

- If no divisor is found, return `True` (it is a prime number).

3. **Implementation in Python:**

- Create a class named `PME`.

- Define a public function `prime\_number` that takes an integer parameter `number`.

- Implement the steps mentioned above in the `prime\_number` function.

Here's a rough implementation in Python:

```
class PME:
    def prime_number(self, number):
        if number < 2:
            return False
        for i in range(2, int(number**0.5) + 1):
            if number % i == 0:
                return False
        return True
```

[DONE]

⋮

Firstly, design an **ES** class using Python language, which has instance attributes **nums** and **k**, a private function **private\_Equal\_sum**, and a public function **public\_Equal\_sum**. Then, in the private function **private\_Equal\_sum**, determine whether it is possible to divide this array into **k** non-empty subsets with equal sums, based on a given integer array **nums** and a positive integer **k**. Finally, call the private function **private\_Equal\_sum** in the public function **public\_Equal\_sum** to return the result.