

You

Firstly, design an `MI` class using Python language, which has an instance attribute `n`, a private function `private_monotonic_increase`, and a public function `public_monotonic_increase`. Then, implement the following problem in the private function `private_monotonic_increase`. Finally, call the private function `private_monotonic_increase` in the public function `public_monotonic_increase` to return the result. \nProblem: An integer is said to be monotonically increasing if and only if each pair of adjacent digits `x` and `y` satisfy  $x \leq y$ . Given an integer `n`, return the largest number less than or equal to `n` that is monotonically increasing.



`private_monotonic_increase`



ChatGPT

Certainly! Below is the implementation of the described class and its functions in Python:

```
python Copy code

class MI:
    def __init__(self, n):
        self.n = n

    def private_monotonic_increase(self, num_str):
        # Convert the integer to a list of digits
        digits = [int(digit) for digit in str(num_str)]
        n = len(digits)

        # Iterate from right to left
        for i in range(n - 1, 0, -1):
            # If the current digit is greater than the next one, decrement
            if digits[i - 1] > digits[i]:
                digits[i - 1] -= 1
                # Set all digits to 9 to the right of the current digit
                for j in range(i, n):
                    digits[j] = 9

        # Convert the list of digits back to an integer and return
        return int(''.join(map(str, digits)))

    def public_monotonic_increase(self):
        # Convert the instance attribute n to a string
        n_str = str(self.n)

        # Call the private_monotonic_increase function and return the result
        result = self.private_monotonic_increase(n_str)
        return result
```