

```

```python
# Restating the problem in plain English:
# - Farmer John is at position x and Bessie is at y on the same line.
# - Farmer John doesn't know where Bessie is and must find her by walking back and forth.
# - He will walk in a zig-zag pattern: first to x + 1, then to x - 2, then to x + 4, and so on.
# - Each leg of the journey is twice as long as the previous one and in the opposite direction.
# - The task is to calculate the total distance Farmer John will walk until he finds Bessie.

# Conceptualizing a solution first in plain English:
# - Farmer John alternates directions, first adding 1, then subtracting 2, adding 4, etc.
# - We track the total distance walked and the current position until Farmer John passes position
  y.
# - We need to take into account both the distance to reverse directions and the distance walked
  towards y.
# - We'll increment a step size that starts at 1 and doubles each step, alternating addition and
  subtraction.

# Pseudocode solution:
# 1. Initialize total_distance and current_position to 0.
# 2. Initialize direction to 1 (as Farmer John first moves to position x+1).
# 3. Initialize step to 1.
# 4. While Farmer John has not passed position y:
#     a. Increment total_distance with the absolute of step.
#     b. Update current_position by adding step.
#     c. Change direction (if it was 1, make it -1, otherwise make it 1).
#     d. Double the step value and multiply it by direction for the next iteration.
# 5. Since Farmer John would have passed y, add the distance from position y to where he passed.
# 6. Print the total_distance.

# Output the final Python solution with solution steps in comments.
x, y = map(int, input().split())

total_distance = 0 # Total distance traveled
current_position = x # Current position of Farmer John
direction = 1 # Direction Farmer John is moving, 1 for right, -1 for left
step = 1 # Step size, will double each time

# Continue zig-zagging until Farmer John passes Bessie's position
while (direction == 1 and current_position < y) or (direction == -1 and current_position > y):
    # Walk in the current direction by the current step size
    total_distance += step
    # Update the current position
    current_position += step
    # Reverse the direction for the next step
    direction *= -1
    # Double the step for the next iteration
    step *= 2

# Farmer John walked past Bessie's position, so subtract the overshoot distance
overshoot = abs(current_position - y)
total_distance -= overshoot

# Output the total distance traveled
print(total_distance)
```

```