

You control a robot that can take the following actions to build complex structures.

The current guess of the preconditions and effects for actions are:
Move from a position to another.: move (?from - position ?to - position ?h - numb). The preconditions are (NEIGHBOR ?from ?to), (at ?from), (height ?from ?h). The effects are (not (at ?from)), (at ?to).
Move up from a position to another.: move-up (?from - position ?hfrom - numb ?to - position ?hto - numb). The preconditions are (at ?from), (height ?from ?hfrom), (SUCC ?hfrom ?hto), (NEIGHBOR ?from ?to), (height ?to ?hto), (SUCC ?hto ?hfrom). The effects are (not (at ?from)), (not (height ?from ?hfrom)), (height ?to ?hto), (at ?to), (height ?from ?hfrom), (not (height ?to ?hfrom)), (not (height ?to ?hto)), (height ?to ?hfrom).
Move down from a position to another.: move-down (?from - position ?hfrom - numb ?to - position ?hto - numb). The preconditions are (height ?to ?hto), (at ?from), (height ?from ?hfrom), (SUCC ?hfrom ?hto), (NEIGHBOR ?from ?to), (SUCC ?hto ?hfrom). The effects are (not (at ?from)), (not (height ?from ?hfrom)), (height ?from ?hto), (at ?to), (height ?from ?hfrom), (not (height ?from ?hto)), (not (height ?to ?hfrom)), (height ?to ?hto), (not (height ?to ?hto)), (height ?to ?hfrom).
Place a block at a neighboring position from the robot's current position.: place-block (?rpos - position ?bpos - position ?hbefore - numb ?hafter - numb). The preconditions are (at ?rpos), (SUCC ?hafter ?hbefore), (NEIGHBOR ?rpos ?bpos), (has-block), (height ?bpos ?hbefore). The effects are (not (has-block)), (not (height ?rpos ?hbefore)), (height ?bpos ?hafter), (not (height ?bpos ?hbefore)), (height ?rpos ?hafter).
Remove a block at a neighboring position from the robot's current position.: remove-block (?rpos - position ?bpos - position ?hbefore - numb ?hafter - numb). The preconditions are (at ?rpos), (SUCC ?hafter ?hbefore), (NEIGHBOR ?rpos ?bpos), (height ?bpos ?hbefore), (has-block), (SUCC ?hbefore ?hafter). The effects are (not (has-block)), (height ?bpos ?hafter), (not (height ?bpos ?hbefore)), (has-block).
Create a block at the depot.: create-block (?p - position). The preconditions are (IS-DEPOT ?p), (at ?p). The effects are (has-block).
Destroy a block at the depot.: destroy-block (?p - position). The preconditions are (has-block), (at ?p), (IS-DEPOT ?p). The effects are (not (has-block)).

Please infer missing or correct wrong preconditions for action move in CNF, given the PDDL types and predicates:

```
(:types
  numb - object
  position - object
)
(:predicates
  (height ?p - position ?h - numb)
  (at ?p - position)
  (has-block)
  (SUCC ?n1 - numb ?n2 - numb)
  (NEIGHBOR ?p1 - position ?p2 - position)
  (IS-DEPOT ?p - position)
)
```

To help you predict the preconditions, we provide a running example in this domain. For the problem:

The robot is on a grid with 4 rows and 3 columns.
pos-0-0 pos-0-1 pos-0-2
pos-1-0 pos-1-1 pos-1-2
pos-2-0 pos-2-1 pos-2-2
pos-3-0 pos-3-1 pos-3-2
The robot is at pos-2-0.
The depot for new blocks is at pos-2-0.
The maximum height of blocks is 3.
Your goal is to build blocks so that the height at pos-1-2 is 3.
You cannot have an unplaced block at the end.

The initial state of the task in PDDL is:

```
(:init
  (height pos-0-0 n0)
  (height pos-0-1 n0)
  (height pos-0-2 n0)
  (height pos-1-0 n0)
  (height pos-1-1 n0)
  (height pos-1-2 n0)
  (height pos-2-0 n0)
  (height pos-2-1 n0)
  (height pos-2-2 n0)
  (height pos-3-0 n0)
  (height pos-3-1 n0)
  (height pos-3-2 n0)
  (at pos-2-0)
  (SUCC n1 n0)
  (SUCC n2 n1)
  (SUCC n3 n2)
  (NEIGHBOR pos-0-0 pos-1-0)
  (NEIGHBOR pos-0-0 pos-0-1)
  (NEIGHBOR pos-0-1 pos-1-1)
  (NEIGHBOR pos-0-1 pos-0-0)
  (NEIGHBOR pos-0-1 pos-0-2)
  (NEIGHBOR pos-0-2 pos-1-2)
  (NEIGHBOR pos-0-2 pos-0-1)
  (NEIGHBOR pos-1-0 pos-0-0)
  (NEIGHBOR pos-1-0 pos-2-0)
  (NEIGHBOR pos-1-0 pos-1-1)
  (NEIGHBOR pos-1-1 pos-0-1)
  (NEIGHBOR pos-1-1 pos-2-1)
  (NEIGHBOR pos-1-1 pos-1-0)
  (NEIGHBOR pos-1-1 pos-1-2)
  (NEIGHBOR pos-1-2 pos-0-2)
  (NEIGHBOR pos-1-2 pos-2-2)
  (NEIGHBOR pos-1-2 pos-1-1)
  (NEIGHBOR pos-2-0 pos-1-0)
  (NEIGHBOR pos-2-0 pos-3-0)
  (NEIGHBOR pos-2-0 pos-2-1)
```