

ER1											ER2											SF1											SF2										
E-CPDAG SHD	E-SHD	1	0.96	-0.02	0.17	-0.11	0.07	0.52	0.55	0.66	-0.14	1	0.82	0.51	0.46	0.08	-0.06	0.05	0.01	0.34	0.06	1	0.97	0.12	0.78	-0.47	0.04	0.43	0.42	0.59	-0.43	1	0.58	0.77	0.35	-0.33	-0.15	-0.24	-0.13	-0.15	0.2		
	AUROC	-0.02	-0.07	1	-0.02	0.25	-0.15	-0.33	-0.32	-0.34	0.37	0.51	0.27	1	0.25	0.2	-0.01	-0.27	-0.13	0.1	0.38	0.12	0.02	1	0.19	0.18	-0.45	-0.26	-0.32	-0.13	0.33	0.77	0.22	1	0.11	0.03	-0.3	-0.59	-0.35	-0.36	0.49		
	AUPRC	0.17	0.08	-0.02	1	-0.27	0.07	0.17	0.12	0.23	-0.28	0.46	0.32	0.25	1	-0.15	-0.01	0.36	0.27	0.57	-0.28	0.78	0.75	0.19	1	-0.32	0.06	0.37	0.25	0.5	-0.38	0.35	0.64	0.11	1	-0.44	0.05	0.14	0.25	0.35	-0.27		
	Graph MMD	-0.11	-0.05	0.25	-0.27	1	0.24	-0.32	-0.1	-0.27	0.6	0.08	0.19	0.2	-0.15	1	0.14	0.05	0.18	-0.04	0.7	-0.47	-0.45	0.18	-0.32	1	0.15	-0.46	-0.22	-0.47	0.62	-0.33	-0.55	0.03	-0.44	1	0.23	-0.14	0.03	-0.29	0.42		
	NLL	0.07	0.09	-0.15	0.07	0.24	1	0.27	0.41	0.12	0.35	-0.06	-0.13	-0.01	-0.01	0.14	1	0.49	0.63	-0.15	0.16	0.04	0.06	-0.45	0.06	0.15	1	0.35	0.48	-0.14	0.25	-0.15	-0.05	-0.3	0.05	0.23	1	0.51	0.64	-0.08	0.11		
	I-NLL	0.52	0.51	-0.33	0.17	-0.32	0.27	1	0.78	0.76	-0.54	0.05	0.02	-0.27	0.36	0.05	0.49	1	0.72	0.38	-0.25	0.43	0.49	-0.26	0.37	-0.46	0.35	1	0.68	0.55	-0.68	-0.24	0.21	-0.59	0.14	-0.14	0.51	1	0.68	0.48	-0.53		
	I-KL	0.55	0.53	-0.32	0.12	-0.1	0.41	0.78	1	0.71	-0.03	0.01	-0.02	-0.13	0.27	0.18	0.63	0.72	1	0.26	0.13	0.42	0.48	-0.32	0.25	-0.22	0.48	0.68	1	0.37	-0.19	-0.13	0.2	-0.35	0.25	0.03	0.64	0.68	1	0.35	-0.06		
	I-MMD	0.66	0.65	-0.34	0.23	-0.27	0.12	0.76	0.71	1	-0.44	0.34	0.32	0.1	0.57	-0.04	-0.15	0.38	0.26	1	-0.37	0.59	0.63	-0.13	0.5	-0.47	-0.14	0.55	0.37	1	-0.68	-0.15	0.36	-0.36	0.35	-0.29	-0.08	0.48	0.35	1	-0.61		
	Params MMD	-0.14	-0.14	0.37	-0.28	0.6	0.35	-0.54	-0.03	-0.44	1	0.06	0.04	0.38	-0.28	0.7	0.16	-0.25	0.13	-0.37	1	-0.43	-0.47	0.33	-0.38	0.62	0.25	-0.68	-0.19	-0.68	1	0.2	-0.34	0.49	-0.27	0.42	0.11	-0.53	-0.06	-0.61	1		
E-CPDAG SHD	E-SHD	1	0.9	0.4	0.64	0.26	0.1	0.63	0.66	0.83	0.03	1	0.84	0.72	0.73	-0.05	0.15	0.49	0.5	0.68	0.11	1	0.97	0.48	0.89	-0.02	0.03	0.58	0.67	0.79	-0.1	1	0.92	0.74	0.9	-0.53	0.21	0.5	0.68	0.66	0.01		
	AUROC	0.4	0.26	1	0.48	0.1	0.13	0.11	0.22	0.22	0.44	0.72	0.54	1	0.47	0.11	0.29	0.47	0.4	0.42	0.36	0.48	0.36	1	0.59	0.07	0.03	0.17	0.29	0.35	0.48	0.74	0.62	1	0.67	-0.33	0.21	0.3	0.51	0.47	0.42		
	AUPRC	0.64	0.42	0.48	1	-0.23	0.05	0.41	0.45	0.56	-0.04	0.73	0.56	0.47	1	-0.18	0.06	0.43	0.63	0.69	-0.15	0.89	0.82	0.59	1	-0.04	0.16	0.55	0.62	0.7	-0.04	0.9	0.84	0.67	1	-0.52	0.26	0.62	0.69	0.72	0.01		
	Graph MMD	0.26	0.45	0.1	-0.23	1	0.21	0.17	0.24	0.17	0.51	-0.05	0.19	0.11	-0.18	1	-0.19	-0.27	-0.13	-0.14	0.6	-0.02	0.01	0.07	-0.04	1	-0.13	-0.15	-0.02	-0.13	0.3	-0.53	-0.47	-0.33	-0.52	1	-0.36	-0.37	-0.22	-0.32	0.23		
	NLL	0.1	0.07	0.13	0.05	0.21	1	0.56	0.43	0.13	0.26	0.15	0.09	0.29	0.06	-0.19	1	0.7	0.47	0.07	0.19	0.03	0	0.03	0.16	-0.13	1	0.61	0.41	-0.02	0.24	0.21	0.12	0.21	0.26	-0.36	1	0.66	0.41	0.1	0.16		
	I-NLL	0.63	0.56	0.11	0.41	0.17	0.56	1	0.83	0.74	0.01	0.49	0.31	0.47	0.43	-0.27	0.7	1	0.79	0.58	0.02	0.58	0.55	0.17	0.55	-0.15	0.61	1	0.79	0.58	-0	0.5	0.49	0.3	0.62	-0.37	0.66	1	0.73	0.67	0.03		
	I-KL	0.66	0.6	0.22	0.45	0.24	0.43	0.83	1	0.75	0.23	0.5	0.36	0.4	0.63	-0.13	0.47	0.79	1	0.64	0.11	0.67	0.65	0.29	0.62	-0.02	0.41	0.79	1	0.62	0.23	0.68	0.64	0.51	0.69	-0.22	0.41	0.73	1	0.71	0.28		
	I-MMD	0.83	0.72	0.22	0.56	0.17	0.13	0.74	0.75	1	0.01	0.68	0.54	0.42	0.69	-0.14	0.07	0.58	0.64	1	-0.17	0.79	0.76	0.35	0.7	-0.13	-0.02	0.58	0.62	1	-0.1	0.66	0.64	0.47	0.72	-0.32	0.1	0.67	0.71	1	0.14		
	Params MMD	0.03	0.07	0.44	-0.04	0.51	0.26	0.01	0.23	0.01	1	0.11	0.19	0.36	-0.15	0.6	0.19	0.02	0.11	-0.17	1	-0.1	-0.21	0.48	-0.04	0.3	0.24	-0	0.23	-0.1	1	0.01	-0.05	0.42	0.01	0.23	0.16	0.03	0.28	0.14	1		
	E-SHD	E-CPDAG SHD	AUROC	AUPRC	Graph MMD	NLL	I-NLL	I-KL	I-MMD	Params MMD		E-SHD	E-CPDAG SHD	AUROC	AUPRC	Graph MMD	NLL	I-NLL	I-KL	I-MMD	Params MMD		E-SHD	E-CPDAG SHD	AUROC	AUPRC	Graph MMD	NLL	I-NLL	I-KL	I-MMD	Params MMD		E-SHD	E-CPDAG SHD	AUROC	AUPRC	Graph MMD	NLL	I-NLL	I-KL	I-MMD	Params MMD