

		ER1												ER2												SF1												SF2																													
		E-SHD						E-CPDAG SHD						AUROC						AUPRC						Graph MMD						NLL						I-NLL						I-KL						I-MMD						MMD-based Entropy						Params MMD					
		1	0.95	0.39	0.51	-0.02	0.27	0.53	0.64	0.68	0.33	-0.08	1	0.91	0.68	0.71	0.23	0.47	0.36	0.54	0.44	-0.12	0.23	1	0.95	0.55	0.84	-0.01	0.35	0.54	0.68	0.69	0.23	-0.15	1	0.82	0.81	0.59	-0.24	0.21	0.07	0.31	0.22	-0.18	0.13	0.95	1	0.47	0.77	0.02	0.33	0.53	0.64	0.65	0.25	-0.16	0.82	1	0.55	0.65	-0.21	0.27	0.32	0.47	0.41	0.04	-0.04
E-SHD		0.95	1	0.33	0.39	0.39	-0.01	0.25	0.46	0.55	0.63	0.32	-0.08	0.91	1	0.54	0.61	0.27	0.4	0.35	0.49	0.4	-0.12	0.2	0.95	1	0.47	0.77	0.02	0.33	0.53	0.64	0.65	0.25	-0.16	0.82	1	0.55	0.65	-0.21	0.27	0.32	0.47	0.41	0.04	-0.04																					
E-CPDAG SHD		0.39	0.33	1	0.35	0.23	0.26	0.05	0.23	0.12	-0.29	0.27		0.68	0.54	1	0.51	0.37	0.45	0.03	0.34	0.26	-0.48	0.45	0.55	0.47	1	0.58	0.34	0.24	0.16	0.4	0.36	-0.35	0.28	0.81	0.55	1	0.49	0.07	0.07	-0.18	0.1	0.1	-0.45	0.4																					
AUROC		0.39	0.33	1	0.35	0.23	0.26	0.05	0.23	0.12	-0.29	0.27		0.71	0.61	0.51	1	0.15	0.31	0.59	0.58	0.7	0.1	0	0.71	0.61	0.51	1	0.15	0.31	0.59	0.58	0.7	0.1	0	0.84	0.77	0.58	1	0.14	0.27	0.52	0.54	0.71	0.14	-0.13	0.59	0.65	0.49	1	-0.1	0.07	0.27	0.34	0.59	0.12	-0.06										
AUPRC		0.51	0.39	0.35	1	-0.22	0.19	0.41	0.41	0.49	0.29	-0.19		0.71	0.61	0.51	1	0.15	0.31	0.59	0.58	0.7	0.1	0	0.71	0.61	0.51	1	0.15	0.31	0.59	0.58	0.7	0.1	0	0.84	0.77	0.58	1	0.14	0.27	0.52	0.54	0.71	0.14	-0.13	0.59	0.65	0.49	1	-0.1	0.07	0.27	0.34	0.59	0.12	-0.06										
Graph MMD		-0.02	-0.01	0.23	-0.22	1	0.08	-0.13	0	-0.07	-0.4	0.45		0.23	0.27	0.37	0.15	1	0.21	0.13	0.24	0.09	-0.64	0.7		-0.01	0.02	0.34	0.14	1	0.04	-0.11	0.05	0.07	-0.54	0.53	-0.24	-0.21	0.07	-0.1	1	-0.04	-0.15	-0.07	-0.01	-0.47	0.47																				
NLL		0.27	0.25	0.26	0.19	0.08	1	0.11	0.42	0.1	-0.1	0.38		0.47	0.4	0.45	0.31	0.21	1	0.38	0.65	0.2	-0.16	0.3		0.35	0.33	0.24	0.27	0.04	1	0.14	0.54	0.08	-0.11	0.31	0.21	0.27	0.07	0.07	-0.04	1	0.24	0.62	-0.01	-0.05	0.23																				
I-NLL		0.53	0.46	0.05	0.41	-0.13	0.11	1	0.75	0.77	0.53	-0.35		0.36	0.35	0.03	0.59	0.13	0.38	1	0.77	0.67	0.23	-0.14		0.54	0.53	0.16	0.52	-0.11	0.14	1	0.67	0.73	0.43	-0.36	0.07	0.32	-0.18	0.27	-0.15	0.24	1	0.71	0.69	0.4	-0.38																				
I-KL		0.64	0.55	0.23	0.41	0	0.42	0.75	1	0.7	0.3	0.11		0.54	0.49	0.34	0.58	0.24	0.65	0.77	1	0.59	0.03	0.18		0.68	0.64	0.4	0.54	0.05	0.54	0.67	1	0.6	0.17	0.12	0.31	0.47	0.1	0.34	-0.07	0.62	0.71	1	0.52	0.13	0.02																				
I-MMD		0.68	0.63	0.12	0.49	-0.07	0.1	0.77	0.7	1	0.5	-0.25		0.44	0.4	0.26	0.7	0.09	0.2	0.67	0.59	1	0.16	-0.2		0.69	0.65	0.36	0.71	0.07	0.08	0.73	0.6	1	0.26	-0.28	0.22	0.41	0.1	0.59	-0.01	-0.01	0.69	0.52	1	0.27	-0.3																				
MMD-based Entropy		0.33	0.32	-0.29	0.29	-0.4	-0.1	0.53	0.3	0.5	1	-0.59		-0.12	-0.12	-0.48	0.1	-0.64	-0.16	0.23	0.03	0.16	1	-0.73		0.23	0.25	-0.35	0.14	-0.54	-0.11	0.43	0.17	0.26	1	-0.64	-0.18	0.04	-0.45	0.12	-0.47	-0.05	0.4	0.13	0.27	1	-0.67	1																			
Params MMD		-0.08	-0.08	0.27	-0.19	0.45	0.38	-0.35	0.11	-0.25	-0.59	1		0.23	0.2	0.45	0	0.7	0.3	-0.14	0.18	-0.2	-0.73	1		-0.15	-0.16	0.28	-0.13	0.53	0.31	-0.36	0.12	-0.28	-0.64	1	0.13	-0.04	0.4	-0.06	0.47	0.23	-0.38	0.02	-0.3	-0.67	1																				

E-SHD		1	0.89	0.66	0.76	0.3	0.58	0.65	0.66	0.8	0.3	0.01	1	0.91	0.8	0.82	0.44	0.61	0.63	0.58	0.77	-0.08	0.24	1	0.97	0.71	0.95	0.31	0.58	0.62	0.64	0.76	0.24	0.01	1	0.92	0.8	0.91	0.08	0.57	0.56	0.61	0.74	-0.04	-0.05	
E-CPDAG SHD		0.89	1	0.53	0.54	0.34	0.5	0.54	0.57	0.65	0.28	0.02	0.91	1	0.68	0.7	0.5	0.52	0.51	0.47	0.65	-0.09	0.23	0.97	1	0.65	0.88	0.34	0.57	0.6	0.61	0.71	0.23	-0.02	0.92	1	0.71	0.82	0.17	0.52	0.5	0.5	0.66	-0.02	-0.02	
AUROC		0.66	0.53	1	0.71	0.25	0.35	0.36	0.4	0.51	-0.13	0.33	0.8	0.68	1	0.68	0.46	0.55	0.57	0.5	0.62	-0.32	0.5	0.71	0.65	1	0.74	0.4	0.48	0.45	0.51	0.61	0.71	-0.17	0.41	0.8	0.71	1	0.76	0.23	0.41	0.38	0.46	0.6	-0.32	0.3
AUPRC		0.76	0.54	0.71	1	0.01	0.46	0.56	0.54	0.68	0.2	-0.07	0.82	0.7	0.68	1	0.28	0.54	0.57	0.65	0.74	0.07	0.09	0.95	0.88	0.74	1	0.26	0.55	0.61	0.63	0.76	0.2	0.04	0.91	0.82	0.76	1	0.11	0.57	0.6	0.62	0.75	0.04	-0.04	
Graph MMD		0.3	0.34	0.25	0.01	1	0.25	0.2	0.25	0.28	-0.08	0.57	0.44	0.5	0.46	0.28	1	0.3	0.22	0.26	0.22	-0.43	0.62	0.31	0.34	0.4	0.26	1	0.27	0.17	0.16	0.14	-0.25	0.54	0.08	0.17	0.23	0.11	1	0.11	0.02	0.06	0.07	-0.24	0.49	
NLL		0.58	0.5	0.35	0.46	0.25	1	0.91	0.85	0.72	0.08	0.26	0.61	0.52	0.55	0.54	0.3	1	0.96	0.84	0.72	-0.03	0.29	0.58	0.57	0.48	0.55	0.27	1	0.93	0.85	0.73	0	0.3	0.57	0.52	0.41	0.57	0.11	1	0.95	0.81	0.77	-0.09	0.1	
I-NLL		0.65	0.54	0.36	0.56	0.2	0.91	1	0.88	0.8	0.22	0.05	0.63	0.51	0.57	0.57	0.22	0.96	1	0.83	0.78	0.03	0.15	0.62	0.6	0.45	0.61	0.17	0.93	1	0.85	0.78	0.13	0.12	0.56	0.5	0.38	0.6	0.02	0.95	1	0.81	0.78	0.01	-0.07	
I-KL		0.66	0.57	0.4	0.54	0.25	0.85	0.88	1	0.76	0.27	0.15	0.58	0.47	0.5	0.65	0.26	0.84	0.83	1	0.72	0.15	0.2	0.64	0.61	0.51	0.63	0.16	0.85	0.85	1	0.67	0.15	0.2	0.61	0.5	0.46	0.62	0.06	0.81	0.81	1	0.71	0.08	0.02	
I-MMD		0.8	0.65	0.51	0.68	0.28	0.72	0.8	0.76	1	0.3	0.06	0.77	0.65	0.62	0.74	0.22	0.72	0.78	0.72	1	0.11	0.08	0.76	0.71	0.61	0.76	0.14	0.73	0.78	0.67	1	0.09	0.07	0.74	0.66	0.6	0.75	0.07	0.77	0.78	0.71	1	-0.02	-0.05	
MMD-based Entropy		0.3	0.28	-0.13	0.2	-0.08	0.08	0.22	0.27	0.3	1	-0.37	-0.08	-0.09	-0.32	0.07	-0.43	-0.03	0.03	0.15	0.11	1	-0.57	0.24	0.23	-0.17	0.2	-0.25	0	0.13	0.15	0.09	1	-0.44	-0.04	-0.02	-0.32	0.04	-0.24	-0.09	0.01	0.08	-0.02	1	-0.51	-0.51
Params MMD		0.01	0.02	0.33	-0.07	0.57	0.26	0.05	0.15	0.06	-0.37	1	0.24	0.23	0.5	0.09	0.62	0.29	0.15	0.2	0.08	-0.57	1	0.01	-0.02	0.41	0.04	0.54	0.3	0.12	0.2	0.07	-0.44	1	-0.05	-0.02	0.3	-0.04	0.49	0.1	-0.07	0.02	-0.05	-0.51	1	

	MMD-based Entropy	MMD-based Entropy
	Graph MMD	Graph MMD
E-SHD	I-NLL	I-NLL
E-CPDAG SHD	I-KL	I-KL
AUROC	I-MMD	I-MMD
AUPRC	Params MMD	Params MMD
Graph MMD		
E-SHD		
E-CPDAG SHD		
AUROC		
AUPRC		
Graph MMD		
E-SHD		
E-CPDAG SHD		
AUROC		
AUPRC		
Graph MMD		
E-SHD		
E-CPDAG SHD		
AUROC		
AUPRC		
Graph MMD		