

# ER1

	E-SHD	0.88	0.68	0.6	0.56	0.09	0.47	0.51	0.68	0.12	
E-CPDAG SHD	0.88	1	0.56	0.38	0.51	0.02	0.3	0.31	0.52	0.08	0.08
AUROC	0.68	0.56	1	0.59	0.62	0.01	0.22	0.32	0.44	0.28	0.28
AUPRC	0.6	0.38	0.59	1	0.27	0.06	0.48	0.49	0.6	0.07	0.07
Graph MMD	0.56	0.51	0.62	0.27	1	0.19	0.3	0.33	0.43	0.3	0.3
NLL	0.09	0.02	0.01	0.06	0.19	1	0.23	0.45	0.06	0.53	0.53
I-NLL	0.47	0.3	0.22	0.48	0.3	0.23	1	0.85	0.7	-0.02	0.0
I-KL	0.51	0.31	0.32	0.49	0.33	0.45	0.85	1	0.68	0.37	0.37
I-MMD	0.68	0.52	0.44	0.6	0.43	0.06	0.7	0.68	1	0.08	0.08
Params MMD	0.12	0.08	0.28	0.07	0.3	0.53	-0.02	0.37	0.08	1	0.0

R2

	0.95	0.86	0.84	0.71	0.2	0.23	0.4	0.64	0.52	1
5	1	0.81	0.75	0.71	0.1	0.09	0.24	0.56	0.47	0.8
6	0.81	1	0.76	0.8	0.16	0.12	0.36	0.57	0.61	0.7
4	0.75	0.76	1	0.71	0.17	0.52	0.57	0.8	0.42	0.9
1	0.71	0.8	0.71	1	0.46	0.47	0.63	0.57	0.61	0.7
2	0.1	0.16	0.17	0.46	1	0.27	0.59	0.04	0.57	0.0
3	0.09	0.12	0.52	0.47	0.27	1	0.79	0.61	0.22	0.4
4	0.24	0.36	0.57	0.63	0.59	0.79	1	0.53	0.54	0.5
4	0.56	0.57	0.8	0.57	0.04	0.61	0.53	1	0.18	0.7
2	0.47	0.61	0.42	0.61	0.57	0.22	0.54	0.18	1	0.2

0.89	0.79	0.93	0.77	0.04	0.47	0.57	0.74	0.28	
1	0.7	0.76	0.77	-0.01	0.36	0.46	0.59	0.21	0
0.7	1	0.79	0.78	0.04	0.3	0.46	0.67	0.45	0
0.76	0.79	1	0.71	0.04	0.55	0.59	0.82	0.22	0
0.77	0.78	0.71	1	0.23	0.53	0.61	0.7	0.39	0
-0.01	0.04	0.04	0.23	1	0.19	0.48	-0.02	0.56	-0
0.36	0.3	0.55	0.53	0.19	1	0.78	0.62	0.07	0
0.46	0.46	0.59	0.61	0.48	0.78	1	0.65	0.5	0
0.59	0.67	0.82	0.7	-0.02	0.62	0.65	1	0.22	0
0.21	0.45	0.22	0.39	0.56	0.07	0.5	0.22	1	0

SF2

	0.94	0.91	0.93	0.55	-0.06	0.03	0.24	0.66	0.38
4	1	0.87	0.85	0.62	-0.09	0.01	0.19	0.63	0.4
1	0.87	1	0.86	0.64	-0.1	-0.1	0.14	0.62	0.52
3	0.85	0.86	1	0.52	-0.08	0.14	0.3	0.75	0.31
5	0.62	0.64	0.52	1	0.26	0.2	0.43	0.53	0.5
6	-0.09	-0.1	-0.08	0.26	1	0.3	0.56	-0.2	0.61
3	0.01	-0.1	0.14	0.2	0.3	1	0.81	0.41	0.07
4	0.19	0.14	0.3	0.43	0.56	0.81	1	0.41	0.47
6	0.63	0.62	0.75	0.53	-0.2	0.41	0.41	1	0.19
3	0.4	0.52	0.31	0.5	0.61	0.07	0.47	0.19	1

0.66 | 0.2

	1	0.85	0.75	0.79	0.66	0.25	0.61	0.65	0.79	0.36	
E-SHD	1	0.85	0.75	0.79	0.66	0.25	0.61	0.65	0.79	0.36	
E-CPDAG SHD	0.85	1	0.6	0.54	0.59	0.17	0.46	0.52	0.56	0.34	
AUROC	0.75	0.6	1	0.7	0.59	0.34	0.33	0.41	0.56	0.53	
AUPRC	0.79	0.54	0.7	1	0.46	0.19	0.58	0.58	0.75	0.26	
Graph MMD	0.66	0.59	0.59	0.46	1	0.44	0.43	0.43	0.57	0.55	
NLL	0.25	0.17	0.34	0.19	0.44	1	0.51	0.54	0.34	0.62	
I-NLL	0.61	0.46	0.33	0.58	0.43	0.51	1	0.91	0.82	0.36	
I-KL	0.65	0.52	0.41	0.58	0.43	0.54	0.91	1	0.79	0.4	
I-MMD	0.79	0.56	0.56	0.75	0.57	0.34	0.82	0.79	1	0.44	
Params MMD	0.36	0.34	0.53	0.26	0.55	0.62	0.36	0.4	0.44	1	

0.43 0.5

	0.92	0.89	0.88	0.84	0.43	0.58	0.56	0.74	0.58	1
2	1	0.78	0.72	0.88	0.39	0.42	0.4	0.56	0.55	0.9
9	0.78	1	0.8	0.74	0.59	0.52	0.51	0.65	0.64	0.8
8	0.72	0.8	1	0.67	0.33	0.61	0.64	0.78	0.5	0.9
4	0.88	0.74	0.67	1	0.67	0.51	0.51	0.56	0.67	0.6
3	0.39	0.59	0.33	0.67	1	0.52	0.6	0.34	0.7	0.3
8	0.42	0.52	0.61	0.51	0.52	1	0.9	0.85	0.5	0.
6	0.4	0.51	0.64	0.51	0.6	0.9	1	0.78	0.49	0.6
4	0.56	0.65	0.78	0.56	0.34	0.85	0.78	1	0.5	0.7
8	0.55	0.64	0.5	0.67	0.7	0.5	0.49	0.5	1	0.4

0.6

0.94	0.85	0.95	0.66	0.32	0.6	0.61	0.72	0.46
1	0.76	0.84	0.72	0.34	0.59	0.6	0.66	0.47
0.76	1	0.85	0.65	0.51	0.49	0.51	0.68	0.59
0.84	0.85	1	0.58	0.3	0.6	0.61	0.76	0.44
0.72	0.65	0.58	1	0.64	0.45	0.37	0.47	0.65
0.34	0.51	0.3	0.64	1	0.51	0.53	0.38	0.76
0.59	0.49	0.6	0.45	0.51	1	0.91	0.84	0.55
0.6	0.51	0.61	0.37	0.53	0.91	1	0.74	0.49
0.66	0.68	0.76	0.47	0.38	0.84	0.74	1	0.57
0.47	0.59	0.44	0.65	0.76	0.55	0.49	0.57	1

0.81 | 0.32

	0.94	0.88	0.97	0.81	0.32	0.47	0.48	0.71	0.33
4	1	0.85	0.88	0.83	0.3	0.37	0.36	0.61	0.36
3	0.85	1	0.85	0.83	0.37	0.28	0.3	0.56	0.47
7	0.88	0.85	1	0.76	0.29	0.51	0.51	0.77	0.28
1	0.83	0.83	0.76	1	0.63	0.51	0.46	0.56	0.55
2	0.3	0.37	0.29	0.63	1	0.6	0.58	0.38	0.54
7	0.37	0.28	0.51	0.51	0.6	1	0.87	0.79	0.27
3	0.36	0.3	0.51	0.46	0.58	0.87	1	0.71	0.25
1	0.61	0.56	0.77	0.56	0.38	0.79	0.71	1	0.26
3	0.36	0.47	0.28	0.55	0.54	0.27	0.25	0.26	1

11

II

11

11

Method	Score	Score	Score	Score	Score
E-CPDAG SHD	0.00	0.00	0.00	0.00	0.00
AUROC	0.00	0.00	0.00	0.00	0.00
AUPRC	0.00	0.00	0.00	0.00	0.00
Graph MMD	0.00	0.00	0.00	0.00	0.00
NLL	0.00	0.00	0.00	0.00	0.00
I-NLL	0.00	0.00	0.00	0.00	0.00
I-KL	0.00	0.00	0.00	0.00	0.00
I-MMD	0.00	0.00	0.00	0.00	0.00
Params MMD	0.00	0.00	0.00	0.00	0.00