

ER1											SF1										
ER-CPDAG SHD	IE-SHD	1	0.91	-0.1	0.03	0.33	0.55	0.61	0.64	0.6	-0.1	1	0.97	-0.1	0.64	-0.21	0.84	0.74	0.62	0.68	-0.12
	IE-CPDAG SHD	0.91	1	-0.16	-0.04	0.4	0.53	0.63	0.66	0.67	-0.09	0.97	1	-0.14	0.61	0.05	0.79	0.8	0.62	0.72	-0.09
	AUROC	-0.1	-0.16	1	-0.01	-0.02	-0.48	-0.48	-0.22	-0.35	0.29	-0.1	-0.14	1	0.28	-0.26	-0.19	-0.32	-0.28	-0.19	0.29
	AUPRC	0.03	-0.04	-0.01	1	-0.12	0.03	0.06	0.17	0.15	-0.15	0.64	0.61	0.28	1	-0.07	0.39	0.28	0.34	0.42	-0.02
	Graph MMD	0.33	0.4	-0.02	-0.12	1	0.04	0.55	0.45	0.38	0.41	-0.21	0.05	-0.26	-0.07	1	-0.28	0.47	0.15	-0.08	0.43
	NLL	0.55	0.53	-0.48	0.03	0.04	1	0.71	0.34	0.43	0.37	0.84	0.79	-0.19	0.39	-0.28	1	0.66	0.46	0.53	0.38
	I-NLL	0.61	0.63	-0.48	0.06	0.55	0.71	1	0.69	0.78	-0.3	0.74	0.8	-0.32	0.28	0.47	0.66	1	0.61	0.67	-0.32
	I-KL	0.64	0.66	-0.22	0.17	0.45	0.34	0.69	1	0.72	0.06	0.62	0.62	-0.28	0.34	0.15	0.46	0.61	1	0.56	0.09
	I-MMD	0.6	0.67	-0.35	0.15	0.38	0.43	0.78	0.72	1	-0.22	0.68	0.72	-0.19	0.42	-0.08	0.53	0.67	0.56	1	-0.24
Params MMD		-0.1	-0.09	0.29	-0.15	0.41	0.37	-0.3	0.06	-0.22	1	-0.12	-0.09	0.29	-0.02	0.43	0.38	-0.32	0.09	-0.24	1
ER-CPDAG SHD	IE-SHD	1	0.84	0.45	0.42	0.39	0.22	0.57	0.76	0.73	0.03	1	0.97	0.4	0.89	-0.09	0.01	0.22	0.7	0.8	0.01
	IE-CPDAG SHD	0.84	1	0.24	0.18	0.56	0.33	0.65	0.73	0.73	0.04	0.97	1	0.36	0.84	-0.05	0.06	0.27	0.69	0.77	0.01
	AUROC	0.45	0.24	1	0.41	-0.02	-0.03	0.16	0.27	0.22	0.37	0.4	0.36	1	0.5	-0.31	-0.11	-0.09	0.18	0.21	0.34
	AUPRC	0.42	0.18	0.41	1	-0.27	-0.41	-0.17	0.37	0.37	-0.02	0.89	0.84	0.5	1	-0.23	-0.24	-0.02	0.69	0.75	0.01
	Graph MMD	0.39	0.56	-0.02	-0.27	1	0.81	0.76	0.52	0.49	0.59	-0.09	-0.05	-0.31	-0.23	1	0.57	0.37	-0.53	-0.06	0.49
	NLL	0.22	0.33	-0.03	-0.41	0.81	1	0.86	-0.05	0.13	0.22	0.01	0.06	-0.11	-0.24	0.57	1	0.93	-0.36	-0.21	0.35
	I-NLL	0.57	0.65	0.16	-0.17	0.76	0.86	1	0.38	0.47	0.01	0.22	0.27	-0.09	-0.02	0.37	0.93	1	-0.09	0.01	0.09
	I-KL	0.76	0.73	0.27	0.37	0.52	-0.05	0.38	1	0.61	0.14	0.7	0.69	0.18	0.69	-0.53	-0.36	-0.09	1	0.59	0.19
	I-MMD	0.73	0.73	0.22	0.37	0.49	0.13	0.47	0.61	1	0.01	0.8	0.77	0.21	0.75	-0.06	-0.21	0.01	0.59	1	0.03
Params MMD		0.03	0.04	0.37	-0.02	0.59	0.22	0.01	0.14	0.01	1	0.01	0.01	0.34	0.01	0.49	0.35	0.09	0.19	0.03	1
		IE-SHD	IE-CPDAG SHD	AUROC	AUPRC	Graph MMD	NLL	I-NLL	I-KL	I-MMD	Params MMD	IE-SHD	IE-CPDAG SHD	AUROC	AUPRC	Graph MMD	NLL	I-NLL	I-KL	I-MMD	Params MMD