

ER1											SF1										
ER-CPDAG SHD	IE-SHD	1	0.94	-0.16	0.07	0.25	0.4	0.51	0.56	0.75	-0.1	1	0.98	-0.2	0.39	-0.61	0.67	0.73	0.7	0.73	-0.12
	IE-CPDAG SHD	0.94	1	-0.18	0.01	0.15	0.4	0.48	0.55	0.67	-0.09	0.98	1	-0.3	0.3	-0.7	0.67	0.73	0.69	0.72	-0.09
	AUROC	-0.16	-0.18	1	0.24	0.13	-0.47	-0.46	-0.37	-0.2	0.29	-0.2	-0.3	1	0.19	0.44	-0.35	-0.17	-0.22	-0.22	0.29
	AUPRC	0.07	0.01	0.24	1	-0.51	0.19	-0.22	-0.11	0.15	-0.15	0.39	0.3	0.19	1	-0.62	0.19	-0	0.17	0.13	-0.02
	Graph MMD	0.25	0.15	0.13	-0.51	1	-0.24	0.51	0.3	-0.08	0.41	-0.61	-0.7	0.44	-0.62	1	-0.55	0.15	-0.06	-0.08	0.43
	NLL	0.4	0.4	-0.47	0.19	-0.24	1	0.61	0.28	0.42	0.37	0.67	0.67	-0.35	0.19	-0.55	1	0.74	0.36	0.46	0.38
	I-NLL	0.51	0.48	-0.46	-0.22	0.51	0.61	1	0.66	0.61	-0.3	0.73	0.73	-0.17	-0	0.15	0.74	1	0.62	0.63	-0.32
	I-KL	0.56	0.55	-0.37	-0.11	0.3	0.28	0.66	1	0.66	0.06	0.7	0.69	-0.22	0.17	-0.06	0.36	0.62	1	0.61	0.09
	I-MMD	0.75	0.67	-0.2	0.15	-0.08	0.42	0.61	0.66	1	-0.22	0.73	0.72	-0.22	0.13	-0.08	0.46	0.63	0.61	1	-0.24
Params MMD		-0.1	-0.09	0.29	-0.15	0.41	0.37	-0.3	0.06	-0.22	1	-0.12	-0.09	0.29	-0.02	0.43	0.38	-0.32	0.09	-0.24	1
ER-CPDAG SHD	IE-SHD	1	0.83	0.19	0.29	0.48	-0.06	0.15	0.58	0.83	0.03	1	0.98	0.33	0.74	-0.26	-0.16	-0.01	0.67	0.69	0.01
	IE-CPDAG SHD	0.83	1	0.07	0	0.65	0.17	0.35	0.56	0.74	0.04	0.98	1	0.28	0.7	-0.15	-0.11	0.05	0.67	0.69	0.01
	AUROC	0.19	0.07	1	0.16	0.01	-0.24	-0.25	-0.03	0.08	0.37	0.33	0.28	1	0.31	-0.34	-0.21	-0.2	0.22	0.18	0.34
	AUPRC	0.29	0	0.16	1	-0.45	-0.41	-0.43	0.1	0.17	-0.02	0.74	0.7	0.31	1	-0.43	-0.37	-0.23	0.49	0.65	0.01
	Graph MMD	0.48	0.65	0.01	-0.45	1	0.7	0.66	0.43	0.55	0.59	-0.26	-0.15	-0.34	-0.43	1	0.68	0.64	-0.19	-0.44	0.49
	NLL	-0.06	0.17	-0.24	-0.41	0.7	1	0.9	-0.13	-0.06	0.22	-0.16	-0.11	-0.21	-0.37	0.68	1	0.95	-0.35	-0.42	0.35
	I-NLL	0.15	0.35	-0.25	-0.43	0.66	0.9	1	0.21	0.17	0.01	-0.01	0.05	-0.2	-0.23	0.64	0.95	1	-0.14	-0.3	0.09
	I-KL	0.58	0.56	-0.03	0.1	0.43	-0.13	0.21	1	0.55	0.14	0.67	0.67	0.22	0.49	-0.19	-0.35	-0.14	1	0.45	0.19
	I-MMD	0.83	0.74	0.08	0.17	0.55	-0.06	0.17	0.55	1	0.01	0.69	0.69	0.18	0.65	-0.44	-0.42	-0.3	0.45	1	0.03
Params MMD		0.03	0.04	0.37	-0.02	0.59	0.22	0.01	0.14	0.01	1	0.01	0.01	0.34	0.01	0.49	0.35	0.09	0.19	0.03	1
		IE-SHD	IE-CPDAG SHD	AUROC	AUPRC	Graph MMD	NLL	I-NLL	I-KL	I-MMD	Params MMD	IE-SHD	IE-CPDAG SHD	AUROC	AUPRC	Graph MMD	NLL	I-NLL	I-KL	I-MMD	Params MMD