

ER1												SF1											
MMD-based Entropy	ℰ-SHD	1	0.93	0.53	0.6	0.06	0.36	0.54	0.61	0.72	0.54	-0.1	1	0.96	0.56	0.89	0.01	0.68	0.58	0.68	0.83	0.64	-0.12
	ℰ-CPDAG SHD	0.93	1	0.47	0.48	0.06	0.34	0.44	0.51	0.65	0.47	-0.09	0.96	1	0.5	0.83	0.07	0.63	0.57	0.66	0.78	0.64	-0.09
	AUROC	0.53	0.47	1	0.51	0.03	-0.07	0.06	0.03	0.29	0	0.29	0.56	0.5	1	0.64	0.14	0.16	0.13	0.12	0.52	-0.04	0.29
	AUPRC	0.6	0.48	0.51	1	-0.22	0.34	0.4	0.39	0.6	0.47	-0.15	0.89	0.83	0.64	1	0.14	0.52	0.47	0.54	0.78	0.49	-0.02
	Graph MMD	0.06	0.06	0.03	-0.22	1	-0.24	0.07	0.08	0.11	-0.03	0.41	0.01	0.07	0.14	0.14	1	-0.31	0.3	0.08	0.3	-0.07	0.43
	NLL	0.36	0.34	-0.07	0.34	-0.24	1	0.31	0.35	0.26	0.6	0.37	0.68	0.63	0.16	0.52	-0.31	1	0.41	0.56	0.47	0.64	0.38
	I-NLL	0.54	0.44	0.06	0.4	0.07	0.31	1	0.93	0.75	0.55	-0.3	0.58	0.57	0.13	0.47	0.3	0.41	1	0.87	0.67	0.56	-0.32
	I-KL	0.61	0.51	0.03	0.39	0.08	0.35	0.93	1	0.79	0.62	0.06	0.68	0.66	0.12	0.54	0.08	0.56	0.87	1	0.66	0.67	0.09
	I-MMD	0.72	0.65	0.29	0.6	0.11	0.26	0.75	0.79	1	0.61	-0.22	0.83	0.78	0.52	0.78	0.3	0.47	0.67	0.66	1	0.55	-0.24
	Params MMD	0.54	0.47	0	0.47	-0.03	0.6	0.55	0.62	0.61	1	-0.65	0.64	0.64	-0.04	0.49	-0.07	0.64	0.56	0.67	0.55	1	-0.72
												-0.12	-0.09	0.29	-0.02	0.43	0.38	-0.32	0.09	-0.24	-0.72	1	
MMD-based Entropy	ℰ-SHD	1	0.91	0.66	0.79	0.13	0.58	0.76	0.86	0.89	0.53	0.03	1	0.98	0.7	0.94	0.28	0.42	0.7	0.81	0.88	0.62	0.01
	ℰ-CPDAG SHD	0.91	1	0.58	0.62	0.22	0.64	0.77	0.81	0.8	0.48	0.04	0.98	1	0.69	0.9	0.32	0.46	0.72	0.8	0.86	0.61	0.01
	AUROC	0.66	0.58	1	0.65	-0.01	0.23	0.4	0.48	0.57	0.02	0.37	0.7	0.69	1	0.72	0.19	0.1	0.38	0.53	0.64	0.14	0.34
	AUPRC	0.79	0.62	0.65	1	-0.21	0.19	0.42	0.65	0.73	0.5	-0.02	0.94	0.9	0.72	1	0.16	0.26	0.6	0.77	0.9	0.55	0.01
	Graph MMD	0.13	0.22	-0.01	-0.21	1	0.51	0.36	0.05	0.27	0.02	0.59	0.28	0.32	0.19	0.16	1	0.55	0.39	0.07	0.16	0.2	0.49
	NLL	0.58	0.64	0.23	0.19	0.51	1	0.92	0.7	0.56	0.28	0.22	0.42	0.46	0.1	0.26	0.55	1	0.81	0.51	0.23	0.34	0.35
	I-NLL	0.76	0.77	0.4	0.42	0.36	0.92	1	0.87	0.72	0.4	0.01	0.7	0.72	0.38	0.6	0.39	0.81	1	0.83	0.59	0.55	0.09
	I-KL	0.86	0.81	0.48	0.65	0.05	0.7	0.87	1	0.78	0.52	0.14	0.81	0.8	0.53	0.77	0.07	0.51	0.83	1	0.76	0.54	0.19
	I-MMD	0.89	0.8	0.57	0.73	0.27	0.56	0.72	0.78	1	0.58	0.01	0.88	0.86	0.64	0.9	0.16	0.23	0.59	0.76	1	0.62	0.03
	Params MMD	0.53	0.48	0.02	0.5	0.02	0.28	0.4	0.52	0.58	1	-0.39	0.62	0.61	0.14	0.55	0.2	0.34	0.55	0.54	0.62	1	-0.49
												0.01	0.01	0.34	0.01	0.49	0.35	0.09	0.19	0.03	-0.49	1	
												ℰ-SHD	ℰ-CPDAG SHD	AUROC	AUPRC	Graph MMD	NLL	I-NLL	I-KL	I-MMD	MMD-based Entropy	Params MMD	