

ER1

	1	0.93	0.45	0.44	0.23	-0.04	0.36	0.34	0.69	-0.01	
E-SHD	1	0.93	0.45	0.44	0.23	-0.04	0.36	0.34	0.69	-0.01	0.01
E-CPDAG SHD	0.93	1	0.38	0.27	0.2	-0.05	0.27	0.25	0.61	-0.01	0.01
AUROC	0.45	0.38	1	0.38	0.34	0.02	-0.12	0.06	0.18	0.33	0.01
AUPRC	0.44	0.27	0.38	1	-0.19	-0.08	0.23	0.17	0.4	-0.15	0.01
Graph MMD	0.23	0.2	0.34	-0.19	1	0.24	0.2	0.41	0.21	0.36	0.01
NLL	-0.04	-0.05	0.02	-0.08	0.24	1	0.11	0.43	-0.08	0.53	0.01
I-NLL	0.36	0.27	-0.12	0.23	0.2	0.11	1	0.75	0.66	-0.31	0.01
I-KL	0.34	0.25	0.06	0.17	0.41	0.43	0.75	1	0.53	0.31	0.01
I-MMD	0.69	0.61	0.18	0.4	0.21	-0.08	0.66	0.53	1	-0.19	0.01
Params MMD	-0.01	-0.01	0.33	-0.15	0.36	0.53	-0.31	0.31	-0.19	1	0.01

TR2

	0.93	0.77	0.66	0.37	0.15	0.02	0.14	0.29	0.37
3	1	0.67	0.55	0.36	0.08	-0.03	0.04	0.24	0.34
7	0.67	1	0.5	0.57	0.12	-0.18	0.08	0.23	0.49
6	0.55	0.5	1	0.23	-0.09	0.33	0.16	0.61	-0.05
7	0.36	0.57	0.23	1	0.43	0.23	0.51	0.21	0.76
5	0.08	0.12	-0.09	0.43	1	0.34	0.66	-0.03	0.62
2	-0.03	-0.18	0.33	0.23	0.34	1	0.76	0.43	0.01
4	0.04	0.08	0.16	0.51	0.66	0.76	1	0.27	0.51
9	0.24	0.23	0.61	0.21	-0.03	0.43	0.27	1	-0.15
7	0.34	0.49	-0.05	0.76	0.62	0.01	0.51	-0.15	1

1	0.93	0.62	0.9	0.47	0.05	0.4	0.48	0.63	0
93	1	0.56	0.78	0.46	0.03	0.32	0.41	0.54	0.01
62	0.56	1	0.69	0.65	-0.02	0.02	0.32	0.45	0.39
.9	0.78	0.69	1	0.48	-0.04	0.42	0.44	0.73	-0.04
47	0.46	0.65	0.48	1	0.31	0.16	0.51	0.43	0.41
05	0.03	-0.02	-0.04	0.31	1	-0.03	0.41	-0.34	0.53
.4	0.32	0.02	0.42	0.16	-0.03	1	0.63	0.56	-0.36
48	0.41	0.32	0.44	0.51	0.41	0.63	1	0.37	0.37
63	0.54	0.45	0.73	0.43	-0.34	0.56	0.37	1	-0.19
0	0.01	0.39	-0.04	0.41	0.53	-0.36	0.37	-0.19	1

SF2

1	0.88	0.72	0.8	0.04	-0.1	-0.08	0.01	0.23	0.15
0.88	1	0.61	0.69	0.12	-0.16	-0.1	-0.05	0.21	0.12
0.72	0.61	1	0.65	0.28	-0.13	-0.29	-0.07	0.18	0.46
0.8	0.69	0.65	1	0.02	-0.17	0.14	0.11	0.52	-0.04
0.04	0.12	0.28	0.02	1	0.2	0.13	0.38	0.24	0.5
0.1	-0.16	-0.13	-0.17	0.2	1	0.17	0.59	-0.39	0.56
0.08	-0.1	-0.29	0.14	0.13	0.17	1	0.72	0.51	-0.3
0.01	-0.05	-0.07	0.11	0.38	0.59	0.72	1	0.27	0.37
0.23	0.21	0.18	0.52	0.24	-0.39	0.51	0.27	1	-0.27
0.15	0.12	0.46	-0.04	0.5	0.56	-0.3	0.37	-0.27	1

0.38 | 0.0

	E-SHD	0.87	0.64	0.74	0.38	0.09	0.63	0.64	0.79	0.14	
E-CPDAG SHD	0.87	1	0.49	0.47	0.4	0.02	0.41	0.46	0.57	0.13	0.01
AUROC	0.64	0.49	1	0.65	0.33	0.23	0.35	0.42	0.47	0.42	0.01
AUPRC	0.74	0.47	0.65	1	0.08	0.08	0.6	0.56	0.68	0.01	0.01
Graph MMD	0.38	0.4	0.33	0.08	1	0.46	0.23	0.24	0.35	0.62	0.01
NLL	0.09	0.02	0.23	0.08	0.46	1	0.43	0.46	0.22	0.62	0.01
I-NLL	0.63	0.41	0.35	0.6	0.23	0.43	1	0.91	0.84	0.16	0.01
I-KL	0.64	0.46	0.42	0.56	0.24	0.46	0.91	1	0.78	0.21	0.01
I-MMD	0.79	0.57	0.47	0.68	0.35	0.22	0.84	0.78	1	0.21	0.01
Params MMD	0.14	0.13	0.42	0.01	0.62	0.62	0.16	0.21	0.21	1	0.01

5 | 0.33 | 0

	0.93	0.85	0.84	0.75	0.33	0.61	0.55	0.75	0.44
3	1	0.76	0.72	0.75	0.29	0.48	0.43	0.63	0.38
5	0.76	1	0.7	0.73	0.45	0.51	0.44	0.56	0.62
4	0.72	0.7	1	0.61	0.15	0.62	0.63	0.81	0.33
5	0.75	0.73	0.61	1	0.61	0.49	0.56	0.5	0.64
3	0.29	0.45	0.15	0.61	1	0.55	0.56	0.25	0.69
1	0.48	0.51	0.62	0.49	0.55	1	0.88	0.82	0.43
5	0.43	0.44	0.63	0.56	0.56	0.88	1	0.74	0.44
5	0.63	0.56	0.81	0.5	0.25	0.82	0.74	1	0.35
4	0.38	0.62	0.33	0.64	0.69	0.43	0.44	0.35	1

12 0.59

1	0.96	0.75	0.96	0.41	0.12	0.59	0.62	0.71	0.16
96	1	0.66	0.87	0.47	0.09	0.51	0.57	0.61	0.14
75	0.66	1	0.8	0.43	0.37	0.5	0.53	0.65	0.52
96	0.87	0.8	1	0.33	0.15	0.62	0.63	0.76	0.16
41	0.47	0.43	0.33	1	0.39	0.16	0.13	0.19	0.56
12	0.09	0.37	0.15	0.39	1	0.42	0.41	0.25	0.58
59	0.51	0.5	0.62	0.16	0.42	1	0.91	0.86	0.28
62	0.57	0.53	0.63	0.13	0.41	0.91	1	0.75	0.28
71	0.61	0.65	0.76	0.19	0.25	0.86	0.75	1	0.31
16	0.14	0.52	0.16	0.56	0.58	0.28	0.28	0.31	1

.31 | 0.25

1	0.92	0.81	0.96	0.31	0.25	0.59	0.58	0.69	0.16
0.92	1	0.75	0.85	0.39	0.19	0.47	0.42	0.62	0.2
0.81	0.75	1	0.8	0.44	0.36	0.41	0.36	0.52	0.45
0.96	0.85	0.8	1	0.25	0.21	0.62	0.59	0.72	0.11
0.31	0.39	0.44	0.25	1	0.46	0.17	0.2	0.28	0.49
0.25	0.19	0.36	0.21	0.46	1	0.52	0.48	0.24	0.57
0.59	0.47	0.41	0.62	0.17	0.52	1	0.86	0.82	0.15
0.58	0.42	0.36	0.59	0.2	0.48	0.86	1	0.75	0.13
0.69	0.62	0.52	0.72	0.28	0.24	0.82	0.75	1	0.2
0.16	0.2	0.45	0.11	0.49	0.57	0.15	0.13	0.2	1

11

III

Method	Score
E-CPDAG SHD	0.0000
AUROC	0.9999
AUPRC	0.9999
Graph MMD	0.0000
NLL	0.0000
I-NLL	0.0000
I-KL	0.0000
I-MMD	0.0000
Params MMD	0.0000

11

11

E-SHD	E-CPDAG SHD
AUROC	AUPRC
Graph MMD	NLL
I-NLL	I-KL
I-MMD	Params MMD