

	ER1												ER2												SF1												SF2											
E-SHD	1	0.96	-0.1	0.22	-0.16	0.15	0.39	0.5	0.66	-0.21		1	0.79	0.47	0.55	0.08	-0.09	0.02	-0.03	0.35	0.11		1	0.99	-0.44	0.6	-0.75	0.23	0.63	0.71	0.76	-0.67		1	0.05	0.82	-0.18	-0.15	-0.49	-0.58	-0.61	-0.39	0.47					
E-CPDAG SHD	0.96	1	-0.14	0.17	-0.15	0.17	0.39	0.47	0.65	-0.2		0.79	1	0.21	0.31	0.18	-0.16	0.07	0	0.3	0.07		0.99	1	-0.5	0.58	-0.77	0.23	0.62	0.71	0.77	-0.67		0.05	1	-0.1	0.55	-0.43	-0.05	0.3	0.34	0.59	-0.43					
AUROC	-0.1	-0.14	1	-0.1	0.28	-0.26	-0.38	-0.37	-0.24	0.31		0.47	0.21	1	0.3	0.12	-0	-0.31	-0.33	-0.02	0.36		-0.44	-0.5	1	-0.2	0.35	-0.33	-0.44	-0.47	-0.41	0.4		0.82	-0.1	1	-0.15	0.02	-0.5	-0.67	-0.64	-0.42	0.51					
AUPRC	0.22	0.17	-0.1	1	-0.51	0.17	0.29	0.16	0.34	-0.48		0.55	0.31	0.3	1	-0.03	0.07	0.29	0.26	0.51	-0.06		0.6	0.58	-0.2	1	-0.5	0.22	0.44	0.27	0.49	-0.53		-0.18	0.55	-0.15	1	-0.43	0.13	0.35	0.39	0.63	-0.39					
Graph MMD	-0.16	-0.15	0.28	-0.51	1	-0.06	-0.61	-0.36	-0.55	0.71		0.08	0.18	0.12	-0.03	1	0.11	-0.02	0.09	-0.08	0.67		-0.75	-0.77	0.35	-0.5	1	-0.26	-0.65	-0.49	-0.59	0.68		-0.15	-0.43	0.02	-0.43	1	0.28	0.09	0.23	-0.09	0.15					
NLL	0.15	0.17	-0.26	0.17	-0.06	1	0.4	0.43	0.21	0.15		-0.09	-0.16	-0	0.07	0.11	1	0.53	0.54	-0.07	0.02		0.23	0.23	-0.33	0.22	-0.26	1	0.5	0.49	0.04	0.03		-0.49	-0.05	-0.5	0.13	0.28	1	0.66	0.69	0.14	-0.08					
I-NLL	0.39	0.39	-0.38	0.29	-0.61	0.4	1	0.75	0.73	-0.62		0.02	0.07	-0.31	0.29	-0.02	0.53	1	0.7	0.38	-0.4		0.63	0.62	-0.44	0.44	-0.65	0.5	1	0.74	0.58	-0.57		-0.58	0.3	-0.67	0.35	0.09	0.66	1	0.81	0.55	-0.63					
I-KL	0.5	0.47	-0.37	0.16	-0.36	0.43	0.75	1	0.71	-0.23		-0.03	0	-0.33	0.26	0.09	0.54	0.7	1	0.35	-0.22		0.71	0.71	-0.47	0.27	-0.49	0.49	0.74	1	0.5	-0.19		-0.61	0.34	-0.64	0.39	0.23	0.69	0.81	1	0.53	-0.41					
I-MMD	0.66	0.65	-0.24	0.34	-0.55	0.21	0.73	0.71	1	-0.53		0.35	0.3	-0.02	0.51	-0.08	-0.07	0.38	0.35	1	-0.38		0.76	0.77	-0.41	0.49	-0.59	0.04	0.58	0.5	1	-0.71	-0.39	0.59	-0.42	0.63	-0.09	0.14	0.55	0.53	1	-0.69						
Params MMD	-0.21	-0.2	0.31	-0.48	0.71	0.15	-0.62	-0.23	-0.53	1		0.11	0.07	0.36	-0.06	0.67	0.02	-0.4	-0.22	-0.38	1		-0.67	-0.67	0.4	-0.53	0.68	0.03	-0.57	-0.19	-0.71	1	0.47	-0.43	0.51	-0.39	0.15	-0.08	-0.63	-0.41	-0.69	1						

	E-SHD	E-CPDAG SHD	AUROC	AUPRC	Graph MMD	NLL	I-NLL	I-KL	I-MMD	Params MMD	E-SHD	E-CPDAG SHD	AUROC	AUPRC	Graph MMD	NLL	I-NLL	I-KL	I-MMD	Params MMD	E-SHD	E-CPDAG SHD	AUROC	AUPRC	Graph MMD	NLL	I-NLL	I-KL	I-MMD	Params MMD	E-SHD	E-CPDAG SHD	AUROC	AUPRC	Graph MMD	NLL	I-NLL	I-KL	I-MMD	Params MMD		
E-SHD	1	0.91	0.29	0.43	-0.05	0.04	0.49	0.66	0.82	-0.08	1	0.85	0.47	0.61	-0.08	0.04	0.21	0.42	0.64	0.07	1	0.97	0.22	0.82	-0.39	-0.06	0.46	0.67	0.78	-0.32	1	0.8	0.67	0.66	-0.53	0.06	0.24	0.59	0.62	0.04		
E-CPDAG SHD	0.91	1	0.17	0.25	0.06	0.06	0.46	0.66	0.73	-0.05	0.85	1	0.28	0.45	0.05	-0.02	0.13	0.32	0.51	0.07	0.97	1	0.14	0.77	-0.35	-0.1	0.43	0.63	0.75	-0.38	0.8	1	0.38	0.65	-0.52	-0.06	0.26	0.58	0.63	-0.13		
AUROC	0.29	0.17	1	0.44	-0.06	-0.05	-0.02	0.04	0.15	0.29	0.47	0.28	1	0.24	0.07	0.32	0.38	0.26	0.24	0.44	0.22	0.14	1	0.31	-0.04	0.03	0.07	0.25	0.21	0.37	0.67	0.38	1	0.56	0.48	1	-0.43	0.19	0.5	0.56	0.68	-0.03
AUPRC	0.43	0.25	0.44	1	-0.36	0.03	0.2	0.18	0.35	-0.14	0.61	0.45	0.24	1	-0.24	-0.07	0.1	0.57	0.57	-0.22	0.82	0.77	0.31	1	-0.36	0.14	-0.35	-0.31	-0.35	-0.37	-0.45	0.48	-0.53	-0.52	-0.17	-0.43	1	-0.37	-0.33	-0.36	-0.45	0.29
Graph MMD	-0.05	0.06	-0.06	-0.36	1	0.06	-0.04	0.1	-0.07	0.55	-0.08	0.05	0.07	-0.24	1	-0.06	-0.11	-0.24	-0.33	0.68	-0.39	-0.35	-0.04	0.36	1	-0.31	-0.35	-0.37	-0.45	0.48	-0.06	0.43	0.19	0.5	0.56	0.68	-0.03					
NLL	0.04	0.06	-0.05	0.03	0.06	1	0.72																																			