

```

933 -- int ssh_options_getopt(ssh_session session, int *argcptr, char **argv) {
934     char *user = NULL;
935     char *cipher = NULL;
936     char *identity = NULL;
937     char *port = NULL;
938     char **save = NULL, **tmp;
939     int i = 0;
940     int argc = *argcptr;
941     int debuglevel = 0;
942     int usersa = 0;
943     int usedss = 0;
944     int compress = 0;
945     int cont = 1;
946     int current = 0;
947     #ifdef WITH_SSH1
948     | int ssh1 = 1;
949     #else
950     | int ssh1 = 0;
951     #endif
952     | int ssh2 = 1;
953     #ifdef _MSC_VER
954     | /* Not supported with a Microsoft compiler */
955     | return -1;
956     #else
957     | int saveoptind = optind; /* need to save 'em */

```

options.c

```

9  SSH_OPTIONS *set_opts(int argc, char **argv){
10     SSH_OPTIONS *options=ssh_options_new();
11     char *host=NULL;
12     -- ssh_options_getopt(options,&argc, argv)){
13         fprintf(stderr,"error parsing command line :%s\n",ssh_get_error(options));
14         return NULL;
15     }
16     int i;
17     while((i=getopt(argc,argv,""))!=--1){
18         switch(i){
19             default:
20                 | fprintf(stderr,"unknown option %c\n",optopt);
21             }
22     }

```

connection.c