

personalized  
requirements

```
import java.util.HashSet;
import java.util.List;
import java.util.Set;
import java.util.Scanner;

class Solution{

    public String findMax(List<String> words){
        int maxUniqueChar = 0;
        String maxWord = "";
        for (String word : words){
            int uniqueChar = getUniqueChars(word);
            if (uniqueChar > maxUniqueChar){
                maxWord = word;
                maxUniqueChar = uniqueChar;
            }else if (uniqueChar == maxUniqueChar){
                if (word.compareTo(maxWord) < 0){
                    maxWord = word;
                }
            }
        }
        return maxWord;
    }

    private int getUniqueChars(String s){
        .....
        return uniqueChar.size();
    }
}

.....
```

code generated by LLM

```
import java.util.*;

class util{
    public static int getUniqueChar(String s) {
        .....
        return uniqueChar.size();
    }
}

class solution {

    public String findMax(List<String> words) {
        int maxcount = 0;
        String maxWord = "";
        for (String word : words) {
            int uniqueChar
            = util.getUniqueChars(word);
            if (uniqueChar > maxcount) {
                maxWord = word;
                maxcount = uniqueChar;
            } else if (uniqueChar == maxUniqueChar) {
                if (word.compareTo(maxWord) < 0) {
                    maxWord = word;
                }
            }
        }
        return maxWord;
    }
}

.....
```

structure

formatting

naming