

I am a junior doctor, and I will provide you with the patient's medical records and imaging feature information. I need your help to analyze them separately. The medical history is as follows: Chief complaint: Liver space-occupying lesion discovered over a month ago. Current medical history: The patient started experiencing pain under the xiphoid process and in the upper right abdomen in January 2023, without any apparent cause. There were no symptoms of acid reflux, bloating, nausea, vomiting, diarrhea, or jaundice. The patient visited a local hospital where an abdominal imaging examination was conducted, indicating a liver space-occupying lesion with a filling defect in the portal vein. For further treatment, the patient then visited our hospital's Department of Hepatobiliary Surgery. Imaging suggested a right-lobe liver space-occupying lesion, suspected hepatocellular carcinoma with portal vein tumor thrombus; multiple low-enhancement lesions in the liver suggesting possible metastasis. Tumor markers: Alpha-fetoprotein (AFP) 56448.33 ng/ml, abnormal prothrombin >30000.00 mAU/ml, cancer antigen CA-199 29.58 U/ml, carcinoembryonic antigen 3.53 ng/ml. The patient has undergone a biopsy, with results pending. The patient started oral administration of Lenvatinib 8mg qd today, combined with Sindilizumab 200mg q3w for preoperative neoadjuvant therapy. The patient visited our department. Tumor markers AFP: 56448 ng/ml, PIVKA: >30000 mAU/ml. Portal vein tumor thrombus present in the right branch and main trunk. The lesion is located in segment 8 of the liver. The imaging features are: The tumor diameter is 12.1 cm, the tumor margins are irregular, the grayscale difference between the tumor and surrounding tissues is low, the internal grayscale variation of the tumor is high, and the tumor is close to major blood vessels. Please use the content from the knowledge base to interpret the above patient's medical and imaging information and the treatment suggestions.